AD-A245 268



Defense Nuclear Agency Alexandria, VA 22310-3398



DNA-TR-91-111

Animal Models of Ionizing Radiation Damage

Lynda L. Pippin, DVM Pathology Associates, Inc. 15 Worman's Mill Court Frederick, MD 21701

January 1992

DTIC SELECTED JANS 7, 1992

Technical Report

CONTRACT No. DNA 001-88-C-0120

92-01968

Approved for public release; distribution is unlimited.

DESTRUCTION NOTICE:

FOR CLASSIFIED documents, follow the procedures in DoD 5200.22-M, Industrial Security Manual, Section II-19.

<u>FOR UNCLASSIFIED</u>, limited documents, destroy by any method that will prevent disclosure of contents or reconstruction of the document.

Retention of this document by DoD contractors is authorized in accordance with DoD 5220.22-M, Industrial Security Manual.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY, ATTN: CSTI, 6801 TELEGRAPH ROAD, ALEXANDRIA, VA 22310-3398, IF YOUR ADDRESS IS INCORRECT, IF YOU WISH IT DELETED FROM THE DISTRIBUTION LIST, OR IF THE ADDRESSEE IS NO LONGER EMPLOYED BY YOUR ORGANIZATION.

DISTRIBUTION LIST UPDATE

This mailer is provided to enable DNA to maintain current distribution lists for reports. We would appreciate your providing the requested information. NOTE: ☐ Add the individual listed to your distribution list. Please return the mailing label from the document so that any additions, □ Delete the cited organization/individual. changes, corrections or deletions can be made more easily. ☐ Change of address. ORGANIZATION: _____ **OLD ADDRESS CURRENT ADDRESS** TELEPHONE NUMBER: () SUBJECT AREA(s) OF INTEREST: DNA OR OTHER GOVERNMENT CONTRACT NUMBER: ______ CERTIFICATION OF NEED-TO-KNOW BY GOVERNMENT SPONSOR (if other than DNA):

SPONSORING ORGANIZATION: _____

SIGNATURE:

CONTRACTING OFFICER OR REPRESENTATIVE:



Director
Defense Nuclear Agency
ATTN: TITL
Washington, DC 20305-1000

Director Defense Nuclear Agency ATTN: TITL Washington, DC 20305-1000

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Washington Headquarters Services Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Sults 1204, Addington, VA 22202-4302, and to the Office of Management and Buddet, Pagerwork Reduction Project (0704-0188), Washington, DC 29553.

Davis Highway, Sulte 1204, Arlington, VA 22202-4	302, and to the Office of Management and	Budget, Paperwork Reduction P	roject (0704-0	188), Washington, DC 20503	
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE	AND DAT	ES COVERED	
	920101	Technical	8805	518 - 910518	
4. TITLE AND SUBTITLE	<u> </u>		5. FU	NDING NUMBERS	
Animal Models of Ionizing Radiation Damage			PE	PE - 62715H	
6. AUTHOR(S)				- R99QAXE	
Lynda L. Pippin, DVM			TA WU	- DH009150	
7. PERFORMING ORGANIZATION NAME	(S) AND ADDRESS(ES)			REPORT NUMBER	
Pathology Associates, Inc. 15 Worman's Mill Court Frederick, MD 21701				. Gill NGIIIDE.	
9. SPONSORING/MONITORING AGENCY	NAME(S) AND ADDRESS(ES)		PONSORING/MONITORING	
Defense Nuclear Agency	, ,		A	GENCY REPORT NUMBER	
6801 Telegraph Road					
Alexandria, VA 22310-3398	}		DN	A-TR-91-111	
MRCO/Collins					
11. SUPPLEMENTARY NOTES			<u> </u>		
This work was sponsored b B323075464 R99QAXEB06		r Agency under I	EDT&E	RMSS Code	
12a. DISTRIBUTION/AVAILABILITY STATE	EMENT		12b. l	DISTRIBUTION CODE	
Approved for public release	; distribution is unlir	nited.			
13. ABSTRACT (Maximum 200 words) This report is a survey of the and 1987, for the purpose of which have yielded results thuman beings. Articles were sources of ionizing radiation cord, and behavior (Section lar systems (Section 2); and interest were those that occupation include articles reporting provided insight into mechal	of compiling a literature hat can expand our literature sought that reported having endpoints the literature of the survey); the the hematopoietic arruped within the first g chronic or long-termisms of morphological	re base on the ef- knowledge about ed exposure of ad- hat included effe- gastrointestinal, nd immune syste 12 months after m delayed effects cal and/or functi	fects of similar ult made the content on the content of the conten	radiation on animals, radiation effects on mmals to external the brain, the spinal ine, and cardiovascuction 3). Effects of the survey does tation unless they crangement.	
Information presented in the Changes). The brief introduce representative reports and a ticles reviewed are appended Articles discussed in the texture.	ection to each subtop a short summary of c d as a Bibliography, a	ic is followed by a onclusions based arranged alphabe	a conde l on the tically	ensed description of ose reports. The arwithin subtopics.	
14. SUBJECT TERMS				15. NUMBER OF PAGES	
Radiation Immune Syste				316	
Brain GI System	Endocrine Sys		ing	16. PRICE CODE	
Animal Spinal Cord	Hematopoietic				
	ECURITY CLASSIFICATION DF THIS PAGE	19. SECURITY CLASSIF OF ABSTRACT	ICATION	20. LIMITATION OF ABSTRAC	

SAR

UNCLASSIFIED

UNCLASSIFIED

UNCLASSIFIED

CLASSIFIED BY: N/A since Unclassified DECLASSIFY ON:
DECLASSIFY ON:
N/A since Unclassified
N/A since Unclassined
10 ADSTDACT (Conditional)
13. ABSTRACT (Continued)
in Section 4. Reviewed articles are also catalogued into tabular format, allowing the reader to easily identify articles that pertain to a specific topic, species, dose level, and type of radi-
ation.
•


SUMMARY

This report, prepared by Pathology Associates Inc., Frederick, Maryland, under Defense Nuclear Agency (DNA) Contract DNA001-88-C-0120, is a survey of the English language literature of radiation biology between 1947 and 1987. Articles were sought that reported exposure of adult mammals to external sources of ionizing radiation, having endpoints that included effects on the brain, the spinal cord, and behavior (Part I of the survey); the gastrointestinal, endocrine, and cardiovascular systems (Part II); and the hematopoietic and immune systems (Part III). Effects of interest were those that occurred within the first 12 months after exposure.

The objective of the survey was to collate the literature about animals which yielded results that contribute to the basis of our knowledge about possible radiation effects on human beings. Emphasis was on usefulness to extrapolate effects on military personnel, with special interest on medical and tactical considerations. For these reasons, the survey does not include articles reporting chronic or long-term delayed effects of radiation unless they provide insight into mechanisms of morphological and/or functional derangement.

We have attempted to be as thorough as possible in the literature reviews, but do not claim that the survey is absolutely comprehensive. We believe it is solidly representative of the relevant literature and that the conclusions represent the conclusions of the scientific community. We apologize in advance to any authors whose work we may have overlooked or omitted.

In this effort, we encountered many articles, particularly in the older literature, that were incompletely reported. Important data that were omitted for some reports included number of animals per treatment or total number of animals; untreated control animals; age or strain of animals; one or more parameters of radiation exposure (total dose, dose rate, radiation type or energy, beam filtration, distance, etc.); time interval between exposure and observation; and other experimental factors. Only in recent years do the majority of the reports include data on husbandry conditions and diet composition, but there is still no uniformity in description of experimental parameters. Reviewers are thus obliged to accept the reported results at face value or to "discount" them to a degree proportional to the completeness of the description of the experimental conditions. Our practice was to apply an informal analysis to experiments that lacked complete description, seeking whatever "central tendency" might emerge for comparison to similar experiments. This approach permitted tentative overall conclusions to be reached, although judgments about specific details in particular experiments remained tentative. In many instances, we found a small number of wellexecuted studies that confirmed the conclusions suggested by earlier, less complete work.



The format for this report includes a brief introduction to each subtopic, intended to provide a concise statement of the current understanding of that subtopic. This is followed by a condensed description of representative reports concerning the subtopic, more or less in historical sequence, a short commentary indicating our impressions of the strengths or weaknesses of the available data, and a short summary of our conclusions.

Appended are reading lists of the articles reviewed, arranged alphabetically within subtopic. The reading lists follow the same subtopic outline as the text. Articles discussed are cited in the text and are assembled alphabetically as a "cited reference list" after the respective subtopic. The articles are also catalogued into tabular format, allowing the reader to easily identify articles that pertain to a specific topic, species, dose level, and type of radiation.

TABLE OF CONTENTS

Section	1		Pa	age
		•		I Viii
1.	Radiat	tion Eff	ects on Brain, Spinal Cord, and Behavior	1
	1.1	Introdu	ction	1
	1.2	Brain		1
		1.2.1	Morphologic Changes	1
		1.2.2	Effects on Blood-Brain Barrier	4
		1.2.3	Electrophysiology	6
		1.2.4	Summary: Brain	9
	1.3	Spinal	Cord	10
		1.3.1	Clinical Manifestation	10
		1.3.2	Electrophysiology and Spinal Reflexes	11
		1.3.3	Morphologic Changes	11
		1.3.4	Summary: Spinal Cord	12
	1:4	Behav	ior	13
		1.4.1	Clinical Manifestation: Incapacitation	13
		1.4.2	General Activity	18
		1.4.3	Discrimination Performance and Physiological Stress	20
		1.4.4	Psychological Processes	22
		1.4.5	Behavioral Activation	25
	1.5	Conclu	sion	29
2.			ects on the Cardiovascular, Gastrointestinal,	30
	2.1	Cardio	vascular System	30
		2.1.1	Introduction	30
		2.1.2	Heart	30
		2.1.3	Blood Vasculature	34

TABLE OF CONTENTS (continued)

Se	ction		Pa	age
	2.2	Gastro	intestinal System	37
		2.2.1	Introduction	37
		2.2.2	Gastrointestinal Syndrome	38
		2.2.3	Morphologic Changes	38
		2.2.4	Physiologic Changes	41
	2.3	Endoc	rine System	44
		2.3.1	Introduction	44
		2.3.2	Pituitary Gland	44
		2.3.3	Thyroid Gland	45
		2.3.4	Parathyroid Gland	46
		2.3.5	Adrenal Gland	46
		2.3.6	Pancreas	47
3.	Radiation	Effects	on the Hematopoietic and Immune Systems	49
	3.1	Hemat	opoietic System	49
		3.1.1	Introduction	49
		3.1.2	Hematopoietic Stem Cells	49
		3.1.3	Peripheral Blood Cells	51
	3.2	Immun	e System	52
		3.2.1	Introduction	52
		3.2.2	Lymphocyte Populations	52
		3.2.3	Cell-Mediated Immunity	54
		3.2.4	Humoral Immunity	54
4.	List of Ref	erence	s	56
	4.1	Refere	nces: Brain	56
	4.2	Refere	nces: Spinal Cord	60
	4.3	Refere	nces: Behavior	62
	4.4	Refere	nces: Cardiovascular System	76
	4.5	Refere	nces: Gastrointestinal System	81
	4.6	Refere	nces: Endocrine System	86
	4.7	Refere	nces: Hematopoietic System	88
	4.8	Refere	nces: Immune System	91

TABLE OF CONTENTS (continued)

Appendices		
Α	Bibliography	A -1
В	Tables	B-1

LIST OF TABLES

Table		Page
B-1	Brain References: Burro	B-2
B-2	Brain References: Cat	B-3
B-3	Brain References: Dog	B-4
B-4	Brain References: Guinea Pig	B-5
B-5	Brain References: Hamster	B-6
B-6	Brain References: Mouse	B-7
B-7	Brain References: Non-human Primate	B-8
B-8	Brain References: Rabbit	B-9
B-9	Brain References: Rat	B-10
B-10	Brain References: Swine	B-11
B-11	Spinal Cord References	B-12
B-12	Behavior References: Burro	B-13
B-13	Behavior References: Dog	B-14
B-14	Behavior References: Guinea Pig	B-15
B-15	Behavior References: Hamster	B-16
B-16	Behavior References: Mouse	B-17
B-17	Behavior References: Non-human Primate	B-18
B-18	Behavior References: Rabbit	B-19
B-19	Behavior References: Rat	B-20
B-20	Behavior References: Swine	B-22
B-21	Cardiovascular References: Burro	B-23
B-22	Cardiovascular References: Cat	B-24
B-23	Cardiovascular References: Dog	B-25
B-24	Cardiovascular References: Guinea Pig	B-26
B-25	Cardiovascular References: Hamster	B-27
B-26	Cardiovascular References: Mouse	B-28
B-27	Cardiovascular References: Non-human Primate	B-29
B-28	Cardiovascular References: Pig	B-30
B-29	Cardiovascular References: Rabbit	B-31
B-30	Cardiovascular References: Rat	B-32
B-31	Cardiovascular References: Sheep	B-33
B-32	Gastrointestinal References: Cell Survival	B-34

LIST OF TABLES (continued)

Table		Page
B-33	Gastrointestinal References: Intestinal Repair	B-35
B-34	Gastrointestinal References: Infection	B-36
B-35	Gastrointestinal References: Intestinal Blood Flow	B-37
B-36	Gastrointestinal References: Morphology	B-38
B-37	Gastrointestinai References: Motility	B-39
B-38	Gastrointestinal References: Transport Capacity	B-40
B-39	Endocrine References: Adrenal Gland	B-41
B-40	Endocrine References: Pancreas	B-42
B-41	Endocrine References: Parathyroid	B-43
B-42	Endocrine References: Pituitary Gland	B-44
B-43	Endocrine References: Testis/Ovary	B-45
B-44	Endocrine References: Thyroid Gland	B-46
B-45	Hematopoietic References: Stem Cell	B-47
B-46	Hematopoietic References: Peripheral Blood	B-48
B-47	Immune References: Lymphocytes	B-49
B-48	Immune References: Cell-mediated Immunity	B-50
B-49	Immune References: Humoral Immunity	B-51

SECTION 1

RADIATION EFFECTS ON BRAIN, SPINAL CORD, AND BEHAVIOR

1.1 INTRODUCTION.

Historically, investigators have associated neural function with integrity of neurons. A review of the neural effects of ionizing radiation in animals forced the reviewer to abandon that simplistic approach. The "sensitive volume" to receive radiant energy includes both neurons and non-neuronal tissue, whether or not the nervous system per se is in the target field. Non-neuronal tissue volume is the greater of the two, even within the nervous system, where it is composed chiefly of glia and vasculature. Normal neural function requires normal function of the supporting glia and vasculature, so neural malfunction can result directly from neuronal damage, indirectly through damage to supporting structures, or by both routes. Moreover, the vital integrative role of the central nervous system (CNS) depends upon balanced levels of excitation and inhibition, generated through stimuli from all possible somatic and sensory sources. Even when the CNS is not in the radiation field, it will be the recipient of aberrant input from other irradiated sites (e.g., the abdomen) and thus will experience perturbation in its balanced function.

Interpretation of behavioral changes after irradiation, without regard to structural change, is similarly complex. Behavior formerly motivated by food reward may be confounded by anorexia following intestinal exposure. Performance on highly conditioned discrimination tasks may improve temporarily after heavy irradiation, presumably because radiation-induced malaise reduces curiosity and distractibility.

There are qualitative and quantitative differences in response among the various animal species, but no central unifying dogma to explain the seemingly random variations. Until more is known about comparative neurophysiology, reviewers must be content to simply catalog the differences. Although extrapolation to humans of those effects described in animals is beyond the scope of this report, a number of the articles reviewed did make comparisons with human data. Those data are relatively sparse, however, and are derived from nuclear industrial accidents, from Japanese survivors of the atom bomb detonations, from radiation therapy patients, and from volunteers. In virtually all instances, the number of comparable subjects is small, and the subjects are heterogeneous in most demographic characteristics. Rarely have exposure factors been known with confidence, except in radiation therapy patients. In these cases, large variations exist in pretreatment morbidity and in the exposures employed. Despite these problems, the "central tendency" in histologic changes, electrophysiologic observations, and behavior patterns reported for humans exposed to ionizing radiation is consistent in its broad aspects with that observed in more detail in animals. We are convinced that data available to date from well-controlled animal experiments provide a valid basis from which to extrapolate judiciously and to rationally predict radiation effects in humans.

1.2 BRAIN.

1.2.1 Morphologic Changes.

Studies by light microscopy consistently show relatively few structural changes in neural tissue at early times (days to weeks) following neural exposure to

radiation. When changes are detected, they first tend to affect preferentially neural supporting tissues rather than neurons. These observations and the lethality pattern resulting from exposure to increasing doses of radiation ("CNS death" requiring the greatest dose) led early to the dogma that neurons were relatively radioresistant.

The structural resistance of neural tissue, which requires kilorad for disruption detectable in a few days by light microscopy, is now seen as paradoxical since electrophysiologic decrements are present promptly after absorption of a few rad, and behavior is altered promptly by millirad. Although electron microscopic examination of neurons reveals ultrastructural changes at earlier times and lower doses than does light microscopy, neurons are synthesizing DNA during only a small fraction of their lifetime and they indeed are relatively resistant to morphologic alteration from direct effects of radiation. In contrast, their normal function requires closely regulated ion fluxes and membrane polarity and depends on innumerable chemical, electrical, and physical interaction with cells of diverse types. Direct damage to those cells, e.g., supporting glia or endothelium, or to effectors in the autonomic nervous system, becomes the limiting factor in integrated neural function. Functional deficits occur at radiation doses that are orders of magnitude below those required to cause direct physical disruption of neurons.

The dominant pattern of histopathologic change in the CNS is one of vascular damage with edema and hemorrhage, followed by glial loss and proliferation. As neuronal change occurs (led by pyknosis, reduction of dendric aborization, loss of synaptic integrity, and demyelization), it is complicated by associated sclerosis, neovascularization, and infiltration by immune competent cells. The latter may contribute to loss of additional neurons.

The time course for these events is measured in weeks and months, long after acute chemical signs have resolved, and the changes most often are accompanied by cognitive and motor performance deficits. At lower doses, the early post-exposure period may have been free of signs referable to neural dysfunction. Survivors recovering from doses that did produce early functional change may relapse with a more permanent debility. The following section documents changes noted in selected representative studies. Early reviews include those by Haymaker (26) and Van Cleave (53).

1.2.1.1 Electromagnetic Radiation. The earliest systematic study of radiation change in the brain appears to be that of Lyman, et al. (33) and Scholz, et al. (49), reported in units of 4-20 human erythema doses of x-rays (approximately 100-500 rad) applied to the heads of dogs. Meningitis and perivascular edema were present at 5-6 weeks post-exposure without neuronal injury. After 5-6 months there were degenerative changes in blood vessels and correlated areas of necrosis, predominantly of white matter. Observations such as these have been repeated in the decades since that time. In rabbits given 200 kvp x-rays through a 3x4 cm field on one side of the head, Russell, et al. (47) reported neurological signs after 3-4 months following 2.85 krad exposures, and after 8 months in animals given 2.44 krad. Animals examined before signs appeared had multifocal necrosis of capillary walls and of adjacent brain tissue (probably glia). There were also small hemorrhages in the exposed half of the brain, mainly in hippocampus, mid brain and basal ganglia. They described little or no gliosis or nerve cell damage. After neuronal signs appeared, lesions were more extensive, involving even the opposite side of the brain. Necrosis was more prominent and was associated with thrombi, vessel wall necrosis, and gliosis.

High doses of radiation are associated with acute changes, predominantly inflammatory in nature. Rabbits given 4.2-9 krad to the head (260 kvp x-ray) had meningitis within 2 hours, and those receiving 9 krad also has vasculitis by 6 hours (19). After 2.5-30 krad of whole-body exposure to Ba¹⁴⁰-La¹⁴⁰ gamma rays. macaque monkeys had inflammatory changes in brain vessels and meninges as early as 2 hours after the highest doses, while damage to glia and neurons was negligible. Damage was greater in grey matter than in white (25). Comparable results were reported in other macaques exposed to 10 krad Co⁶⁰ gamma ravs. head-only or whole-body. Transient vasculitis and meningitis were maximal at 8-24 hours and then subsided. There was pyknosis of cerebellar granule cells as well. Davidoff and co-workers (14) reported prominent damage to neurons in macaque rhesus monkeys in which exposed brain was irradiated with 1-5 krad of 200 kvp x-rays. In 4-8 months the brains had patch demyelination and damage to cerebral and cerebellar ganglion cells. Later "cavitation" of white matter was accompanied by gliosis. Occasional thickening and hyalinization of vessels was considered not significant, although by 8 months, the "end stage" nature of the lesion could have obscured any earlier role played by damaged vasculature.

In a similar study in Syrian hamsters, Scholz, et al. (50) gave 40 krad of high intensity x-rays through a 1.0 cm diameter port to the closed surface of the head at 2.14 krad/sec. Tissue "sponginess" and slight damage to cellular elements were detected at 7 hours after 20 krad or more, although no increase in vascular permeability to trypan blue was evident at that time. Later, small hemorrhages and tissue staining with trypan blue occurred and preceded development of necrosis. Fully developed necrosis, including neurons, glia and vessels, was described after only 3 days following 45 krad, 6 days after 10 krad and 8 days after 5 krad. The authors concluded that all cells were affected simultaneously. Hager (23) examined some of the same brains with the electron microscope and reported abundant exudative lesions at earlier times, suggesting that vascular damage preceded changes in glia and neurons.

1.2.1.2 <u>Particulate Radiations</u>. Beams of particulate radiation have special value in the study of radiation effects on the CNS because they deposit the majority of their energy in a very localized volume of tissue, at the end of their tracks. In some experiments, these beams in high doses have produced direct damage to neurons. Zeman and co-workers (57) exposed mice to microbeams of 22 Mev deuterons. With a 0.025 mm beam, nerve cell destruction was produced with 400 krad and more without concomitant light microscopic damage to blood vessels. Beams of 0.25 and 1.0 mm produced generalized necrosis with prominent vessel damage, by contrast. In other work (39, 40), the same group produced nerve cell pyknosis in the cerebral cortex and cerebellum 8 days after an 8 krad dose, and pyknosis of cerebellar granule cells and glia in 2 days with 72 krad. Granule cells were more sensitive than Purkinje cells. Vessel damage again was present with the 1 mm beam but not with a slit microbeam.

Rats exposed to 10, 20, 30, or 40 krad via a 3 mm beam of 185 Mev protons showed vascular changes after 14, 6, 3, and 1 days, respectively (31). These were evidenced by increased trypan blue permeability before nerve cell damage was manifest. No changes except impaired capillary circulation were found at the 10 krad dose. Anderson, et al. (1) summarized this early high-energy proton work.

Vogel, et al. (55) exposed monkeys to 850 rad of 14 Mev neutrons. After 14-22 months, there was fragmentation of myeloma sheaths and decreased numbers of oligodendroglia. The cerebral cortex was atrophic, but blood vessels appeared unchanged as did residual neurons. Further demyelination, astrogliosis, and microgliosis was seen later. The authors believed that myelin was particularly susceptible and that myelin damage was independent of oligodendroglial damage.

The brain stem and hypothalamus were consistent in their increased sensitivity to vascular lesions (25). In 21 macaque mulatta monkeys exposed to various doses of x-rays (e.g., 1.5-6.0 krad) penetration of trypan blue was more marked in hypothalamus and medulla (11) than in other parts of the brain. Within 2 weeks of exposure, edema, astrocytic degeneration, swollen oligodendroglia, and vasculitis were observed in the dyed areas. The astrocytic damage occurred at 3.0 krad and above, and was especially interesting since there may be a 1:1 relationship between astrocyte integrity and normal blood-brain barrier impermeability. Astrocytic glia have foot processes closely applied to capillary walls where the barrier is present, but in those brain regions lacking the barrier (choroid plexus, area postrema, neurohypophysis, pineal body), no glia are present about the vessels. Hence disruption of the vessel-glial unit may be more important to barrier function than is endothelial damage alone, and the sensitivity of the barrier may reside in astrocytes rather than, or in addition to, endothelium. In another study (3), beams of 23 Mev x-rays were directed laterally through the temporal lobes of monkeys and caused perivascular necrosis in the hypothalamic, supraoptic, and paraventricular muscle and the brain stem white matter, while the temporal lobes and basal ganglia had minimal damage.

1.2.2 Effects on Blood-Brain Barrier.

Trypan blue, after intravenous injection, can be found in all tissues of the body except the CNS. Clemente and Holst (11) first demonstrated trypan blue permeability in brain vasculature in irradiated monkeys. Griffin (22) studied mice cranially irradiated with 0.5, 1.0, 1.5, or 2.0 krad of 250 kvp x-rays administered at Methotrexate, to which the blood-brain barrier is normally 200 rad/min. impermeable, was given intraperitoneally to groups of 5 BALB/C mice simultaneously with irradiation or 1, 2, 3, or 6 days later. The animals were killed and their brains homogenized and examined 24 hours after administration of the chemical. Detectable levels were found only in brains of mice irradiated with 2.0 krad, including those administered the methotrexate 6 days after radiation exposure. Regrettably, the homogenization precludes detection of differential regional permeability of the barrier. The topic has practical significance, however, since exposures in the 2 krad range may be achieved during radiation therapy in humans and subsequent administration of pharmacologic agents could prove toxic as a result of altered barrier permeability.

Remler and Marcussen (41) reported a careful study of three cats in which they monitored the permeability produced by 6 krad of proton irradiation to 0.25 cm³ of the left cerebral cortex. Anesthetized cats served as their own control, first establishing an electroencephalogram (EEG) after penicillin was given intravenously. Penicillin leaking from a cerebral vessel causes epileptic spikes on the EEG. Two-minute EEG tracings were made at intervals up to 80 days after irradiation. Each cat had a unique response, although all showed significant blood-brain barrier leakage. One had an 8-fold increase in spike count by day 14, then gradually returned to normal by day 45. Another had a 9-fold increase by day 14, which

increased to 12-fold by day 21 before returning to normal by day 80. In the third animal, the spike increases began later, at 21 days, reached a 40-fold increase by day 35, and did not begin to subside until day 62. The authors stated all returned to normal by day 80. The important contribution of this study is the demonstration of the individual variations in onset, extent, and duration of the penicillin leaks, variations that would be obscured by destructive techniques which permit only one observation per subject and require that the data be pooled. Demonstration of this individual variability explains the various outcomes reported by other investigators who did not use non-invasive techniques. Indeed an equally important observation was ignored by the authors, who revealed that two cats were eliminated from the study because their pre-evaluation EEG examination revealed "significant epileptic spike activity." If two of six cats were "positive" before irradiation, the sensitivity of all blood-brain barrier tests must be suspect. The authors did not describe the results in three of the six cats irradiated.

These same authors (42) used 6 krad proton irradiation at 900 rad/min to open the blood-brain barrier in the left cerebral cortex of 50 rats. Thirty unirradiated animals served as controls. The radiation exposure did not affect the normal EEG. Kainic acid given subcutaneously at 0.5 mg/kg does not cross the blood-brain barrier in normal rats, but it does at 1 mg/kg, at which time it causes transient (10 min) scattered sharp waves on the EEG. When irradiated animals were challenged with 0.5 mg/kg, intense, highly localized (to the irradiated area) epileptiform bursts resulted; these lasted 1-10 seconds and recurred for about 90 minutes. The result was repeatable for about one week after radiation, presumably the duration that the blood-brain barrier was "open." This dose of radiation increased the permeability of the blood-brain barrier in the same manner (as demonstrated with similar convulsants) as does trauma, cold, heat, electric current, and osmotic shock, according to the authors. They were concerned primarily with radiation plus kainic acid as a technique for studying focal epilepsy. Kainic acid is a potent agonist of glutamate and a strong epileptogen. Given the predilection of rabbits to experience spontaneous epileptiform seizures shortly after heavy head irradiation, possibly they should be investigated for the activity of endogenous glutamate agonists that cross their blood-brain barrier after irradiation.

In a carefully documented study in 160 Sprague Dawley rats, Rene, et al. (43) demonstrated that fluid transudation across the blood-brain barrier in irradiated animals occurs via increased transendothelial transport in pinocytotic vesicles. The 80 irradiated rats were exposed to a whole-body pulse of 15 krad of mixed gamma-neutron radiation from a TRIGA reactor. Eighty rats served as unirradiated controls. Half of each were injected with horseradish peroxidase (HRP) 5-30 minutes before sacrifice, and all were killed 2 hours after irradiation. The brains were fixed either by immersion (to demonstrate HRP in vessel lumens) or perfusion. Electron microscopically, the irradiated medullas examined had increases in the number of HRP-containing micropinocytotic vesicles in endothelial cytoplasm, in capillary basement membrane, and beyond the membrane. No increase in tracer was seen in junctional channels between endothelial cells. The endothelial tight junction is usually considered the major barrier to protein loss from brain capillaries (8), but was apparently not altered by 15 krad in this experiment. Molecules smaller than the 40kd HRP tracer, that contribute to edema formation, may use the tight junctions or diffuse directly through the endothelial cells. Nerve and glial cells had "little observable differences" when compared to unirradiated animals.

Lundqvist and co-workers (32) used ⁹⁹Tc uptake to monitor vessel permeability in Sprague Dawley and Wistar rats exposed to 50, 70, 100, or 150 Gy of 200 Mev protons, via a beam of either 5 or 7 mm diameter. Uptake increased to a maximum 20-30 days after irradiation, with relatively little difference among the irradiated groups. Histopathologic examination of 2-3 animals per time point revealed vascular lesions, hemorrhage, and local gliosis in the irradiated region (visual cortex) at 27 days, together with cytolysis of neurons. At 57 days, there were marked necrotic areas with disintegrated blood vessels and glial scavenger cells. The changes were similar for 100 and 150 Gy, 5 mm, and 7 mm beam diameters. Minor hemorrhages and focal glial scavenger cells were seen on days 26, 39, and 58 after 70 Gy via the 7 mm beam, and small foci of necrosis were present on the latter two days. The vascular injury is consistent with that described by other workers and is corroborated by the small histopathologic samplings, thus establishing another non-invasive method for use in studying this phenomenon.

1.2.3 Electrophysiology.

The literature on electrical activity of nerve tissue after irradiation is difficult to summarize because of the many differences in experimental design, measurement techniques, and potential for misinterpretation. These are superimposed upon the complexity of the radiobiology literature generally, namely the variety of animal subjects, types of radiation, temporal factors, and completeness of reporting.

Generally there is evidence that at lower doses and earlier times, irradiation increases the overall state of CNS excitability. Thresholds for evoking arousal, recruiting, and certain reflexes appear lowered. Radiation stimuli below 1 rad have shown to affect arousal responses. The mechanism is uncertain, but could be direct interaction with neurons or receptors.

In large doses, radiation depresses the CNS and certain specific reflexes. The physical and chemical correlates are not understood. Effectors may include a combination of derangements of conductivity and excitability of the neuron, of synaptic transmission, of the neurosecretory process, and of the integrity of the supporting tissue. These possibilities ignore further functional considerations, of altered stimuli arriving at the unexposed CNS from irradiated non-neural systems (e.g., abdomen) or of the effects of high levels of motivation or conditioning.

The above introduction to the topic of electrophysiology indicated the difficulty in summarizing radiation effects; that difficulty certainly applies specifically to EEG responses. As with other measures of CNS electrical activity, the EEG appears to reflect increased excitability at doses of radiation even below 100 rad. Depression, as reflected in the EEG, occurs at doses between 2 and 10 krad and is reversible at the lower range but persistent until death at the upper range.

1.2.3.1 <u>Electroencephalographic Responses</u>. After observations that irradiation would arouse rats from sleep, EEGs on sleeping rats were recorded during radiation exposures (18). (EEGs are described as "desynchronized," "activated," or showing "arousal"; all mean conversion from high-voltage, low-frequency patterns to low-voltage, high-frequency patterns.) Hunt and Kimeldorf (28) established that behavioral arousal in sleeping or inactive rats could be elicited by a 1-sec exposure of head or body to 1 rad/sec of 250 kvp x-rays. Head exposure was more effective than body alone, but whole-body exposure was more effective than either.

Cooper and Kimeldorf (13) designed a study to identify the afferent pathway for the EEG change. They recorded EEGs from rats with transected spinal cords exposed to whole-body, body-only, or head-only x-ray, 250 kvp at 0.5, 1.0, or 1.5 rad/sec. An activation pattern was observed under all conditions except that in which body-only exposures were monitored in rats with transected spinal cords. They concluded that the intact spinal cord was necessary; agents transmitted via the circulatory system could be ruled out, as could impulses via the intact vagal nerves. This does not preclude high doses of radiation from transmitting signals by these routes, however.

Olfactory structures of the head are sensitive inducers of EEG activation. Activation was not seen with head irradiation by 35 kv x-ray (HVL 0.076 mm Al) at 2.0 rad/sec (12) in intact rats, but could be elicited with 1 rad/sec of 100 kvp x-ray (HBL 0.075 mm Al). Latency times to EEG response were on the order of 0.5 to 1.5 seconds. Surgical or chemical ablation of the olfactory bulb markedly reduced the EEG activation induced by radiation exposure (27). The authors concluded that skin receptors were unlikely to contribute as radiation sensors. Clearly, rats can detect very small doses of ionizing radiation.

At higher doses, cats given 400 rad whole-body x-rays (250 kvp) at 35 rad/min underwent EEG desynchronization immediately after exposure. The changes persisted for several hours and were associated with restless behavior. The changes in EEG and behavior were not produced by 400 rad to head alone or body alone. Both changes were also present but barely detectable after 200 rad (17, 24).

Bailey, et al. (4) inserted Tantalum¹⁸² wires unilaterally into the parieto-occipital region of 12 monkeys. EEG tracings recorded after 500 rad were desynchronized and slower on the irradiated side and faster on the opposite side. Changes were maximal after 6-8 weeks, followed by reversion to normal by 3 months. Slow waves and decreased voltage reappeared on the irradiated side and by 2 years, two of the animals showed epileptic spike patterns and fast activity. The EEG pattern was more indicative of general cerebral damage than of a focal lesion.

In the same dose range, the earliest definitive study was provided by Eldred and Trowbridge (15), who reported few definitive changes in the EEG of monkeys exposed to 400-800 rad of whole-body x-rays.

Brooks (9) used whole-body exposures in monkeys and found transient depression in frequency and voltage after 1 krad. Up to 2.5 krad, the EEG returned to normal in 5-10 minutes; after 5 krad, the recovery was transient. Monkeys exposed unilaterally (one cerebral hemisphere) to 3.5 krad x-rays showed marginal EEG changes after 6 weeks, definitive ones at 8 weeks (29).

Burros given head exposures to 200, 400, and 600 rad Co⁶⁰ gamma rays showed no EEG changes up to 7 days after 200 rad, but 400 and 600 rad produced diffuse high-voltage slow waves within 48 hours (38).

In a careful, coordinated study of clinical, EEG, visual, and histopathologic responses of monkeys, Caveness, et al. (10) exposed 24, two-year old monkeys to 3.5 krad of x-rays, delivered at 350 rad/min from a 250 kvp machine. Exposure

was limited to the right visual cortical area of the occipital lobe and was said to be limited in depth to 1 cm. There was individual variation in EEG response, but between 18-22 weeks, high-amplitude slow waves appeared in an "appreciable number" of the animals, and in all but one that remained at 44 weeks (3-6 animals remained, pending senal sacrifice). There were non-specific changes, characteristic of general brain injury from many causes. Monkeys examined histologically at the time of appearance of these EEG changes had disruptions of cell and myelin architecture, vascular and glial reactions, and inflammation in the exposed site.

EEG effects were also documented in other species. Immediately after whole-body exposure of rats to 9 krad (98 rad/min), the EEG waves were slowed. This observation was associated with a small decrease in brain serotonin (52). Nair, et al. reported EEG depression almost to electrical "silence" after 10 krad (295 rad/min) exposure to rats. This response occurred immediately and lasted for about 48 hours post-irradiation (37). Guinea pigs showed a slowing of the EEG with abnormal spiking and increased amplitudes for 1-3 days after exposure to 2.0-6.0 krad (180 kv x-rays) (2). In rabbits following 500 rad whole-body x-irradiation, the EEG activity was severely depressed within 15-20 minutes post-irradiation (56). This depressed response continued for about 48 hours after exposure to whole-body or head-only radiation.

Other EEG evidence of radiation-induced neural alteration included the appearance of spontaneous spike discharges. Post-irradiation spiking was recorded from the hippocampus, nucleus ventralis anterior and centrum medianum of the thalamus, the brainstem reticular formation, and the posterior hypothalamus in cats (16, 24) and rabbits (5, 34, 35, 36). These responses occurred following 200 or 400 rad (250 kv) x-ray whole-body exposure in cats and 400, 600, or 900 rad gamma rays (Co⁶⁰) head-only exposure in rabbits.

Other studies have tried to isolate EEG responses to radiation exposure by focal irradiation of specific areas of the brain. Schoenbrun (48) reported changes in the hippocampal electrical activity of cats following focal irradiation of the hippocampus with x-rays. In rabbits with unilateral lesions of the mesencephalic reticular formation, slow high-voltage waves appeared in the EEG from the intact side only following exposure to 700 rad whole-body gamma rays (Co⁶⁰) (30). No EEG effects were seen in the lesioned side.

These studies indicated that doses of radiation produce some functional alterations in neural tissues and/or sense organs which can be observed through the EEG. It appeared that the hippocampus, hypothalamus, and midbrain are especially radiosensitive. However, the EEG changes seen could result from radiation-induced changes in other structures in the brain which merely manifest themselves through cortical structures.

1.2.3.2 Electroconvulsive Sensitivity. Radiation-induced alterations in seizure thresholds have been documented in dogs (17, 35), cats (53), monkeys (46), rabbits (2, 20, 21), guinea pigs (7), rats (51), and mice (6). Weak stimuli associated with normal handling procedures often produced convulsions in these animals. Rosenthal and Timiras (44, 45) concluded after studying electroconvulsive seizure thresholds in irradiated rats (500 rad of x-rays [250 kv]) that irradiation caused an increase in brain excitability manifested by the lower electroconvulsive seizure threshold. They also noted a shorter clonic phase of the seizure, which was attributed to a post-irradiation decrease in the brain's ability to sustain the increased

excitability state. Similar maximal electroshock convulsive pattern seizures were also seen in rats following low exposure levels. This decreased threshold was seen following doses as low as 15 rad (180 kv x-rays) and lasted 2-3 weeks.

1.2.4 Summary: Brain.

The morphologic changes in the brain include general similarities among the animal species, as well as specific differences. This is also true for alterations in the function of the blood-brain barrier. To separate primary from secondary effects, real inter-species differences from effects of study design, or effects on function without discernible structural change, has not been easy and the task is still incomplete.

Because the complete perceptive, integrative, and responsive functions of the nervous system must all be intact to assess the effect of, and relative sensitivity to, noxious agents including radiation, this research requires intact organisms. When the object of our search for knowledge is man, only the higher orders of mammals can appropriately model the human nervous system. The studies must be repetitive over time, different exposures and different brain regions and be evaluated for endpoints that measure both structure and function. Noninvasive or nondestructive biomarkers, specific as possible for structure or function of individual cell types, must be used in combination to elucidate these interactions. The resolution of markers must be improved if substantial progress is to be made in sorting out causes from effects.

For example, the use of horseradish peroxidase to delineate ultrastructural channels of transport for small protein molecules could be combined with different enzyme histochemical determinations specific for integrity of endothelial cells, for neurons and for astrocytic or oligodendrocytic glia, to probe differential susceptibility of these cells. Modern concepts of neurobiology embrace the interdependence of neuron function and integrity of the supporting tissues; the redundancy of function by various regions of the mammalian nervous system makes evaluation of isolated lesions, and repair, very uncertain. The reader soon develops the conviction that crude, simple tools are being used to probe a sensitive, highly complex system.

It is impossible to conceive how we might have derived the yet-imperfect understanding we have of CNS injury and repair, or how we might continue to progress in that understanding, without the use of animal models.

There are static probes of structure, or in the case of enzyme histochemistry, of a single function. Before a quantum advance in our comprehension can occur, we will need a variety of sensitive monitors of dynamic electrophysiologic function. For example an organism may well compensate for a scarred, static lesion, a nonfunctional site, by providing the missing integrative function from another site. A more global evaluation of the animal would reveal the paradox of normal function despite a structural lesion. Today only sensitive electrophysiology could detect an appropriate elicited response to reveal the source of compensation. Ability to evaluate chemically the quantity and quality of specific neurotransmitters could provide comparable information from sites regulated neurohumorally.

1.3 SPINAL CORD.

1.3.1 Clinical Manifestation.

Fortunately, the difficulties encountered in describing brain-related clinical symptoms subsequent to radiation exposure are not such a problem in describing spinal cord-related clinical symptoms. Functional disturbances induced by localized x-irradiation of the spinal cord manifest themselves clinically as paralysis. Items such as whether or not paralysis occurs, time between exposure and clinical symptoms, and the length of time of paralysis, can be compared. Similar results are seen in the species studied.

Early studies by McLaurin, et al. (13) exposed the monkey spinal cord to x-rays. Paralysis occurred following 2 daily exposures of the monkey spinal cord to 5 krad of x-rays or one exposure of 7.5 krad. Later, Breit (4) showed that localized x-irradiation of the dog spinal cord produced paralysis after two daily doses at 500 rad/hr with a total dose of 2 krad.

In four, 1-yr-old male cats, a dose of 4.0 krad of x-rays to the thoraco-lumbar spinal cord produced paralysis at 3 months (2). Clinical signs in these cats began as a sudden weakness followed by over-retraction of the limb, rendering it unable to support the weight of the animal; but with time, some improvement was seen.

Studies involving the rabbit spinal cord have included exposure to x-rays and protons. X-irradiation of the upper thoracic spinal cord in rabbits with 3-11 krad at 250 rad/day resulted in paralysis of the hindlimbs at 4 to 33 weeks post-irradiation. Proton irradiation (185 Mev) of the thoracic spinal cord produced symptoms dependent on the width of the beam slit and the total dose. With a total dose of 20.0 krad given in a 1.5 mm wide beam, the rabbits showed symptoms including flaccid paralysis on day 9 in some animals to no paralysis in other animals (9). In contrast, a 10 mm wide beam with the same total dose resulted in partial paralysis after three to four days followed almost immediately by total paralysis. Paralysis was also brought about quickly by 40.0 krad given in a 1.5 mm wide beam, indicating a dose dependence.

In the rat, a single dose of 3.5 krad to the thoraco-lumbar region of the spinal cord produced paraplegia after 83-211 days. Development of the paralysis was gradual, beginning with weakness which progressed to muscle wasting and flaccid paralysis of the limbs in 2-3 days (3). Van der Kogel (19) produced similar results in rats irradiated in the cervical as well as in the thoraco-lumbar area. Other investigators have shown that the time between exposure and the appearance of paralysis is the same whether the dose is given as a single or fractionated exposure as long as the total dose is the same. For example, White and co-workers (21) reported a minimum latent period of 100-140 days at high doses (>2.0 krad) regardless of the exposure schedule. And as one would suspect, the mean latent period for the development of paralysis increases as the dose decreases. Masuda, et al. (12) showed that the minimum gamma ray dose causing paralysis in rats was almost the same whether 2 fractions were given at a 15-day or 1-day interval.

As described above, clinical manifestations of localized irradiation of the spinal cord are not immediate; the period of time between exposure and clinical symptoms increases as the total dose decreases. It is also apparent that some repair does occur in these tissues over a period of time since clinical symptoms do improve somewhat.

1.3.2 Electrophysiology and Spinal Reflexes.

In order to evaluate the immediate transient changes in the neurophysiology of the spinal cord after radiation exposure, one must look at electrophysiology and reflex activity. Unfortunately, studies of the electrical activity and reflexes of the spinal cord are complex by their very nature, so there are few results from which to draw conclusions. Generally, studies have shown that localized radiation exposure of the spinal cord may result in inhibition and/or excitation. Evidence has shown that as the dose increases, depression and complete loss of function usually follow an initial episode of excitation. For both electrophysiology and spinal reflex studies, the cat appears to be the species of choice.

- 1.3.2.1 <u>Electrophysiology</u>. Local x-irradiation of the spinal cords of decerebrate cats produced changes in spinal cord potentials. Sato and associates (15) reported an increase in the amplitudes of the monosynaptic reflex potential and the monosynaptic spike potential immediately following x-ray doses in the 6-20 krad range; spike amplitude also increased with the dose. These changes also correlated well with decreases in the extracellular potential of dorsal horn cells and in the intramedullary spike from the dorsal column. Intracellular potentials did not change, indicating a possible suppression of interneuronal inhibitory pathways. Many of these changes appeared to be related to the gliovascular system (6).
- 1.3.2.2 <u>Spinal Reflexes</u>. X-irradiation of the spinal cord also resulted in reflex arc effects. A test reflex (S1 ventral root to S1 dorsal root) was used in decerebrate cats to study inhibitory and facilitory effects of conditioning shocks on the L6/17 dorsal roots after x-irradiation of the lumbosacral spinal cord (16). After 3 krad or more, there was a facilitative effect on the S1 ventral root response to L6 stimuli when interstimulus periods were less than 1 msec, the direct opposite of the response seen in non-irradiated cats. Barnes (1) also observed a lack of inhibition after 2.0 krad of x-irradiation in cats. In addition, polysynaptic activity was increased, suggesting a specific effect on the excitatory synapses of the spinal cord by irradiation.

1.3.3 Morphologic Changes.

Structural changes in neural tissue of the spinal cord following irradiation as studied by light microscopy are comparable to those seen in the brain. The patterns of histologic change in the white matter, the primary site of damage in the cervical/thoracic spinal cord, are characterized by vascular damage with hemorrhage followed by edema and glial loss. Neuronal degeneration, when it occurs, is characterized by nodal widening and axonal degeneration followed by cell death. In the lumbar spinal cord, changes consist of a milder version of white matter necrosis plus a severe degeneration of the posterior and anterior roots.

Early studies of radiation damage to the spinal cord, such as Scholz, et al. (17), used localized thoracic spinal cord exposure to 250 rad (180-200 kv x-rays) given daily to rabbits for 12-40 days to study morphologic changes. Animals were euthanized two weeks after clinical signs of paralysis appeared, which varied from 1-8 months. Histopathology revealed damage primarily in the white matter, consisting of vascular wall damage with hemorrhage followed by edema and glial loss. The lowest reported single exposure dose of x-rays was 2 krad producing these alterations at 5 months. Similar lesions of white matter necrosis occurred in the spinal cord of rabbits exposed to 20 krad of 185 Mev proton beam. Lesions

appeared in 9 days when using a 1.5 mm wide beam and in 3 days when using a 10 mm wide beam. Although white matter necrosis was apparent, no neuronal damage was seen. In fact, axons and myelin sheaths remained intact along necrotic beam tracts (9).

Other investigators have since held to the general conclusion that blood vessel involvement predominates in the development of white matter necrosis in the spinal cord (2, 14, 26). Myers, et al. (14) obtained results in the irradiated rat spinal cord that the first pathological change to occur consistently (at the time of appearance of clinical symptoms) was edema and extravasation of red blood cells in the dorsal columns of the white matter and the dorsal horns of the grey matter. These regions have a common blood supply, which has been reported to be quite vulnerable to ischemia (10).

The progression of pathological changes in white matter necrosis has been well described (5, 8, 23, 24, 25). Results from these studies have shown there to be an increase in the number of dividing astrocytes just before the onset of radiation myelopathy. A concurrent increase in oxidative enzyme activity of the glial cells was also observed. At the time clinical symptoms were noticed, vascular damage, hemorrhage, edema and loss of glial cells were evident. In the center of these now necrotic lesions, there was a loss of oligodendroglial cells along with fragmentation of axons and myelin sheaths. Mastaglia, et al. (11) described the axon and myelin degeneration as a breakdown of paranodal myelin and nodal widening which were seen in his study of rat spinal cord as early as 2 weeks after exposure to 0.5 to 6.0 krad doses of 250 kvp x-rays. He also described a random Wallerian-type degeneration of fibers as a separate but concurrent entity.

Van der Kogel (18, 19) and Bradley, et al. (3) have shown changes seen in the irradiated cervical/thoracic spinal cord, primarily those associated with white matter necrosis, to be somewhat different from those seen in the irradiated lumbar spinal cord. After a dose of 3.5 krad of x-rays, the damage seen in the rat lumbar spinal cord was less severe than that in the other areas. However, there was complete degeneration of the anterior and posterior roots, suggesting that the paralysis in these cases of lumbar irradiation was most likely due to a radiculopathy rather than a myelopathy. This myelin loss from the nerve roots was probably due to Schwann cell damage.

Many investigators have shown that there is a time-dependent repair of radiation damage in the spinal cord after x-irradiation (18, 19, 21) and neutron irradiation (22). The first phase of recovery occurs within the first 24 hours after irradiation and is due to repair of sublethal damage. Hornsey, et al. (7) have shown that this repair coincides with the recovery of the proliferative neuroglia from a block in progression to cell division. There was no evidence of increased cell turnover, just a normal cell turnover of surviving neuroglia. The second phase of recovery can be attributable to repopulation. This phase generally occurs approximately 15 days after the first phase, although some incidental strain differences have been seen in rats (20, 21).

1.3.4 Summary: Spinal Cord.

In the species studied (monkey, cat, rabbit, rat), paralysis occurred following localized irradiation of the spinal cord. The latency period between exposure and clinical symptoms was inversely proportional to the total dose, irrespective of the type of radiation or type of exposure. A gradual improvement in clinical symptoms

over an extended time period indicated that a slow repair process did occur. This "repair" phenomenon was not observed during electrophysiology and spinal reflex studies because they were not continued far enough into the recovery period. These studies did produce evidence that radiation exposure, of the magnitude to produce paralysis, resulted in an initial episode of excitation followed by depression and complete loss of function.

Morphologic changes induced by radiation exposure followed a predictable gliovascular pattern. At the time clinical symptoms were seen, vascular damage, hemorrhage, edema, and the loss of glial cells were observed primarily in the white matter. Several investigators reported evidence that the "repair" referred to above does occur in two phases: sublethal damage repair within 24 hours and repopulation after 15 days.

Animal models used to study the localized exposure of the spinal cord to radiation showed similar reactions both clinically and morphologically. Clearly, the non-human primate would best mimic the human simply due to the size and length of the spinal cord. It would not be possible to accurately localize exposures any further than thoracic versus lumbar in the smaller species. If further localization is not an important factor in the study, the basic effects on the spinal cord appear to be equally as apparent in smaller species as in non-human primates.

1.4 BEHAVIOR.

As mentioned in the introduction, alterations in behavior due to exposure to ionizing radiation can result from either direct effects on the nervous system or indirect reactions of an animal to radiation damage of other irradiated sites. It appears that even low doses, which do not produce substantial alterations in physiological measures, do produce alterations in the activity of the animal. With large doses, behavior alterations tend to reflect direct neural damage. In this survey, behavior assessment is broken down into motor functions (performance capacity, general activity, and discrimination performance tasks) and cognitive functions (learning, motivation, and perception discrimination behavior).

1.4.1 Clinical Manifestation: Incapacitation.

There are semantic difficulties in attempting to equate the outcome of various experiments when the endpoint is a complex of clinical symptoms. Investigators do not use standard nomenclature, and terms such as depression, excitation, or convulsive behavior each have degrees of sensitivity depending on the investigator's own point of view. Thus, a number of similar terms, which may or may not be completely synonymous, can be used to describe each complex.

The responses of animals to doses into the supralethal range show speciesspecific characteristics more clearly than do responses at most other exposure levels. It may be worthwhile to note that some species characteristics are unique and should not lead to "over-interpretation." For example, rats are incapable of vomiting.

1.4.1.1 Non-human Primates. Allen, et al. (1) described studies in more than 100 young adult Macaca mulatta exposed to 0.4 to 40 krad (16 whole-body exposure levels) of 1.3 Mev Co⁶⁰ gamma irradiation at 800 rad/min. They described three non-classical syndromes, depending on total dose. Most animals

also shared a common complex of malaise expressed by withdrawing to a remote corner, huddling, and demonstrating disinterest in their surroundings and a disinclination to move about.

At the lowest dose range (400-1000 rad), death occurred after 10-23 days. There were transient mild neural symptoms (nystagmus, ataxia, tremors) and debility, which subsided after 24 hours. Some animals had diarrhea and anorexia beginning on day 5, and evidence of bone marrow injury appeared on day 11. Death was preceded by development of a hemorrhagic phenomenon.

Monkeys in the 1.0-7.5 krad range demonstrated a different pattern of response. In this range, most had transient neural signs, including opisthotonus, as well as debility, which were biphasic. Ten minutes after exposure to 2.5-7.5 krad, the animals became prostrate, a condition which lasted 30-60 minutes, then recovered. Thereafter, some became debilitated again until death, while others recovered again after 10-12 hours only to relapse before death, which occurred in 5-9 days in all of this group.

In the 9-40 krad range, death occurred within 72 hours. Some appeared hyperexcitable even during exposure. All became severely debilitated to comatose by 8-10 minutes of exposure. Many salivated or vomited during exposure and some had nystagmus, ataxia, and convulsive seizures. These signs continued after exposure, along with tremors and a rigid opisthotonoid posture. Severity of signs was dependent upon dose. The animals commonly lost consciousness and had convulsive movements before death.

Haymaker (81) described chimpanzees after whole-body exposure to 5-6 krad (3 Mev x-rays, 0.4-8.2 krad/min). Nystagmus occurred 8 hours after 5 or 10 krad. Convulsions occurred in some animals after 12 hours. They died between 4 and 8 hours post-exposure. With 20 krad, the animals vomited and were debilitated after 30 minutes, weak and incoordinate after 1.5 hours, had nystagmus at 2-3 hours, and were comatose at 9 hours. The first animal died at 4 hours, the last at 72 hours. Those animals receiving 30-60 krad had convulsions and were comatose within the first hour and died within 10 hours.

In his review article, Carpenter (28) suggested that the primary cause of this early transient incapacitation in the monkey, dog, and pig was faintness due to a fall in cerebral blood flow from the direct action of histamine on blood vessel smooth muscle. Others have produced results that support this hypothesis (23, 130).

1.4.1.2 <u>Burros</u>. A series of experiments reported by one group (74, 166, 167, 183) demonstrated the overall radiosensitivity of the nervous system of the burro. The burros (Equus asinus asinus) were given whole-body exposure to Co⁶⁰ gamma radiation daily, at 48 rad/hr for total doses of 400, 200, 100, 58, and 25 rad. Clinical signs paralleled the daily doses and were quite uniform. The animals were irritable, kicked, and bit beginning immediately after one exposure to 400 rad, the second exposure to 200 rad, and the eighth exposure to 25 rad. Irritability waned, and was replaced by depressed and lethargic behavior after doses totalling 400 rad were reached. The animals experienced a peculiar "knuckling over" in their fetlock and pastern joints through either weakness or incoordination; they also had excessive lacrimation, hyperesthesia, muscle spasms, and stiff locomotion. These signs were fully expressed in those receiving more than 1000 rad.

Deaths occurred after total doses exceeded 1000 rad, but the earliest deaths were on the 4th day of 400 rad/day and one on the 6th day of 200 rad/day. The authors of the latter study (167) estimated that the LD 50/30 for burros given continuous exposure to Co⁶⁰ at 51 rad/hr was 784 rad. This is not an especially low radiotolerance. The deaths were bimodal, however, over a dose range of 605-945 rad, with peaks at approximately 3 and 26 days. Mean survival time was 14 days. The frequent deaths in the "CNS range" (5 days or less) at dose rates greater than 1 rad/min may indicate a greater sensitivity to higher dose rates. More clearly, the burro does demonstrate neurologic signs at doses lower than those reported for other species (below about 1000 rad), and these signs are associated with early death.

- 1.4.1.3 <u>Swine</u>. Swine exposed to supralethal doses exhibit an early-death neurological syndrome. Shively, et al. (172) reported total-body exposure to 3.0-3.5 Mev x-ray at 150 rad/min during which the pigs became increasingly restless as exposure progressed past 2.0 krad; by 3.5-4.0 krad, there was salivation, mastication, retching, and profuse emesis. By 10-20 krad, inactivity supervened, with marked depression and prostration by 30 krad and convulsions by 39 krad. When exposure ceased at about 20 krad, there was moderate ataxia along with depression, diarrhea, and vomiting. This was followed after 1-3 hours by marked improvement, until rapid deterioration began and death occurred 10-48 hours later. This differed considerably from those animals given 24 krad or more, where there was minimal improvement before death in the earlier time periods. With 40 krad, there was no recovery, with incapacitation progressing to seizures in 10 minutes to 3 hours, followed by full convulsions and death.
- 1.4.1.4 <u>Dogs</u>. Head-only exposure of dogs to 23.5 krad of 180 Kvp x-rays at 605 rad/min produced immediate nystagmus, tremors, and disequilibrium. Circling, rolling, ataxia, and clonic convulsions were also described. After 30 minutes, decerebrate rigidity appeared, including excessive thirst, tail erection, tonic neck flexion, and opisthotonus. The rigidity decreased during the terminal 3-4 hours, with death about 20 hours after exposure. At 10 krad exposure, there was no rigidity and less disequilibrium (151).

In a brief report of total-body exposure in the supralethal range to dogs, Bane, et al. (10) described lethargy during the 30-hour survival period. The dogs had received 10 krad of 250 kvp x-rays at 30 rad/min. Muscle twitches, tonic-clonic rigidity, and convulsions preceded death. Retching and vomiting were seen immediately after total body exposures of 1.3-1.8 krad in another study (39) that exposed dogs either to Co^{60} gamma rays or to 2000 kvp x-rays. Again lethargy was noted until 4-8 hours before death, when retching and vomiting recurred and was accompanied by collapse, coma, or death on the third post-exposure day.

Early disequilibrium and prolonged muscular rigidity appear to be characteristic components of the canine "CNS death" syndrome.

1.4.1.5 <u>Rabbits</u>. Gerstner, et al. (73) describe convulsive seizures in rabbits after high doses of head exposure (12.5 krad of 250 kvp x-rays at 520 rad/min). Minutes after exposure, the rabbits became apathetic for about 20 minutes, than began "epileptoid seizures of the grand mal type," each of which lasted 20-30 seconds and was followed by prostration (exhaustion?). This phase was followed by a 3-hour period of somnolence and deep apathy. All animals than became ataxic, with severe impairment of equilibrium and postural reflexes. Death occurred

at about 2.5 days. The epileptiform seizure phase revealed underlying transient neural hyperexcitability that existed; during the interval between seizures, a convulsion could be precipitated by sudden loud noise.

The dose dependency of this seizure phase in rabbits was defined by the same group in another study (72) of head exposure over the range 4.2-9.0 krad. At 4.2 and 5.4 krad, the animals were listless and apathetic but showed no specific neural signs. Doses of 6.6 krad and above repeated the convulsions, severe ataxia, and absent reflexes. Kimeldorf, citing Cheymol, et al. (37), describes seizures in rabbits where heads were exposed to 10.9 krad of Co⁶⁰ gamma radiation at 208 rad/min. Supporting the dose-dependency of this effect is Monnier and Krupp's report (131) of apathy but not convulsions in head-exposed rabbits given 900 rad of Co⁶⁰ gamma radiation.

- **1.4.1.6** Guinea Pigs. The pattern of lethargy, hyperesthesia, seizures, and ataxia also has been reported in guinea pigs exposed to high doses of radiation. Andrews and co-workers (4, 6, 14) used 2.5-3.0 Mev x-rays at 0.5-2.0 krad/min in some studies and 200 kvp x-rays at 50 rad/min in others. In the 1-5 krad range, animals died after 4-6 days of lethargy. Doses of 7.5-10 krad produced the lethargy together with hyperesthesia and convulsive seizures, and death within 24 hours. Locomotor ataxia, extensor rigidity, and nystagmus were also reported. Henshaw (82) saw muscle spasms and convulsive seizures superimposed on a comatose state. His animals died shortly after 50 krad delivered at 250 rad/min.
- 1.4.1.7 <u>Hamsters</u>. Hamsters apparently do not display a convulsive phase after heavy irradiation, although apathy, hyperesthesia, and incoordination are evident. Levy and Quastler (117) exposed hamsters to 8-40 krad of x-rays at 1 krad/min. The animals became somnolent, but within a few hours showed "fits" of rapid circling, backing, and somersaulting, together with disorientation. The "fits" could be precipitated by any mild stimulus. In the 20-40 krad range, depression was profound, accompanied by fine tremor and occasional violent motor activity. The Andrews compilation (6) described hamsters after angle exposures to 600-100 krad of 2.5-3.0 Mev of x-rays delivered at 0.5-2.0 krad/min, which died within 12 hours but without experiencing convulsions.
- 1.4.1.8 Rats and Mice. Langham, et al. (115) provided a comprehensive early description of rats and mice heavily irradiated with Co⁶⁰ gamma rays at 4-6 krad/min. Above 5 krad total dose, they saw transient ataxia with spatial disorientation, followed by lethargy and inactivity. The lethargy began within 1 hour at 5 krad but at the end of exposure after 10-200 krad. At 20 krad and above, there was an excitation phase characterized by coarse tremors beginning at 50-60 hours post-exposure; at 30 krad, they were evident at 30 hours and were superseded by convulsions at 36 hours. Between 30-50 krad, "frantic" activity, hyperesthesia, and severe tonic convulsions began before 36 hours. Exposures exceeding 40 krad (head or whole-body) produced fits of running and jumping, violent seizures upon mild stimulation and convulsions. Other workers (82, 132) have reported comparable syndromes with different radiation types and different dose rates.

The sensitivity of specific brain regions was localized in early studies by Hicks and others (83) who delivered 100 krad of 2.5 Mev electrons in 1 second to the brain stem of rats. These animals died in 10-20 seconds. Whole-body exposure with the brain stem shielded permitted survival times of 12-20 hours, with weakness and ataxia in the interim. In a comparable study, Brightman (15) administered a

localized beam of x-rays to the diencephalic region (20-30 krad, 370 krad/min) of rats. These animals died after 1-3 weeks, displaying lethargy, ataxia, and disequilibrium. Appropriately, these rats also refused to eat and drink, behaviors that depend upon intact hypothalamic centers. Control rats for this study were exposed anterodorsally to the diencephalon, in the cerebrum, and they survived many weeks after the exposure.

Similar "dissection" of the brain in early studies in guinea pigs helped to elucidate mechanisms of "CNS death" (2, 80). In these studies, 7.5 krad of x-ray to the cerebellum produced ataxia, convulsions, and nystagmus while similar exposure of the forebrain did not. The authors attributed the deaths during the first 24 hours to cerebellar edema, and prevented the early deaths with cerebellectomy and by internal decompression (hemidecortication of the cerebrum).

1.4.1.9 Summary: Clinical Manifestation: Incapacitation. Lethality following massive radiation doses and occurring within 3-5 days of exposure was preceded in all species examined by clinical signs indicative of neuronal malfunction. Death usually followed cardiorespiratory failure before fatal systemic electrolyte disturbances and infection supervened. These early deaths have been termed "CNS syndrome" or "neurological syndrome". There were species differences in the clinical manifestations of the complex, noted even by the earliest workers and indicated in this review. Non-human primates appeared especially susceptible to early responses from head irradiation; burros had unusual symptoms and may be especially sensitive to dose rate. The syndrome in dogs included prominent muscle rigidity; rabbits showed a peculiar predilection for epileptiform seizures; hamsters appeared not to have a convulsive phase; and rats and mice experienced immediate ataxia. Kimeldorf and Hunt (108) point out that symptoms experienced were a function of time and thresholds of response. If the dose were sufficiently high to exceed thresholds of more than one response, then the second response might occur and obscure the first one, which would have been seen at a dose too low to elicit the second one. Thus, observers may be overlooking a number of potential signs of underlying morbidity until experiments are conducted systematically over a wide range of exposure conditions. They published these observations in 1965, but those gaps in our knowledge base still exist.

Our deficiency in comprehending the biochemical mechanisms and anatomic pathways for primary and secondary neural malfunction cannot be overcome by studies in humans. Progress in understanding will require still more studies in animals to permit careful control of exposure factors, demographic factors, and sample size, as well as to permit examination of discrete anatomic regions at multiple points in time.

That studies conducted to date in animals have contributed to knowledge extrapolatable to humans is documented by the single human patient to be observed medically after massive radiation exposure (171). In this industrial accident, the patient received an estimated 10 krad to the head, as well as 4-5 krad total body (mixed spectrum: gamma/neutron, approximately 1:3). The patient immediately became ataxic and unable to stand. He was in shock and unconscious by 5 minutes, a state that continued for 20-30 minutes. This was followed by a 90-minute phase of semiconsciousness, incoherence, retching, vomiting, hyperventilation, and diarrhea. He also exhibited purposeless movement of his limbs and torso that required restraint. The next 28 hours were characterized by hypotension, anorexia, and circulatory failure, followed by irritability approaching mania in degree. He became comatose and died 35 hours after exposure. This

one case, dominated by neural malfunction, is consistent in its manifestations with even the early work in animals, as reviewed for this report.

1.4.2 General Activity.

Analysis of behavior after radiation exposure includes some system-specific reactions (e.g., convulsions, paralysis-CNS, vomiting, diarrhea-gastrointestinal), as well as a group of "non-specific" reactions amounting to a basic reduction in activity. Kimeldorf and Hunt (108) found this activity reduction to be the most sensitive behavioral manifestation of exposure to ionizing radiation. These disturbances in behavior do not, as yet, have identifiable correlative physiological reactions.

1.4.2.1 Rats. D. J. Jones, et al. (100) used 250 kvp x-rays (HVL, 1.5 nm Cu) at 25 rad/min to study changes in daily volitional activity of rats after whole body irradiation exposure of 200-1000 rad. In general, a biphasic depression in activity was observed. The first phase of depression occurred within the first few days after exposure to all doses. This was followed by a partial recovery in activity. Ten to 25 days after exposures over 400 rad, a second phase of depression occurred whose severity was proportional to the dose. This phase was also followed by a gradual recovery. However animals that died within 9 days after exposure showed an immediate reduction in activity without recovery. Castanera, et al. (30, 31) concluded after further studies that the total activity of rats after irradiation was similar to the volitional activity response, indicating that the quantitation of activity performance was independent of the test used.

Studies have been performed to determine if the initial depression could be directly related to exposure of the abdominal region since the time frame coincided with gastrointestinal symptoms (101). Exposures over 600 rad to the abdomen only did produce the typical depression. The same exposures with the abdomen shielded did not produce depression. These results suggested that the initial decrease in activity following high doses may be due to the gastrointestinal response to irradiation.

Other researchers (102) have produced results indicating the second phase of depression, that occurring 12-15 days after exposure, to be mediated by radiation-induced hematopoietic injury. Fresh bone-marrow suspension was injected intravenously into rats exposed to 650 rad x-rays. The second phase of depression was not seen in these animals. Even though an animal may have enough marrow to survive, a functional hematopoietic deficiency must be present, resulting in depressed activity.

It is also apparent that radiation exposure also affects certain motivational factors, such as food deprivation, which increases activity in normal animals. Food restriction in rats exposed to 360 rad did not increase activity in these animals (54); even 4 months post-irradiation, the extent activity increased in response to food deprivation was significantly less than in normal animals (119).

Later researchers (114) have linked the biphasic activity levels in the rat to biochemical changes in the brain. After exposure to x-rays (800 rad), there was an increase in the hydroproteolytic and MAO activity in the brain, which corresponded to the first phase of activity change. At the same time, there was a decrease of serotonin and noradrenalin content.

- 1.4.2.2 <u>Hamsters and Guinea Pigs</u>. In addition to their work in rats, Castanera, et al. (30) studied post-irradiation behavior in hamsters and guinea pigs. Results indicated that the initial decrease in activity was small and lasted only 1 day regardless of the dose level, and the second phase of depression was more severe than that seen in rats. Other studies by Newsom (136) and Phillips (155) confirmed the suspicion that these two species were relatively resistant to gastrointestinal radiation damage; therefore, the first phase of depression was not as severe as in rats.
- **1.4.2.3** <u>Rabbits</u>. Painter, et al. (148) showed a biphasic activity curve just as in other species. After x-ray doses of 500-800 rad, there was an immediate depression followed in 5-15 days by a second more severe depression post-exposure.
- **1.4.2.4** <u>Mice</u>. Early researchers (13, 113, 141, 142) studied the activity of mice after irradiation exposure. Continuous exposure at 48 rad/min to a total dose of 500-600 rad rendered mice inactive for 5-30 minutes. Specific 1 mm diameter radiolesions of the cerebellar cortex reduced activity in the mice after 1 month post-exposure.

Other studies have shown that exposure to radiation produced a dose-dependent increase in locomotion activity (128). Mickley, et al. (129) irradiated mice with 1000 or 1500 rad of gamma radiation (Co⁶⁰) to show that endorphins were involved in this radiogenic behavior change. Irradiated mice became hyperactive, which was eliminated if the animal was given naloxone (2 mg/kg intraperitoneally) immediately post-irradiation.

1.4.2.5 <u>Non-human Primates</u>. General activity is depressed in the non-human primate species after radiation exposure. Three to four weeks after total body x-ray exposure to 300-500 rad, random cage activity was reduced (165), as measured by reordering the interruption frequency of photoelectric beam paths in the cage. However, when activity was recorded by an observer, 400 rad total-body exposure produced a reduction in activity and in frequency of various manipulatory activities from days 12-16 post-irradiation (122).

Higher doses (400-800 rad) produced activity decrements prior to the ninth day post-exposure (52). The activity reduction was accompanied by gastrointestinal symptoms which were related to dose. The animals returned to normal activity 1-7 months later. Similar symptoms were seen following whole-body exposure to 150 rad x-irradiation (Co^{60}) at 7-124 rad/min (95).

Direct radiation injury to neural tissue is probably responsible for the reduction in activity of monkeys following head-only exposure to very high doses of x-rays. Doses in the range of 1.5-2.0 krad resulted in reduced activity during week 2, followed by a gradual improvement. The monkeys refused food at 2-4 hours after exposure to 4.5-6.0 krad, which was followed by reduced activity, motionlessness, and death within 3-12 days.

1.4.2.6 <u>Dogs.</u> Pitchford (156) showed a progressive decrease in animal activity after exposure to 1-7 krad of mixed gamma-neutron radiation. Lower dose groups (1-2 krad) showed a longer period of time between exposure and activity changes than did the higher dose groups.

1.4.2.7 <u>Summary: General Activity</u>. Depression of total body activity was reported in several species (rat, hamster, guinea pig, rabbit, mouse, dog, and non-human primate) following exposure to ionizing radiation. This depression could be a result of system-specific reactions (e.g., vomiting, convulsions) or an independent "non-specific" reaction manifested by activity reduction. The biphasic activity depression seen in rats is similar to that seen in humans following exposure. Other species showed a decrease in activity following radiation exposure but that seen in the rat more closely approximated the human reaction.

1.4.3 Discrimination Performance and Physiological Stress.

Although an animal's general activity level appears to reflect phases of underlying physiological damage after radiation exposure, an animal's performance on trained discrimination tasks did not appear to show such a strong change following irradiation. After an initial brief period of early transient incapacitation, most studies showed that the animals were able to perform at or near a normal level until just before death.

1.4.3.1 Non-human Primates. Kaplan (103) showed that after a whole-body exposure to 4000 rad of mixed gamma-neutron radiation, unrestrained rhesus monkeys were capable of performing a learned task of navigating a maze in which a behavioral task operation was also required. Curran, et al. (44, 45) reported similar results following 2000 rad of mixed gamma-neutron radiation in which monkeys were trained to perform cued avoidance tasks. Bruner, et al. (24) found that 300 rad of gamma (Co⁶⁰) radiation was the minimum effective midbody dose, causing a performance decrement on a delayed match-to-sample task in rhesus monkeys. The same investigators confirmed their results that the threshold dose was 300 rad and further showed that the threshold dose rate was 25 rad/min (23).

Performance of a self-paced, 3-light, 3-lever discrete avoidance behavioral task after neutron radiation exposure was more variable than following gammaneutron radiation; however, the pattern of performance level was similar. Immediately after whole-body exposure of 8 rhesus monkeys to 1100 rad of neutron radiation (5.8:1 neutron:gamma), all 8 animals showed reduced response accuracy corresponding to early transient incapacitation. This performance degradation was followed by an entire day of performance normalcy, which slowly worsened until death (17, 18). These results indicate that, although eventual performance may return to normal for a period of time, time-critical tasks could be significantly impaired.

1.4.3.2 Pigs. Pigs trained by shock avoidance conditioning to traverse a two-chambered shuttlebox performed at a normal level after a brief time period of early transient incapacitation following radiation exposure (32, 33, 34, 35). After single doses of gamma-neutron radiation of 2400-5000 rad, early transient incapacitation lasted less than 5 minutes, which was followed by performance at normal levels, gradual performance degeneration, and death. Doses of 7600 rad or greater resulted in only a partial recovery from early transient incapacitation before death. Fractionated doses of gamma-neutron radiation to 6800-13,300 rad total dose resulted in a markedly better performance than similar unfractionated doses. Early transient incapacitation was shorter, and a normal baseline level of performance was achieved earlier and lasted longer.

- 1.4.3.3 <u>Dogs</u>. Chaput, et al. (36) trained dogs by shock avoidance conditioning to work a discrimination problem cued by visual and auditory stimuli. Dogs that received less than 10,000 rad of gamma-neutron radiation in a single dose performed at pre-irradiation levels for several days after a brief period of performance decrement during the first 60 minutes post-irradiation. Afterward, the animals showed a sharp decrease in performance just before death. Doses greater that 10,000 rad produced a shorter time period of normal performance and a shorter survival time overall.
- 1.4.3.4 Rats. Many studies in rats used conditioned avoidance to study postirradiation behavior. Haley, et al. (75) found no statistically significant difference between the pre- and post-irradiation responses of the conditioned rats after wholebody exposure to 300-900 rad of x-rays. Performance of a 2-lever shockavoidance task by rats exposed to 100 Gy of Co⁶⁰ gamma radiation (66 Gy/min) was decreased immediately after exposure. The animals did, however, appear to recover in the 90 minutes following exposure (27). Murphy, et al. (134) did a fairly extensive study of rat activity after exposure to 1000 rad of gamma radiation. Performance in the shuttle avoidance test was not dependent on the time of day of exposure, but performance did seem to differ with the circadian rhythm independent of treatment. Hunt (94) used a footshock to test post-irradiation active avoidance behavior in rats. The rats were trained to avoid footshock by jumping onto a retractable ledge. For the first 24 minutes after exposure to ≤ 200 Gy electrons or ≤ 200 Gy gamma photons, performance was decreased in a dose-dependent pattern. After 24 minutes, however, all animals in all dose/exposure groups recovered.

Early studies by Kimeldorf (107, 110) and Casarett (29) used swimming as a behavioral test in rats to test post-irradiation performance decrements. Results showed a period of early transient incapacitation followed by performance near normal levels. Animals that died soon after irradiation performed at a nearly normal level up to the time of death, while those animals that died later had a gradually decreasing performance level which varied with the length of the post-irradiation survival period.

1.4.3.5 Performance and Physiological Stress. In some situations, an animal may be forced to perform work at a high level after irradiation. These physiological stresses may be too much for the animal to cope with and death occurs. Early studies by Kimeldorf (107, 109) showed that the performance of exhaustive exercise by rats after radiation exposure resulted in an increased mortality. This increase appeared to be proportional to the number of exercise trails during the first 3 weeks after exposure (99); however, swimming exercise performance appeared to reduce post-irradiation mortality (21, 184), while walking a treadmill during the first 3 weeks after exposure failed to shift the survival rate in mice (175).

The physiologic stresses produced by hostile environmental conditions can also alter an animal's response to radiation. The mortality of mice and rats after single x-ray doses of 75 rad was increased by exposure to a low ambient temperature $(6^{\circ}-10^{\circ} \text{ C})$ (106, 137, 181). Newsom and Kimeldorf (135, 139) also produced results indicating that acute cold stress tolerance is reduced in guinea pigs and rats following sublethal doses of x-rays and neutrons. These authors attributed this to the suppressed caloric intake that occurs after radiation exposure (138). However, severe hypothermia $(0.0^{\circ}-0.5^{\circ} \text{ C})$ in irradiated mice increased the LD50/30 from 620 to 1760 rad (84).

Hibernation causes interesting responses to radiation exposure. High doses of x-rays have been shown to prevent the bat and ground squirrel from entering a dormant state (173). Hibernation induction immediately after radiation exposure markedly increased the survival time of the ground squirrel (51), marmot (174), and bat (143).

1.4.3.6 <u>Summary: Discrimination Performance and Physiological Stress.</u> Results from these performance task studies consistently showed that the animals did perform at or near a normal baseline level as long as they had the physical capacity to do so. Only when the animals became too weak did they falter in task performance. This occurred only a short time before complete incapacitation and death.

Studies also showed that chronic stress loads can decrease the survival time after irradiation. Physiological stresses, which are normally tolerated, can be overwhelming to an irradiated animal. These changes in the stress tolerance could place limitations on the level of performance possible following irradiation.

1.4.4 Psychological Processes.

The effects of radiation exposure on psychological processes are reflected in an animal's ability to adjust to its environment. These processes are the combination of a stimulus and a response. Motivation, learning, and perception are all functions in this category.

1.4.4.1 <u>Motivation</u>. Kimeldorf and Hunt (108) used three behavioral characteristics to assess motivation: 1) increased activity of the animal, 2) appropriateness of the behavior to the type of motivation, and 3) persistence of the behavior until terminated by a reward or punishment. Radiation exposure can affect the motivational status of an animal as evidenced by any one of these characteristics.

Motivation in rats is commonly initiated by food or water deprivation with a small amount of food or water as the incentive to direct and reward performance. This is commonly tested using a maze. Fields (54) maintained rats on 20.5 hour periods of food deprivation. Hunger-driven activity without food incentives (general activation) was measured by wheel-drum rotations. Hunger-driven activity with food incentives (directed activation) was measured by running speed on a straight path. The animals were trained pre-irradiation so a lack of difference between animals receiving 0, 180, or 360 rad (x-rays) was not surprising. Lever-pressing behavior for food reward after 0, 100, 300, or 500 rad (x-rays) was less affected than was the ad libitum food intake of rats receiving the same doses (96).

Study design constraints made it difficult to assess motivational factors without nutritional or learning factors. McDowell and Brown (119) measured the activity of previously irradiated (1050 rad Co⁶⁰) rats while the rats were adapting to a food-deprivation schedule and test apparatus. Irradiated animals showed a much smaller increase in activity during daily fasting adaptation than did controls. In animals previously irradiated (2.5-4.5 months) with 550 to 690 rad x-rays and previously adapted to the testing apparatus, food deprivation produced a much smaller increase in activity than in the control animals.

In general, head-only irradiation required higher doses than those to produce similar behavior effects after whole-body irradiation. In one study (7), hunger-driven activity was measured by the frequency with which the animal crossed over a shockgrid barrier to reach food. Normal animals required a food deprivation of 48 hours before crossing one time. Cranial exposure to 2.5 krad of x-rays resulted in a higher number of crossings in days 20-100 post-irradiation. Those animals receiving 5.0 krad crossed fewer times than did the controls.

Several researchers have assessed the effects of radiation exposure on psychological processes by testing the rate of response to positively reinforced electrical stimulation of the brain, self-stimulation. Olds and Milner (140) were probably the earliest to use this test. Their procedure involved the performance of the animal to obtain or stop electrical stimulation delivered through electrodes previously placed in subcortical regions of the brain. These early studies showed that the theories behind self-stimulation behavior were much more complex than first thought (16, 58, 157). Studies by Haley, et al. (76) showed an increase in the rate of response of rats on the day of whole-body exposure to 600 rad (250 kvp) x-rays. By day 17 post-irradiation these rats showed a decrease in the rate of response which continued to the 30-day end of the testing period.

Results from later studies by Christensen, et al. (38) and Bruner (22) showed a similar course of performance decrement of self-stimulation responses as seen with shock-avoidance discrimination tasks. As Bruner suggested, perhaps aversive motivational properties of shock reinforcement are not mediators in the post-radiation performance decrement.

As seen by the results of these studies, the ability to assess motivational factors was extremely limited by the inability to isolate motivation as a singular variable. Although some test results indicated increased/normal responses followed by decreased responses, it was impossible to show that this was strictly a motivational response rather than a physical response. If an animal physically cannot perform or just does not feel like performing, motivation becomes less of a factor in whether or not it responds.

1.4.4.2 <u>Learning</u>. Learning is characterized by the formation of stimulus-response complexes which result from an animal's experience. Historically, learning has been tested by measuring the learning of a task or the change in a learned task instigated by cue variations. Since human performance problems are better studied using complex problems, simple forms of learning such as reflex conditioning will not be discussed here. However, references covering these simple learning topics are included in the "Behavior Reading List."

The maze has been used by many investigators to study complex spatial discrimination behavior. Irradiation of adult rats does not seem to alter the accuracy of maze learning. Furchtgott (56) showed that exposure to 0, 200, or 300 rad (250 kvp) x-rays did not alter swim maze learning in rats. Several other investigators produced similar results (7, 8, 11, 97, 168), and retention of a maze habit does not appear to be affected by radiation (12). Kaplan, et al. (104) did find some decrements in maze learning in partially trained, hunger-motivated rats exposed to 0, 90, 180, 360, or 600 rad (250 kvp) x-rays. Animals in the 360 and 600 rad groups exhibited more errors than did the controls for the week following radiation exposure. Fields (53) demonstrated reduced maze-learning after the first week post-irradiation using a complex 40-unit elevated maze. Control animals learned the maze by trial

- 16 (1 trial/day), but irradiated animals (100-600 rad x-rays) did not have three consecutive errorless runs until trial 19.
- **1.4.4.3 Perception.** In order to measure perception of stimuli, various discrimination learning tests have been designed. For the most part, these are visual discrimination learning tests. In the rat, visual discrimination learning was reportedly reduced immediately after whole-body exposure to 180, 360, 470, 500, or 575 rad of x-rays (54, 57). This deficiency occurred during the same time period as the early transient incapacitation. Similar results (169) were found in cats following x-irradiation using a T-shaped choice apparatus. Meier, et al. (126, 127) exposed mice to 1 krad of Co^{60} at 1 rad/hr before testing them on a brightness discrimination learning test involving four units of a two-choice discrimination maze. The animals were tested at 3-5 months post-irradiation; at that time, learning was retarded. Studies (49) using dogs showed an accuracy deficit that corresponded to clinical illness. These animals were exposed to 150 or 300 rad (2-Mev) x-rays (whole-body) and tested on a delayed response problem in a T-shaped choice apparatus. The correct path was shown to the animals briefly; then after varying delay times, the dogs were allowed to perform. The performance deficits were seen in those animals receiving the 300 rad dose, which had the longer delay periods.

As an aside, Kimeldorf and Hunt (108) report that Soviet investigators use "serial discrimination behavior" to test perception in non-human primates. In these studies, conditioning involved complex sequencing of interacting conditioned responses (stereotype), which are controlled with a series of quickly presented stimuli. These studies, however, used animal temperament as a variable and most did not include control animals. These problems make it difficult to compare their results with those or vestern investigators. The Soviets' results showed wide variations among reudies and animals within studies, which they attributed to individual animals "personality." They contend that those with the "stronger personality" exhibit the greatest resistance to damage from radiation exposure.

Primates have been used in several research programs in the United States to test learned discrimination behavior after radiation exposure (19, 20, 46, 47, 78, 79, 163, 164). Testing procedures typically involve a tray within the animal's reach from which the animal is to select one of the various objects. The "correct" object commonly has a piece of food, the incentive, under it. High doses (6-8 krad range) seemed to produce learning deficits when tested 2-36 months after radiation exposure (77, 120, 121, 123, 164). However, lower doses were less likely to produce deficits (48, 118, 185).

Payne (149) reported that most investigators concluded that no impairment occurred after irradiation. In fact, several studies have shown that radiation exposure facilitates learning discrimination behavior (19, 20, 78, 163). This finding has been attributed to a reduction in the animal's attention span and in distractibility, a conclusion substantiated by extensive work of Brown and McDowell (19, 20).

1.4.4.4 <u>Summary: Psychological Processes</u>. Psychological processes involve a stimulus and a response to that stimulus. Investigators classically used motivation, learning, and perception as endpoints in radiation effect studies. Motivation assessment was difficult because of the inability to show that post-irradiation responses were only due to a motivational effect. Some studies indicated that motivation following irradiation remained normal initially but decreased with time. Learning effects were studied primarily with adult rats in maze-learning studies.

Irradiation did not seem to alter maze-learning significantly. Testing for effects on perception involved the use of discrimination learning tests. High doses resulted in learning deficits, but lower doses did not alter performance significantly. Some investigators showed that irradiation facilitated discrimination behavior by reducing an animal's distractibility.

Although whole-body irradiation does not seem to radically change an animal's capacity for learning, it does appear to affect total activity and manipulative activities, which could affect the results of commonly used testing procedures for psychological behaviors.

1.4.5 Behavioral Activation.

In addition to effects on the behavioral functioning of an animal, radiation exposure also acts as a stimulus to behavior. Apparently, exposure to radiation motivates behavior and acts as a perceptual stimulus.

Early studies (64, 68, 112) measured food and water consumption of rats during exposure to gamma (Co⁶⁰) radiation. This exposure served as the stimulus and the response was a decrease in food and water consumption.

Extensive studies (67) were then done to investigate radiation-induced motivation by testing a taste-aversion conditioned by radiation exposure. The conditioned stimulus was usually a distinctive taste substance, such as saccharin sodium, added to the drinking water available during irradiation. A single 30 or 57 rad exposure (6 hours) to Co⁶⁰ gamma radiation resulted in a conditioned aversion to the saccharin solution. This aversion continued for 2 months after radiation exposure. The particular taste substance does not seem to be a factor since radiation has successfully conditioned aversion to Kool-Aid (79), chocolate milk (111), NaCl solutions (152), and ethyl alcohol (150), and the aversion does not appear to be species-specific, since mice, rats, cats, and monkeys have all shown radiation conditioned taste aversion (79, 111, 180).

Other studies have investigated radiation-induced motivation using place-avoidance conditioning, which requires the use of location cues as discriminative stimuli. Rats were conditioned by confining them for 5 hrs/day to either of the two end-compartments of a choice-alley and were exposed to radiation (50 or 85 rad Co⁶⁰ gamma) while in one of the compartments. The rats exhibited avoidance of the compartment where they were exposed to radiation (65, 66). Free-choice learning procedures produced results that were interpreted as a conditioned avoidance of the black end of a runway (where they were exposed to x-rays of 360 rad), which is a reversal of the pre-irradiation preference for the black area (145, 146, 147). Andrews, et al. (3, 5) found that mice avoided areas exposed to 3-Mev x-rays at 50, 98, 169, or 196 rad/min but not at 10 rad/min. After investigating several possible reasons for the avoidance such as ozone production and radiation-induced fluorescence of the plastic container, the authors concluded that the mice did discriminate the exposure field. Radiation apparently provides the animal with the differential place-stimulus and the motivation for learning (154).

Radiation factors did play a role in these conditioning behaviors. X-rays, gamma rays, and fast neutrons (63, 182) have produced the conditioned taste aversion. The lowest total exposure reported by Kimeldorf and Hunt (108) were 9.9 rad of x-rays, 10 rad of gamma rays, and 7.5 rad of fast neutrons (all measured

"in air"). But until dosimetry is improved, exact threshold doses and dose rates cannot be established.

The process of radiation-induced aversion-conditioning does not appear to involve direct sensory stimulation. Saccharin aversion was demonstrated in previously bilaterally ophthalmectomized rats (61), and place-avoidance conditioning was demonstrated in previously bilaterally ophthalmectomized mice (105). Exposure of a specific localized area of the body to radiation was not responsible for aversion conditioning since exposures limited to any of several body regions (head, thorax, abdomen, or pelvic) allowed for conditioned saccharin aversion (59).

An important variable involved in conditioning aversions is the time relation between radiation exposure and presentation of the taste solution. Interpretations of study results have been controversial. Garcia and Kimeldorf (60) concluded that the aversion conditioned by rats receiving the saccharin during the first and last 2-hour periods of the 4-hour exposure ("simultaneous" group) was more pronounced than the "trace" and "backward" groups. Studies by Morris and Smith (125, 133) showed that a strong post-radiation (x-ray) aversion to saccharin was produced if the 20-minute saccharin period was initiated within 1 hour after radiation exposure. The aversion could not be produced if saccharin presentation was delayed for 6 hours post-irradiation. Further studies by Smith included an extensive investigation of temporal effects on conditioned aversion (178). Results from this study indicated that significant saccharin aversion was conditioned with delays up to 4 hours after exposure to 100 rad of x-rays or gamma rays. Although McLaurin (124) suggested that his results showed aversion was not conditioning, Smith (180) clearly refuted that suggestion based on the fact that the preference test was presented too soon after x-ray exposure, so the presentation was essentially a continuation of that preceding x-ray exposure. Experiments were then done to confirm this argument (179). Evidence showed that a taste aversion could be conditioned if the distinctive taste solution is presented prior to, during, or following radiation exposure.

Attempts were made to determine if there were specific receptors responsible for radiation-induced motivation. Early hypotheses related aversion to gastrointestinal effects of radiation exposure (59, 66, 112). Garcia and Kimeldorf (61) investigated the possible role of vision, and Dinc and Smith (50) looked into the role of olfaction. Evidence supports the idea that conditioning aversion results more from humoral rather that neural factors (180).

Results by Garcia and Kimeldorf (61) were supportive of the gastrointestinal hypothesis. They found that although whole-body exposure produced the strongest aversion, abdominal exposure produced similar results. Several investigators studied gastrointestinal motility following radiation exposure (40, 41, 87). Although Conard (41) concluded that ionizing radiation acted directly on the cholinergic nerve fibers of the intestine resulting in intestinal contraction, many investigators have produced results indicating that the observed correlation between conditioning and gastrointestinal problems represents a coincidental relationship. Smith and Morris (176, 177) found that atropine had no effect on aversion conditioning at any exposure level. Physostigmine had an augmentative effect with or without radiation exposure. Garcia and Koelling (62) were able to condition taste aversions using such toxic drugs as lithium chloride. In addition, although adrenalectomy attenuated gastric retention (98), it did not affect saccharin aversion conditioning. Hunt and Carroll presented results in which they were able to condition taste aversion in totally gastrectomized rats after an 18 rad whole-body exposure.

Although the olfactory system does appear to be involved in the immediate response of the rat to radiation, it appears unlikely that it mediates conditioned taste aversion. The strongest results refuting its involvement were that taste aversion has been conditioned with a dose rate as low as 0.083 rad/min (67), which is known to be below the exposure rate threshold for olfactory detection of radiation (0.24 rad/min) (180).

Garcia and Kimeldorf (61) have shown that ophthalmectomized rats can be conditioned for saccharin aversion, indicating that the visual system did not play a role in this conditioning.

Early studies designed to investigate direct neural factors involved with conditioned taste aversion exposed the animals to radiation while anesthetized (89). The thought was that this could prevent the visual or olfactory input. Results showed that the rats would still acquire a pronounced saccharin aversion.

Rabin, et al. (158, 159, 160) investigated the involvement of the area postrema in conditioned taste aversion in rats. Their results, along with those of Ossenkopp and Giugno (144), indicated that although area postrema lesions did not affect recall of previously acquired taste aversion, they did appear to attenuate the conditioning of taste aversion especially after body-only exposure. These results suggest a possible role of the area postrema in this process.

So, the final variable in the animal's taste aversion conditioning involves the humoral factors. Probably the most spectacular experiments in this area were done by Hunt, Carroll, and Kimeldorf (90, 91, 92, 93). In the studies, unrestrained parabiont pairs of male rats, which were united by vascular anastomosis at 26 days of age, were tested to see if irradiation of one rat would result in the conditioning of a taste aversion in both rats. A profound aversion to saccharin was found in both rats following whole-body exposure of one. Partial-body exposure did not produce as strong an aversion as did whole-body exposure.

Although evidence suggested that humoral factors mediate the formation of a taste aversion, the actual factor has not been determined. Rabin, et al. (161, 162) investigated the possible role of radiation-induced release of histamine as a mediator in the conditioned taste aversion as suggested by others (116, 170). Rabin's results did not support this hypothesis. And a study of post-irradiation mast cell function by Persinger and Fiss (153) supported Rabin's conclusions. More studies of this type would assist in the understanding of the involvement of humoral factors in conditioned taste aversion.

- **1.4.5.1** Radiation Detection. There has been reported evidence in support of direct stimulation of animals with ionizing radiation. Hug (85) reported reflex-like responses to x-ray or gamma exposures in invertebrates. A similar type response in mammals was reported by Conard (40) when he observed increased tone and motility in the small intestine within 1 minute post-exposure. Other investigators have tried to explain the perception of radiation by animals.
- 1.4.5.2 <u>Visual Stimulation</u>. The visibility of x-rays has been documented and results from excitation of the rods (55). The "light" produced by radiation was phosphene and the threshold intensity of x-rays for visibility was around 0.5 mrad. Bachofer and Wittry (9) showed that the electroretinogram (ERG) a, b, c and d waves seen with visible light were also seen after stimulation with radiation. These

results indicated that x-rays function as a stimulus in the same way that "normal" light functions as a stimulus.

Many early investigators reported an immediate response to x-rays through visual mediation (180) if the animal was in a dark-adapted state. Visual detection of x-rays and gamma rays (180) was demonstrated in dark-adapted rhesus monkeys following bilateral interruption of the olfactory tracts. Evidence showed that visual detection of radiation was possible if the animals were tested in a dark-adapted state. So, it was concluded that visual mediation played an insignificant role in behavior studies since testing generally occurred in sufficient light to preclude radiation-induced visual stimulation.

Hunt and Kimeldorf (88) found that exposure to x-rays could immediately arouse a sleeping rat and increase its heart rate even in blinded rats, indicating that vision was not singularly involved. In addition, this detection appeared to be dependent on exposure rate, not total dose, unlike conditioned aversions where exposure rates were not critical. Garcia, et al. (26, 69, 70) demonstrated conditioned suppression with only 10-sec x-ray exposures (no subsequent shock). Responses were reported to exposure rates \geq 50 mrad/sec and occurred even in blinded rats.

Dinc and Smith (50), in a conditioned suppression study, conditioned rats to suppress then removed their olfactory bulbs. Olfactory bulb removal resulted in a loss of x-ray sensitivity. Brust-Carmona, et al. (25) corroborated these results in a similar experiment, and Hull, et al. (86) demonstrated that animals with their olfactory bulbs removed were not aroused from sleep by radiation exposure. Electrophysiological data reported by Cooper and Kimeldorf (42, 43) involved the use of microelectrodes in the olfactory bulbs. Extracellular potentials were reported after x-ray exposure at 1500 mrad/sec. When ethyl alcohol was flushed through the nasal cavity, which obliterated the olfactory receptors, no potentials were recorded. Other evidence in support of x-ray stimulation of olfactory receptors rather than olfactory brain area stimulation was found after the nasal cavities of rats were perfused with air, oxygen, argon, or nitrogen. Extracellular potentials were depressed in animals after ozone or nitrogen perfusion following exposure to x-rays. Gasteiger and Helling (71) were able to obliterate the immediate response to x-rays using ambient ozone.

Smith (180) reported results from his laboratory involving olfactory stimulation by x-rays in monkeys. Conditioned suppression was achieved in these animals until the olfactory tracts were severed. At that time, suppression could not be demonstrated.

The actual method of olfactory detection was not clear. The possibility existed that an odor was formed in the nasal mucosa, such as ozone, making radiation detection a secondary effect from normal olfactory processes. It was thought that an odor could be formed when air next to the nasal mucosa ionizes. However, the radiation detection could arise from a direct effect on mucosal receptors or the olfactory nerve or bulbs.

1.4.5.3 <u>Summary: Behavioral Activation</u>. It is clear that under certain conditions, radiation, specifically x-rays, is visible and can act on olfactory receptors (directly or indirectly). It also appears that this detection can be transferred humorally. The taste aversion and conditioned suppression test results also support the theory that animals are able to perceive radiation even at very low doses and dose rates.

1.5 CONCLUSION.

Clearly, radiation effects on neural function and behavior can result from direct neuronal damage and/or indirectly through damage to surrounding supporting structures. Functional alterations can also affect animals' reactions to stimuli from noninjured systems or from radiation-damaged systems. Behavioral manifestations of radiation exposure can arise from any of the above processes. It is thus understandable that interpretation of behavioral study results is a difficult task. There are simply so many variables in the dynamic systems of an animal that precise measurements of individual functions are impossible.

"Measurable" items used to assess radiation damage include EEG results, histopathology of morphological changes and various behavioral "tests." EEG and morphological changes are probably the most obvious ways to detect damage. Results reported in this review demonstrate that there are morphologic and EEG changes after radiation exposure. However, behavioral changes are observed in animals without concurrent changes in their EEG or cellular morphology. General activity of an animal appears to be the most sensitive measure of radiation exposure. Irradiation is capable of altering the performance of animals in a predictable manner. With high doses, performance changes tend to correlate with some phases of systemic damage. Massive doses appear to result from direct neuronal damage. Psychological processes, such as learning, memory, motivation, and perception, are also assessed in behavior tests. Animals show a loss of distractibility and smaller attention span.

Previous theories on neurological radioresistance were based on the fact that very large doses of radiation were required to cause morphologic alterations in neural tissue. But the immediate EEG and behavioral responses to low doses of radiation suggest that these radiation-induced responses are at least mediated through neural pathways.

SECTION 2

RADIATION EFFECTS ON THE CARDIOVASCULAR, GASTROINTESTINAL, AND ENDOCRINE SYSTEMS

2.1 CARDIOVASCULAR SYSTEM.

2.1.1 Introduction.

The cardiovascular system is an integral part of every major functional activity of the body. Structurally, it consists of components to pump, transport, and distribute oxygen and nutrients to cells and tissues of the body. In addition, it provides the mechanism for specialized tasks such as filtration by the renal glomerulus. Clearly, damage to any or all of the components of the cardiovascular system will subsequently affect, whether directly or indirectly, the functioning of cells, tissues, and organs.

Pathologists have noted for over 50 years (49, 27) that ionizing radiation structurally damages the heart and blood vessels. More recently, studies have shown that the structural damage can also result in functional deficits (4, 29). Changes can be produced by interference with myocardial metabolic processes and vascular functions. The difficulty in studying these responses to radiation exposure is, at least in part, due to the vascular system's being structurally interwoven into other organ systems. The ability to attribute an observed response to cardiovascular damage alone is clouded by the intermixed parenchymal damage. However, significant progress has been made in recent years primarily because of renewed interest in understanding damage to the cardiovascular system induced by higher energy therapeutic irradiations.

2.1.2 Heart.

2.1.2.1 Morphologic Changes. Historically, the heart has been thought to be a radioresistant organ; in fact, fairly heavy doses of radiation are necessary to produce gross lesions in the heart (4). Rabbits have been found to require a local dose of over 1,000 rad to induce cardiac lesions (15-17, 30-32, 57). Since the morphologic response of the heart in rabbits follows the exact pattern seen in humans (17), the morphologic description to follow is that of the rabbit heart. The severity of the postirradiation lesions appears to be dose-related. Initial gross findings (<6 hrs postexposure) included only a small increase in the amount of pericardial fluid. Histopathology revealed no microscopic changes at 3 minutes post-exposure. After 6 hours, acute inflammation occurred as an accumulation of heterophils in the pericardium, epicardium, myocardium, parietal endocardium, and valves. This pancarditis continued through 24 hours with only the addition of small numbers of lymphocytes and foamy histiocytes at the 12-hour mark. Microscopically, the parietal endocardium appeared to be the most severely affected during this phase. Electron microscopy typically revealed some focal cytoplasmic degenerative changes in the endothelial cells, the presence of a few capillary thrombi, prominent contraction bands, disruption of intercalated discs, myofibrillar degeneration, and disorganization with myofibrillolysis. Animals usually did not show clinical disease during this time.

By 48 hours post-exposure, gross lesions disappear, and histopathology revealed only small focal areas of myocardial fibrosis. However, electron microscopy of cardiac myocytes during this time revealed advanced myofibrillar degeneration, the loss of whole sarcomeres in groups of myofibrils, mitochondrial alteration and loss of cristae, Z-band destruction, and disruption of the intercalated discs. In addition, alterations in the capillary endothelial cells included cytoplasmic swelling, dense bodies, and interruption of the capillary wall. Fibrin and platelet thrombi are also seen in the later phases.

Although gross lesions are the most prominent after 70 days post-exposure, electron microscopic examination of the myocardium at various times between the 48-hour and 70-day time points revealed a progression of ultrastructural changes. Architectural disorganization of myofibrils, focal cytoplasmic degeneration, and subplasmalemmal vacuolation characterize the changes at day 8. By day 22 postexposure, myofibrillolysis became less prominent, but many fibers showed thicker Z-lines, dilated sarcoplasmic reticulum, mineralization of mitochondria, focal accumulations of glycogen granules between myofibrils and sarcolemmal membranes, and slight pericellular fibrosis. Endothelial cell changes included basement membrane thickening, platelet sequestering, abnormal endothelial cell phagocytic activity, widening of the junctional gaps, complete obstruction of the lumen of the capillaries by cytoplasmic swelling, and rupture of the capillary wall. Fibrosis of the myofibers and perivascular areas characterized the changes at 70 days post-exposure. At this time, gross lesions included pericardial thickening and a fibrinous to sersanguinous effusion. In some cases, the effusion was severe enough to cause cardiac tamponade and heart failure. Histopathology revealed replacement of the pericardial adipose tissue by collagen with subsequent pericardial fibrosis. diffuse myocardial fibrosis, and atherosclerosis with thrombi in the subepicardial vessels.

In monkeys, exposure of the heart to 6,000 rad of x-irradiation results in grossly thickened, fibrous pericardia and infarctive fibrotic myocardial lesions (46) at five months. Histopathological examination of the myocardial lesions revealed a spectrum of changes from hemorrhagic necrosis to hyaline degeneration, fatty infiltration, and replacement of myocytes. Vascular changes in these areas were prominent. Cytoplasmic swelling was severe and, in some cases, obliterated the lumen of the vessel. The basement membrane of the vessels thicken and perivascular collagen loses its cross-striations. Some vessels were completely fibrotic.

In mice, histopathological and ultrastructural evidence of myocardial damage has been reported following 400-2,000 rad of x-irradiation (7, 17, 33, 57), 240 rad of neutrons, and 788 rad of 60-Co gamma rays (64). In general, cardiac muscle showed degenerative changes such as myofibriliolysis, lipid bodies, partially vacuolated mitochondria, and dissociation of the intercalated discs. Vascular changes included cytoplasmic swelling, cytoplasmic blebs, vacuolated mitochondria, and thrombi. These changes appeared to be the most severe between 4 and 12 weeks post-exposure.

In rats, radiation-induced changes in the myocardium and its vasculature occurred after 500-2,000 rad of x-irradiation (11, 36, 48) and 500 rad of 60-Co gamma rays (44). Animals developed life-threatening symptoms within four to ten months after irradiation. These animals had similar changes in the myocardium at that time; however, the degree of degeneration within the myocardium varied within the same heart. Areas of severe degeneration were interspersed among areas of normal

myocardium. Severity of the lesions did not vary with the dose. The clinical endpoint was always associated with the same degree of myocardial change. Vascular damage appeared to be associated only with the myocardial lesions. Ultrastructurally, the myocardial mitochondria were markedly altered within 12 hours of irradiation with only 500 rad of gamma rays. Other myocardial cell elements and myocardial vascular elements were not affected at this time. At 24 hours post-exposure, most of the myocardial cells showed mitochondrial lesions, Z-lines became disorganized, and sometimes myofibrils were completely degenerate. Endothelial changes were seen only in areas where myocardial cell damage was severe.

In dogs, 750-8,000 rad of x-irradiation resulted in an initial myocarditis followed by myocardial destruction and fibrosis (47, 56, 60). Hyalin degeneration in the myocardial vessels was prominent. The severity of the lesions appeared to be dose-related. Like the rat, the degree of degeneration within the myocardium varied within the same heart and did not appear to be related to vascular distribution.

2.1.2.2 Functional Changes - Electrocardiography. As discussed previously, large doses of ionizing radiation are required to produce histologic changes in the heart but electrocardiographic (ECG) changes are reported to occur at lower dose levels. Radiation-induced changes in the electrocardiographic response of the heart to radiation have been studied in the dog (2, 13, 47, 60), rabbit (4), hamster (18), rat (10, 36), and monkey (46). It appears that the functional myocardial damage, as measured by the electrocardiogram, is due to a direct action of irradiation on the myocardial cells whereas the later effects, such as those demonstrated by light microscopy, are multifactorial and depend on the radiation dose. Some researchers (18) believe that the radiation-induced electrocardiographic changes are at least partially due to a change in the potassium concentration in the serum. However, after doses of less than 1,000 rad, the ECG changes occurred in the absence of any alteration in plasma potassium level (11). There is evidence that the heart undergoes some changes in its chemical composition, most notably a decrease in actomyosin (10).

In dogs, exposure to 750-6,000 rad of gamma rays resulted in ECG pattern alterations and changes in aspartate aminotransferase (AST/SGOT) levels (60). Regardless of dose, ECG pattern alterations included ST segment elevation, prolongation of the Q-Tc interval, and signs of myocardial infarction. ST segment elevation, which indicates an alteration in the rate of polarization, occurred only during irradiation and never post-exposure. Prolongation of the Q-Tc interval, an indication of delayed polarization, occurred during exposure and then several (greater than ten) weeks after exposure. During irradiation, this interval reached its maximum at the end of exposure and then disappeared. At this time, there were no other ECG changes and the AST levels remained normal, indicating functional damage to the myocardium. The time of onset of the second episode of Q-Tc interval prolongation was dose-related. The AST levels rose two to three weeks prior to the onset of this second episode. These factors support structural myocardial damage as the cause of the second episode. Badran, et al. (2) reported inversion of the T-wave in dogs after exposure to greater than 2,000 rad of x-irradiation, the severity of which was dose-related. They did not observe any Q-wave alterations and concluded that no myocardial infarction had occurred. Moss, et al. (42) observed inverted T-waves, along with Q deflections and S-T elevations, which were associated with focal areas of myocardial necrosis. Similar results obtained by Phillips, et al. (47) were also indicative of focal areas of myocardial necrosis.

Electrocardiographic changes were seen in monkeys exposed to 6,000 rad of x-irradiation to the heart (46). Histopathology revealed significant damage to the cardiac conduction tissue such as the sinoatrial node region and the atrioventricular node region. ECG changes, such as a complete lack of P waves and prolongation of the A-V interval, corresponded with this observation. Another investigator (34, 35) using proton and gamma radiation sources observed no consistent changes in the ECG. Some of the animals showed inverted or peaked T-waves. One animal developed elevation of the S-T segment during irradiation, which subsided after exposure ended much like that reported in the dog (60).

Radiation-induced electrocardiographic changes have also been noted in the rat (11, 36). The most frequent findings included atrioventricular blocks and bundle branch blocks post-exposure, which subsequently reversed to normal. From days 2 through 6 post-exposure, there were cyclic variations in the R-R interval length and R-wave amplitude. A marked arrythmia occurred concurrently with these alterations during days 8 through 10. Alterations in the T-wave, as described in other species, cannot be documented in the rat since the normal rat ECG has no isoelectric segment between the QRS-complex and the T-wave.

Fulton and Sudak (18) reported similar radiation-induced changes in the ECG of hamsters exposed to x-irradiation. After 600 rad, ECG changes included a depression of the T-wave, variation of the R-wave amplitude, and marked arrythmia. Depression of the P-wave, T-wave inversion, S-T segment depression, and prolongation of the Q-T interval were observed in hamsters after 1,000 rad of x-irradiation.

2.1.2.3 Functional Changes - Cardiac Output. Another measurement of the functional capacity of the heart is cardiac output. Radiation-induced alterations in cardiac output have been observed in the dog (5, 13, 58, 59) and monkey (8, 34, 35). Investigators have reported only slight changes in the cardiac output except just before death. During the first two days after 1,000 rad of whole-body x-irradiation, the cardiac output in dogs was altered only slightly. However, 65 to 70 hours after irradiation, the cardiac output decreased rapidly until death occurred (usually 15 to 20 hours later). Stone, et al. (58) determined that the maximum ability of the canine heart to pump blood decreased to one-half the normal amount postexposure, but the cardiac output remained close to normal until just before death. Apparently, the myocardial functional capacity has enough reserve to handle this decrease in ventricular pumping ability until the animal is close to death. Stress could be the trigger for this inability to compensate. Myers, et al. (43) demonstrated that the monkeys exposed to 250-1,000 rad of gamma radiation maintained cardiac output until the animals were stressed by three transient bleeding episodes postexposure. The animals then showed a reduction in cardiac output and stroke volume. Kundel (34, 35) reported that monkeys exposed to gamma radiation (3,900-6,600 rad) showed a decrease in cardiac output by 18 hours postexposure. However, proton irradiation did not produce the same effect. Similar results were obtained by Bruner (8) after gamma radiation exposure of monkeys; however, the decrease in cardiac output was seen only 6 minutes post-exposure and followed a temporary slight increase in cardiac output.

Possible explanations for the fall in cardiac output following radiation exposure have been proposed. In fact, this functional alteration is most probably the result of a combination of factors. These include 1) a reduction of presso-receptor sympathetic drive to the heart due to a reduction in heart rate, 2) a reduction in return volume of blood to the heart due to venous pooling and reduced venous tone, 3) a

decrease in responsiveness of the baroreceptor reflex arc, and 4) a loss in cardiac compensating ability.

2.1.3 Blood Vasculature.

2.1.3.1 Morphologic Changes. Exposure to radiation results in widespread vascular changes including degeneration and necrosis of endothelial cells and proliferation of the endothelium with edema, fibrosis, thickening, and infiltration of the vascular wall. Investigators attempting to measure endothelial cell survival have used an assay method involving the irradiation of a selected vascular area, initiation of endothelial cell proliferation by physical or chemical stimuli, and then counting the subsequent numbers of capillary sprouts or neovascularization network density (21). Animal models used in these studies were primarily in the rat (52, 53). Results indicated that the radiosensitivity of endothelial cells is similar to cell survival values for both epithelial and connective tissue cells.

Histopathologic examination of blood vessels after exposure to radiation revealed a variety of morphologic changes in the vessel wall. Historical data from clinical reports provide good descriptions of structural changes, but many fail to provide the dose and/or time between exposure to radiation and tissue sampling. Therefore, the possible progression of morphologic changes with time post-exposure was obscured by these reports (50). Experimental studies do suggest that such a progression of lesions does exist; and the type of lesion can be categorized with respect to time post-exposure: 1) early changes, 2) intermediate changes, and 3) late changes (21).

Early changes are those occurring within the first few days to weeks postexposure. At this time, endothelial cell death is probably not the main factor causing disturbances in microcirculation (51). Ultrastructural studies (39), using the lung capillary system as a model, reveal immediate changes (three hours after exposure to 2,000 rad of x-rays) in the endothelial cells consisting of dilated cisternae of the endoplasmic reticulum, lysosomal-like bodies, widening of the perinuclear space, and a segregation of the nucleolar components. At 6 hours post-exposure, endotheiial cells exhibit lipid droplets and osmiophilic precipitations in the cytoplasm, alterations in the cell membrane, the apposition of platelet groups, and associated fibrin to the basement membrane, and the hypertrophy of nuclei. In some areas, the nuclei are hypertrophied to the point of capillary lumen obstruction. histopathologic changes can be detected at this time. From 1 to 7 days postexposure, the endothelial cell lesions are more severe. Endothelial cells are separated from the basement membrane and, in some cases, the endothelium sloughs, leaving the basement membrane exposed. The most consistent histopathologic change at this time is capillary vasodilation. This would correspond to the erythema seen in the skin and mucous membranes after exposure to irradiation. Hopewell (22) suggests that this vasodilation is an inflammatory response to epithelial cell death.

Lesions associated with the intermediate time period, that of 1 to 9 months post-exposure to radiation, are directly related to endothelial cell death. Ultrastructurally, at 1 to 2 months post-exposure, aggregates of abnormally shaped platelets can be found close to damaged endothelium. In addition, other capillary lumens are obstructed by lipid inclusions and/or collagen fibers. From 3 to 7 months post-irradiation, endothelial cell cytoplasm shows definitive evidence of degenerative changes: osmiophilic precipitations; autophagic vacuoles; dilated, agranular, and rough endoplasmic reticulum; and large numbers of free ribosomes. Capillary

lumens are filled with platelets, collagen, fibrin, or lipid inclusions. Basement membrane folding and edema are seen in the later portion of this time period. Histopathologic examination of several different tissues, including lung, brain, heart, kidney, and skin, during the intermediate time period reveals irregularly spaced constrictions of the capillaries which are thought to represent localized thickening of the intima, the presence of thrombi, and capillary necrosis (15, 22, 23, 25, 37). The cells in these thickened and/or occlusive lesions have been found to be synthesizing DNA (21), but the exact cell type has not been identified. The pooling of blood around the occluded vessels contributes to intravascular deposition of fibrin and collagenous material.

Late changes (those occurring nine months and longer post-exposure) in the capillaries are primarily degenerative changes. Ultrastructurally, the capillary lesions consist of basement membrane thickening, basement membrane edema, lumen occlusion by collagen and recanalization. Histological examination of the vessels reveals an acellular hyaline, fibrinoid, and collagenous thickening of the vessel wall, which is sometimes severe enough to obstruct the lumen. These lesions appear to be more severe in the arteries/arterioles than in the veins/venules. In addition, thrombi and telectangia are other types of changes seen in the irradiated vessels of various tissues (54). Severely damaged blood vessels, those with thrombosis or occlusion, can produce marked changes in tissues dependent on them for blood supply.

In summary, irradiation produces changes in vessels including degeneration and proliferation. Severe damage to vasculature compromises the dependent tissues. The endothelium is the most sensitive component of the blood vessel, and changes are more severe in capillaries within organs than in the arterial trunks. Although the endothelium seems to be the most sensitive to radiation injury, the connective tissue cells and muscle cells in the vessel wall are all involved to some extent in the changes seen in the vasculature of various tissues.

2.1.3.2 <u>Blood Pressure/Vascular Resistance</u>. Hypotension following radiation exposure has been observed in the rat (1, 11, 19, 20, 40, 45, 65), rabbit (6, 41), cat (55), dog (5, 14, 41, 55), monkey (9, 12, 34, 35), pig (3), sheep (3), and burro (3, 63). Various explanations and pathogeneses for this reduction in post-exposure hypotension have been proposed, including increased histamine levels (61), CNS depression (40), neurohormone release (55), and direct effect or lack of end-organ response (35).

Blood pressure in the rat has been studied by chemical and physiologic methods. Caster, et al. (11) reported significant increases in venous blood pressure at 3 hours and from five to 12 days after a single dose of 700 rad of total-body x-irradiation. Arterial pressures remained stable throughout the experiment. Phillips and Kimeldorf (45) measured aortic blood pressure and peripheral blood pressure (tail) simultaneously during and after exposure to 485 rad of x-irradiation. Peripheral pressure decreased markedly eight hours after exposure and returned to control levels by day 3 post-exposure. Aortic blood pressure was not altered at this dose. After 970 rad, there was a mild decrease in aortic pressure at 24 and 48 hours; after 1,940 rad, there was a marked decrease in aortic pressure at 8 and 24 hours post-exposure. These results suggest that a reduction in peripheral blood pressure after a sublethal dose of radiation reflects a response in peripheral circulation rather than central effects. Haley, et al. (19) demonstrated that the decrease in peripheral blood pressure was mediated by the release of vasoactive material into circulation rather than through a direct effect of the radiation on the precapillary sphincter and terminal

arterioles. This vasopressor material was released by the liver of rats during the first week after exposure to 600 rad of whole body x-irradiation.

Decreases in peripheral blood pressure without a fall in central pressure following certain doses of total body x-irradiation (e.g., 600 rad) suggested that compensatory mechanisms were involved, allowing for a wider pressure gradient from central to peripheral sites. The fall in aortic blood pressure observed by Phillips and Kimeldorf (45) following a higher total body dose (e.g., 970 rad) probably resulted from a different mechanism of action, such as through changes in the autonomic nervous system. As described in the previous section concerning cardiac output, the force of myocardial contraction is sufficient to maintain a normal cardiac output until just before death. This reduces the possibility that the decrease in pressure is due to a direct effect of irradiation on the heart.

Epinephrin-responsive cardiovascular changes were also investigated in the rat (62). The rats exposed to 700 rad of fast neutrons showed a 48-hour decrease in the maximum systemic pressure response (as measured by direct cannulation of the carotid artery) and an inability to maintain the pressure response to epinephrine (e.g., incapacitation of the adrenergic smooth muscle of blood vessels). The adrenergic motor endplates appeared to be intact and slightly more sensitive than in the control animals. In addition, there were no differences between the blood pressure response curves of irradiated versus control rats to acetylcholine, indicating that the radiation-induced central hypotension was not due to activation of the cholinergic portion of the vasomotor system. It follows that this central hypotension must be due at least in part to radiation effects on the adrenergic vascular smooth muscle of blood vessels. Wykoff (63) proposed that this damage to adrenergic muscles could be due to a direct effect, to intracellular damage, or to decreased blood flow through the vasa vasorum.

Post-irradiation hemodynamic studies in the dog have had similar results. Kabal and co-workers (28) observed that at 48 hours after 1,500 rad of mixed gammaneutron radiation exposure, major cardiovascular parameters were within normal limits. However, the cardiovascular response (alpha and beta adrenergic activity) following epinephrine injection was altered. At 72 hours post-exposure, the epinephrine response was more severely altered and peripheral blood pressure deteriorated. Central blood pressure remained within normal limits. Once again, this study demonstrated that the cardiovascular deterioration at these dose levels appears to be peripheral rather than central in origin.

The monkey has also been the subject of studies involving radiation-induced cardiovascular effects. Kundel (34) reported a dose-dependent decrease in aortic blood pressure after whole-body 60-Co gamma rays. Total peripheral resistance decreased only slightly in the irradiated animals, indicating that vascular tone was either normal or slightly decreased. In addition, the irradiated animals exhibited a diminished response of the mean arterial pressure to norepinephrine within the first hour after irradiation. This response returned to normal by 24 hours in all animals except those in the highest dose group (6,600 rad) in which it remained depressed. Clearly, the loss of response to norepinephrine suggests that an effect on the smooth muscle of the vessel walls is important in the production of post-irradiation hypotension.

The obvious complexity of radiation-induced changes in blood pressure results in difficulty in ascertaining the exact mechanism(s) responsible for the fall in blood pressure, whether central or peripheral. A number of possibilities have been ruled

out based on studies directed toward these entities. One such proposal was a reduction in blood volume. Several investigators (38, 40) have shown that the decrease in red blood cell mass observed after irradiation is adequately compensated for by an increase in plasma volume. Cardiac output, as described earlier, is maintained at a reasonable level so direct myocardial effects are unlikely at least within the first nine months post-exposure. Some investigators suggest that the hypotension is due to an effect of the central nervous system (CNS). This hypothesis does not take into account the results indicating that focal irradiation of the head requires doses far greater than the whole-body doses to result in decreased blood pressure. As described above, evidence points toward an effect on peripheral vasculature as the causative factor resulting in post-irradiation hypotension. Several researchers have found histamine and/ or other vasodepressor materials in the blood of rats, rabbits, and dogs after exposure to radiation (19, 34, 61). Further support for this hypothesis was gained from exchange studies in rabbits which show that replacement of 50 percent of an unexposed rabbit's blood volume with blood from an irradiated animal produced a mild hypotension in the unexposed rabbit. However, definitive evidence for the post-irradiation induction of hypotension by vasopressor and/or vasodepressor materials has not been procured. In fact, irradiation could have a direct effect on the peripheral vasculature. Support for this theory involves the lack of a "normal" response of mean arterial pressure to norepinephrine after exposure to radiation. The mechanism(s) responsible for this effect have not been completely worked out but probably involve one or more of the following: 1) endogenous norepinephrine release, resulting in overstimulation of the vascular beds and a superimposition of exogenous norepinephrine on already constricted vessels; 2) endogenous norepinephrine release of brief duration (maximal stimulation) in response to an early fall in blood pressure, resulting in in a state of decreased vascular sensitivity; 3) a drop in blood pH; 4) rapid inactivation of the exogenous epinephrine after injection; and 5) direct effect on the smooth muscle of vessel walls.

2.2 GASTROINTESTINAL SYSTEM.

2.2.1 Introduction.

Documentation on radiation injury to the gastrointestinal system is extensive. Researchers began recognizing the association between radiation exposure and gastrointestinal lesions as early as 1909 (44). Early degenerative changes appearing in the intestinal epithelium of the duodenum after whole-body or abdominal exposure to doses as low as 80 to 100 rad reflect the severe radiosensitivity of the small intestine.

Damage to the intestine at higher doses appears to be dose related. Observations of symptoms, gross lesions, and microscopic lesions following x-ray exposure of dogs were documented by 1912. Despite these and subsequent efforts by numerous investigators, the actual mechanisms involved in producing the "gastrointestinal syndrome" and its symptoms are not completely known. It is evident that there is not one single cause but a combination of changes that results in the syndrome. These gastrointestinal changes, along with damage to other organ systems, such as the hematopoietic system, can so severely impair an animal that death will occur. Most investigators recognize the gastrointestinal syndrome as a critical, early post-exposure event that can result in the death of an animal within the first week after exposure.

2.2.2 Gastrointestinal Syndrome.

The gastrointestinal syndrome was first described by Quastler (59) in animals following doses of 10-1000 Gy of x-ray or gamma rays. Although the survival and early symptoms differ from species to species and even from strain to strain, all mammals exhibit similar symptoms, including vomiting (in animals capable of vomiting such as dogs and monkeys), anorexia, delayed gastric evacuation, diarrhea, dehydration, lethargy, and weight loss. The symptoms become progressively more severe, and death occurs 3 to 5 days post-exposure in mice, rats, dogs, and several other species. The survival time is longer for guinea pigs, monkeys, and humans. The progression of symptoms in humans appears to be most like that in monkeys.

The majority of symptoms observed in the gastrointestinal syndrome are primarily a consequence of radiation damage to the intestinal epithelial stem cell. This damage results in mucosal denudation, fluid and electrolyte loss, and subsequent bacteremia. Vomiting, fatigue, and anorexia have been reported in animals with the abdomen shielded. In these cases, the symptoms probably result from shock induced by the destruction of cells and liberation of their products.

2.2.3 Morphologic Changes.

2.2.3.1 Stomach. Since the most prominent gastrointestinal lesion appears to be in the small intestine, few investigators have studied changes in the stomach. Pierce (58) found that mitotic activity in the stomach of rabbits exposed to 800 rad of x-rays dropped within 40 minutes after exposure. The zymogenic glands showed a loss of granulations after two hours which persisted for five days. Granulations, though abnormal, began to increase between the fifth and ninth days. By day 14, the granulations returned to normal. Mitosis was greatly reduced in the mucous cells immediately after exposure. The number of mitoses did not return to normal until day 5. Parietal cells appeared to be fairly resistant. From 2 hours to 5 days after exposure, a few cells showed pyknosis of their nuclei and cytoplasmic vacuolation, but the majority of cells remained normal.

After 550 rad of whole-body x-irradiation in rabbits, the stomach showed similar changes but were less severe and more quickly resolved. After 1 hour, mitoses had stopped. The zymogenic cells were pyknotic, and the parietal cells had swollen nuclei at 3 hours post-exposure. The mucous and parietal glands returned to normal within 24 and 48 hours, respectively, but, the zymogenic cells were not considered normal for 5 days post-exposure. Clearly, the zymogenic cells are the most radiosensitive cells in the stomach.

Early reports (44) showed that increasing the dose can lead to atrophy of the gastric glands with subsequent mucosal thinning, and excessive doses can produce gastric ulcers with subsequent perforation.

2.2.3.2 <u>Small Intestine</u>. Many of the clinical signs associated with the gastrointestinal syndrome can be traced to damage of one or more specific cell types in the small intestinal mucosa. These different epithelial cells perform different functions, which include proliferation of the intestinal mucosa (crypt stem cells), secretion of various substances (e.g., goblet cells, Paneth cells, Argentaffin cells), and absorption of material from the lumen (columnar villus epithelial cells). After irradiation, the intestinal mucosa becomes denuded due to the loss of the radiosensitive crypt stem cells' ability to proliferate. Therefore, as the villus epithelial

cells migrate to the tips of the villi and slough into the lumen, there are no cells to take their place on the villus. The villus becomes shortened and denuded; and thus, the integrity of the intestinal mucosa is lost. In addition, radiation appears to inhibit absorption, stimulate secretion, and affect intestinal motility. The effects of radiation on these different cells of the small intestinal mucosa have been studied in great detail.

The sequence of histologic changes in mice and rats is the same for most species with only slight variations. Studies involving radiation effects on the mouse intestine have provided a basis for understanding the sequence of events in radiation injury (52, 53, 55). Mice receiving 1000 rad of x-irradiation died within 4 to 7 days. Histopathologic examination of the small intestine of these mice at death revealed denuded villi with mostly restored crypts of Lieberkuhn (crypt stem cells). Time sequence studies of the post-exposure radiation lesions revealed a progression of changes. The earliest changes seen histopathologically occurred 30 minutes after irradiation. At this time, the nuclei of the crypt stem cells were slightly enlarged, with a thin, less basophilic nuclear membrane and contained residual karyolysis materials. After 2 hours, the nuclei of the crypt stem cells were larger, vacuolated, and contained karyolytic bodies. The cytoplasm was less basophilic (indicative of a loss of rough and smooth endoplasmic reticulum). Four hours postexposure, the nuclei were huge and vesicular, and no cytoplasm could be seen. Abnormal mitoses were seen in the crypt stem cells after 12 hours; and 24 hours after exposure, mitoses increased in number but were still abnormal, while karvolysis and karvorrhexis continued. At this time, a nuclear enlargement was seen in a few of the the Paneth cells, and the structures required for granule synthesis were not seen.

The cells at the base of the villi began to show damage by 48 hours after exposure to x-rays. These cells had enlarged nuclei with some karyolysis. At this time, the degenerative processes were decreasing in the crypt stem cells and intense mitotic activity began to repopulate some of the crypts. Although the Paneth cells still retained their characteristic appearance, they had a decreased number of granules. After 72 hours, villus cells had vacuolated cytoplasm and enlarged to pyknotic nuclei. The crypts were still shallow, although many cells had densely staining nuclei and dark basophilic cytoplasm. A few crypts were completely collapsed. In addition, many of the Paneth cells were degenerative, with a significant decrease in the number and density of zymogen granules. Many crypts regained a moderate length and appeared normal after 96 hours after exposure. The cells had ovoid nuclei and basophilic cytoplasm, and normal mitotic figures were seen. The Paneth cells returned to a normal appearance even though there was a loss of ribosomes. However, the villus mucosa was severely destroyed, and most of the villi were denuded and collapsed. The cytoplasm of surviving villus cells was no longer basophilic.

Denudation of the villi results from the extreme radiosensitivity of the crypt stem cell. The time between radiation exposure and denudation of the mucosa correlates with the amount of time required for the cells to migrate up the villus from the crypt region. The association between the stage of crypt stem cell cycle and the result of its exposure to radiation has been studied (2-4, 30, 31, 41, 42, 44). The great majority of stem cells in G2 phase or prophase are destroyed by supralethal irradiation. Cells in the G1, M, or S phase can survive and, although damaged, continue their migration toward the villi. Cells irradiated during mitosis are unable to divide. The progression from G1 into S phase is slowed. Cells irradiated in S phase are blocked there. During recovery, the surviving cells resume mitosis; and

with each cell cycle, severely damaged cells are eliminated and the proliferative compartment expands. Studies of the long-term effects of radiation exposure indicate that, although the cells proliferate, their progeny may not be capable of functioning in the same way as in non-irradiated animals. This indicates that radiation is capable of causing a non-lethal alteration in the stem cell DNA.

Histopathologic examination of the small intestine mucosa after repeated exposures to radiation documents the ability of the intestine to recover and adapt to this type of exposure at sublethal doses. In mice continuously exposed to 137-Cs gamma radiation, the mitoses are partially blocked in G2 after one day of exposure. After 12 days of exposure, mitoses occur, but the generation cycle is 20 percent shorter (43). The generation cycle subsequently increases to control values by 35 days of exposure. This shortening of cycle length has been proposed as being a compensatory reaction of the mucosal cells to try to maintain a sufficient number of cells to cover the villi.

Electron microscopic examination of the small intestine after exposure to radiation have shown changes that follow those seen by light microscopy (16, 32-36, 44). Mitochondria are the first organelles to show changes. Fifteen minutes after radiation exposure, mitochondria exhibit considerable swelling. The number of swollen mitochondria increases over three to six hours and is accompanied by a clarification of their matrix, rupture of the cristae, and a break of the limiting membrane. After three hours, the swollen mitochondria appear to be separated from the normal mitochondria by a network of fine fibrils or surrounded by small ergastroplastic sacks. The mitochondrial surface has a maximum at six hours after irradiation and returns to normal by 24 hours. Mitochondria become progressively more dense even though of normal size. After 96 hours, membrane-bound vacuoles appear between the cristae.

Other cytoplasmic organelles also show changes. From 30 to 90 minutes post-exposure, the Golgi apparatus is dilated and the number of dense bodies decreases. Also, after 30 minutes, some microvilli show a dissociation of the triple-layered membrane along with a swelling of the apex. This lesion increases in severity until the entire border atrophies 24 hours after irradiation. After 90 minutes, dense lysosome-like bodies and multivesicular bodies appear in large numbers in the cytoplasm. At three hours, these cytolysosomes (karyolitic bodies) are observed migrating within all the cells along the crypt and are eliminated into the gut lumen. Cytolysosomes, also called autophagic vacuoles, contain hydrolytic enzymes, including acid phosphatase, arylsulfatase, glycuronidase, ribonuclease, and cathepsin.

Nuclear changes are seen in one-third to one-half of the cells between 30 minutes and 3 hours after a dose of 1350 rad of x-rays. Early changes (30 to 90 minutes) are characterized by the formation of two or three clearly demarcated zones in the nucleoli. One zone is formed by the aggregation of dark granules embedded in an amorphous material. A second zone is formed by very dense material with scattered small granules and fibrils. The third zone contains more electron-lucent material with fibrillar areas. At 90 minutes post-exposure, blebs can be seen on some nuclei. These probably represent an evagination of the nuclear membrane and grow progressively to form a large electron-lucent vacuole extruding from the nuclear membrane. These vacuoles may even become completely separated from the nucleus. In other nuclei, degeneration occurs much more rapidly. These early nuclear lesions seen ultrastructurally appear to occur independently from

the cytoplasmic changes seen, and do not seem to correlate with the increase of detectable enzyme activity.

After 48 hours, the nuclei still present show further changes. The chromatin material appears to decrease in amount and form a thin layer along the nuclear membrane. Giant multilobated nuclei increase in number by 72 hours post-exposure. These cells may even contain several micronuclei. Nucleoli swell and become opaque, lining themselves up against the nuclear membrane.

A pathogenesis for the production of these changes in the cytoplasmic organelles and the nucleus has been postulated by Maisin (44). The dense bodies (lysosomes) coming in close contact with cytoplasmic organelles leak their hydrolytic enzymes (possibly due to radiation-induced increased membrane permeability), resulting in damage to the mitochondria or other organelles including the nucleus. Cytolysosomes develop by segregating the necrotic foci within the cell from the rest of the cytoplasm. They are surrounded by a double membrane probably derived from the fusion of smooth ergastoplastic reticulum with isolated vesicles from the Golgi apparatus. Clusters of ribosomes form and are also surrounded by a double membrane. The inner layer of the double membrane disappears and the cytolysosomes fill with necrotic material within 90 minutes after irradiation and continue for 2 to 3 hours. Heterophagosomes contain phagocytized membranes from degenerative leukocytes and dying stem cells. They may be difficult to distinguish from the cytolysosomes. The cytolysosome, heterophagosome, nuclear debris or a combination of all three could result in the formation of the karyolytic bodies described by many investigators.

2.2.4 Physiologic Changes.

2.2.4.1 Intestinal Transport. Many investigators have studied the relationship of intestinal transport deficiencies to the gastrointestinal syndrome. Early studies involving the effects of radiation on the transport capability of the small intestine were done prior to the elucidation of the transport mechanisms in the normal intestine (7). Glucose transport was one of the first substrates studied (57). After 6 Gy, the transport of glucose across everted sacs of small intestine was increased by 1 day post-exposure and depressed by 3 days post-exposure. This transport was back to normal by day 6. Later studies by Perris (56) investigated the transport of glucose, galactose, 3-o-methyl glucose, sorbose and histidine in the irradiated rat intestine (650 rad of x-ray or gamma ray). In these studies, the intestinal transport of glucose, galactose, and 3-o-methyl glucose was depressed 3 days after irradiation. Galactose transport was depressed only if low levels of glucose were also present, and sorbose transport was elevated. Proline uptake was demonstrated to be depressed not only at day 3 after 7 Gy of x-ray radiation in rat small intestine, but also at day 30 (54).

The capacity of intestinal epithelial cells to transport electrolytes is also altered after exposure to radiation. The sequence of alterations involving electrolyte movement (particularly sodium and potassium) post-exposure have been documented (12, 38, 45). After exposure to 1500 rad of x-rays, the concentration of potassium in the small intestine wall of mice decreases during day 1 to day 4. By day 4, the potassium level in the small intestine wall is only 50 percent of that in control mice. At the same time, the sodium concentration increases to 50 percent above that of control mice. Sodium concentrations in the colon of irradiated mice remained within normal limits, but the potassium concentration decreased over days 1 to 3. The potassium and sodium concentrations in the contents of the small

intestine was significantly higher in the irradiated animals as compared to controls. By day 3 post-exposure, the potassium concentration in irradiated animals was almost two times as high as in the controls, and the sodium concentration was three times as high as in the controls. Similar values were seen in the stomach and colon. Although alterations are seen in the sodium and potassium concentrations in the intestinal wall and intestinal contents, serum concentrations for these two elements are not significantly altered in the irradiated mice.

Despite these and other animal studies demonstrating alteration of the transport capacity of the small intestine after radiation exposure, the mechanisms responsible for the changes in absorption are not completely known. Perris and co-workers (56, 57) proposed that the reduced absorption of glucose is due to an impairment of the active transport process resulting from the severely damaged intestinal epithelium. Other investigators have postulated that this phenomenon is a result of the lowered epithelial cell population seen histologically with the denudation and atrophy of intestinal villi (5, 17, 61). However, Detrick and co-workers (15) showed that alterations in absorption occurred even after complete histopathological recovery, while later studies by Cheeseman et al. (7) showed that the changes in transport are not a simple matter of reduced numbers of intestinal epithelial cells. The overall observable results of the exposure of the intestine to radiation is an impairment of the absorption of substrates. However, these studies with isolated cells suggest that the intestinal epithelial cells are able to compensate for the reduced cell population by increasing their individual cellular capacity to take up hexose and dipeptide for up to 7 days post-exposure. In addition, substrate transport in the small intestine does not appear to be uniform among substrates.

Possible mechanisms for the loss of fluids and electrolytes after exposure to radiation, as described above, have been investigated (6, 14, 21, 23, 28, 63). Sullivan (63) reported both a marked decrease in water and sodium insorption from the lumen of the small intestine and a decrease of the exsorption of water and sodium from the blood stream. His results, and those of other investigators (14, 45), supported the hypothesis that the excessive loss of fluid and electrolytes after radiation exposure is due to an impairment of the reabsorption. In addition, studies (e.g. short-circuit technique, radioisotope fluxes) involving the ileum of rabbits exposed to 5 to 12 Gy of whole-body gamma radiation have shown that radiation alters active ileal electrolyte transport by stimulating chloride secretion (28).

The secretion of fluids and electrolytes is also influenced by a variety of factors occurring in response to radiation exposure. One such factor is the release of several different agents after radiation exposure. These include serotonin (13, 49), prostaglandins (6, 21), and histamine (9, 46). The action of bile and bile salts comprise another possible factor. Early studies suggested that post-exposure diarrhea was a result of some direct effect on the intestinal mucosa from bile salts (23, 25, 37, 62, 64). However, recent studies do not support this hypothesis (29). Alterations in intestinal blood flow have also been proposed as a factor in the postexposure loss of fluids and electrolytes. Some researchers have reported decreased intestinal blood flow at 72 hours post-exposure (20, 39), while others have demonstrated an increase in intestinal blood flow beginning 10 minutes postexposure (9, 10). Although ischemia can result in necrosis and loss of intestinal epithelial cell and thus the loss of fluids, the true role of intestinal blood flow in the loss of fluid and electrolytes after irradiation has not been demonstrated. Another factor in the loss of fluids and electrolytes is the presence of enteric bacteria and/or their products. Enteric bacteria are thought to contribute to the deleterious effects of radiation on the gastrointestinal tract because of studies that demonstrate that treatment of irradiated animals with electrolytes only (no antibiotics) is ineffective (68) and that the onset of gastrointestinal signs after irradiation is delayed in germ-free animals (50, 51, 69). Studies have shown that the germ-free mice have an increased post-exposure survival time because of an increase in transit time and cell life span of their intestinal mucosal cells. This change in cell transit time and cell life span has been proposed as being due to the absence of free bile acids in the intestine (47, 48). This free bile acid is normally produced by bacterial action on conjugated bile acids in the intestine. However, Geraci and co-workers (26) demonstrated that overt sepsis and endotoxemia did not play a significant role in the intestinal radiation syndrome in rats exposed to neutrons or 137-Cs gamma rays. Bacteremia and/or endotoxemia did not appear to be correlated with the breakdown and recovery of the mucosa after irradiation.

Clearly, the radiation-induced alterations in the intestinal transport capacity resulting in the loss of fluids and electrolytes are multifactorial in origin. Although the mechanisms are not completely understood, such things as the denuded intestinal mucosa, decreased reabsorption, increased secretion, release of various agents from damaged cells, activity of bile and bile salts, changes in intestinal blood flow, and the presence of enteric microflora all contribute to the loss of fluids and electrolytes and the gastrointestinal syndrome in general.

2.2.4.2 Intestinal Motility. Exposure to ionizing radiation produces gastrointestinal injury, including mucosal dysfunction, as described previously, and abnormal gastrointestinal motility. Early studies investigating the effect of radiation exposure on gastrointestinal motility reported increased intestinal tone (12). Intestinal tone and contractions in the rat and rabbit showed an immediate increase after x-ray doses from 100 to 1,000 rad (12). In this same study, Conard also described an increase in propulsive motility in rats after 800 rad. This reaction was followed by a depression in motility for about 4 days post-exposure. Other investigators demonstrated conflicting results, namely a decrease in motility. Goodman and co-workers (27) reported that the transit time for materials through the small intestine was not altered significantly in rats exposed to 450 rad of whole-body x-irradiation. Baker and Hunter (1) reported antiperistaltic activity in the intestine of rats after exposure to 100 to 700 rad.

Many studies have demonstrated delayed gastric emptying in animals after radiation exposure (8, 12, 18, 19, 22, 24, 67). This gastric retention can complicate the study of gastrointestinal motility since the gastric emptying can be so severe, especially in rodents, that small intestine transit may appear normal or delayed if a marker technique is used to monitor transit through the gastrointestinal system and the marker is placed into the stomach. Summers, et al. (65) demonstrated that if the marker is placed into the duodenum after irradiation, the transit rate is actually increased. The issue is further clouded by the fact that measurements of transit times do not necessarily correlate with the actual motor activity (66).

The most extensive study of intestinal myoelectric activity after radiation exposure was done by Summers and co-workers (66). A dose of 938 cGy of x-rays produced an acute intestinal radiation syndrome in dogs. Jejunal slow waves, which normally have a regular rhythm, uniform morphology, and tight coupling, were greatly altered. They showed an irregular rhythm, variable morphology and were uncoupled. Although no changes were seen in the smooth muscle by light microscopic examination, their myoelectric abnormalities were significant and suggested functional problems in these cells. The interdigestive myoelectric complex was uniformly disrupted. After the introduction of food into the

gastrointestinal tract at 24 to 72 hours, jejunal myoelectric activity showed progressively fewer and shorter spike bursts. There were also abnormal clusters of migrating spike bursts. On days 3 and 4, spike bursts decreased in number and length. These results are similar to those seen in rodents where an initial increase in motility is followed by a decrease in motility (11, 40, 60). These alterations in motility patterns are probably due to multiple mechanisms including altered cellular metabolism, altered membrane ion transport, impaired cell-to-cell communication, enhanced inhibitory or reduced stimulatory nerve transmission, and altered humoral substances (e.g., prostaglandins, lipoxygenase products, catecholamines).

2.3 ENDOCRINE SYSTEM.

2.3.1 Introduction.

The effects of external sources of ionizing radiation on the endocrine glands can be discussed in terms of direct effects on the individual glands and in terms of indirect effects mediated by various endocrine glands. The study of the direct effects on individual glands is complex since it is almost impossible to isolate a gland completely due to the functional interrelationships between the glands and other organs. Radiation effects on the thyroid and pituitary have been the most extensively studied endocrine glands of the body. Indirect consequences of endocrine-gland radiation include systemic alterations that are mediated by hormones and biogenic amines, such as blood pressure, water excretion, and gastrointestinal motility. These effects involve so many factors that interpretation of the exact effect of radiation-induced alterations of endocrine glands is almost impossible.

With these considerations in mind, the following describes radiation effects on the pituitary gland, thyroid glands, parathyroid glands, adrenal glands, and pancreas (Islets of Langerhans). The thymus, considered to be part of both the endocrine system and the immune system, will be covered in detail in the Phase III section of this report. The ovary and testis will not be discussed in this text due to the scope of work delineated by the AFRRI technical advisors. However, pertinent articles on these topics have been included in the Endocrine Reading List.

2.3.2 Pituitary Gland.

The pituitary has been recognized as a fairly radioresistant organ. Histopathologic examination of the adult rat pituitary following irradiation with 3400 rad of x-rays revealed degranulated acidophils of the anterior lobe and signet ring castration cell degeneration at 80 days post-exposure (25). Single doses of 5000 rad of deuterons or protons resulted in progressive morphologic changes and functional deterioration. These increased in severity with time; the larger the dose, the earlier the morphologic changes were observed (8). Mateyko and Charriper (17) demonstrated that acute changes after 10,000 RFP cathode-ray particle irradiation included increased basophils after one hour and increased acidophils after 24 hours. However, doses of only 2000 rad were necessary to produce histological damage in immature rats (12). This difference in sensitivity between adult and immature rats appears to be due to the difference in the mitotic index of the cells in the anterior pituitary. The normal anterior pituitary lobe mitoses are more frequent in immature than in mature animals. In addition, the neural elements of the pituitary appear to be more resistant to radiation than the epithelial elements (8).

Alterations in pituitary-gland function do occur even without evidence of histologic changes. Mateyko and Edelmann (18) demonstrated that sublethal doses to the head of a rat resulted in early increase in adrenocorticotropic hormone (ACTH) and thyroid-stimulating hormone (TSH). Furthermore, higher doses resulted in a decrease in ACTH, TSH, somatotropic hormone (STH), and gonadotropin (27). These hormonal deficiencies were accompanied by growth retardation, infertility, and decreased steroid hormones (23, 27).

Radiation-induced changes in the hypothalamus as a whole are observed at doses of 200 rad or more. The earliest change seen at lower dose levels was the disappearance of neurosecretory granules (1). After doses of 3000 rad, histopathologic examination revealed multifocal necrotic lesions (2). Since the hypothalamus-pituitary axis provides control over the majority of hormonal activity in the body, destruction of the hypothalamus or its link to the pituitary will cause a multitude of systemic effects.

2.3.3 Thyroid Gland.

The effects of ionizing radiation on the thyroid glands have been studied extensively (10, 15, 16, 25). However, a great deal of the work has been done with radioisotopes. The following discussion includes only studies using external sources of radiation.

Like the pituitary, the thyroid gland is the most sensitive to radiation in immature animals (25). Sommers observed that the rat thyroid gland exposed to 50 to 4500 rad of x-irradiation showed no histological alterations. In addition, the basal metabolic rates remained normal. No changes were noted histologically except after 9000 rad. At that dose level, some epithelial damage was observed (3). Michaelson, et al. (19) demonstrated that dogs developed hypothyroidism two to four years after exposere of the upper body to 970 to 2125 rad. At necropsy, the thyroid glands were small and fibrotic. Histological examination revealed follicular epithelial atrophy and very little colloid storage.

Whole-body irradiation appears to affect the thyroid gland function more than local irradiation (12). Within a week after whole-body irradiation, the morphology and function of the thyroid gland are altered indirectly from the radiation effects on the pituitary (10, 16). Within 48 hours after whole-body irradiation, thyroid function in the mouse decreased concurrently with a decreased TSH output and an increased ACTH secretion by the pituitary (4, 18, 26). Gray et al. (10) demonstrated that a single whole-body dose of 800 rad of x-rays caused a reduction of thyroxine (T4) levels in rats, and a dose of 750 rad resulted in a reduction in triiodothyronine (T3) levels. Kinetic studies of these thyroid hormones in control and irradiated rats revealed an early slight decrease in both hormones in the control animals due to a decreased production. The significant decrease in the hormone. Results indicated rats was attributed to a change in the distribution of the hormones. Results indicated that early after exposure, the thyroid hormones were diverted to the tissues and their utilization was increased. The continuing reduction in thyroid hormones of irradiated rats was due to decreased production.

The radiation-associated development of tumors in the thyroid is also well documented. These tumors are considered to be a late effect (>2 years post-exposure) and will not be discussed.

2.3.4 Parathyroid Gland.

The parathyroid glands are considered to be fairly radioresistant based on the limited amount of information available (12). A study done by Sommers (25) demonstrated that the parathyroid glands of parabiont rats exposed to 1200 rad showed no changes. Parathyroid destruction in mice has been reported, however, following treatment with radioisotopes (25), and radiation-associated carcinogenesis has been reported in parabiont rats exposed to 1200 rad doses two to three years after exposure (24).

2.3.5 Adrenal Gland.

The adrenal glands are considered to be radioresistant (12). The adrenocortical activity is increased after irradiation probably as part of the stress response in the body. The adrenal gland weights increased 30 percent 48 hours after irradiation of the rat abdomen with 3680 rad or of the head and neck with 2800 rad (25). Histopathologic examination of the adrenal glands in these animals revealed zona fasciculata hypertrophy and cortical lipid depletion. Adrenal gland weights increased 100 percent in rats exposed to 900 rad of whole-body x-irradiation, and these animals died of radiation sickness. Edelmann demonstrated that lead shielding of the adrenals increased the survival of rats given 600 to 850 rad (7, 32). Corticosterone synthesis and secretion increased in rats after whole-body exposure to 800 rad when the adrenal glands were lead shielded. Increased synthesis of the corticosterone was seen 2.5 hours after exposure, while increased secretion of the corticosterone was observed 72 hours after exposure (6). Rat adrenocortical cholesterol decreased significantly at 24 hours after exposure to 900 rad of x-irradiation (5).

At the same time, cortical acid lipids were increased and ascorbic acid was decreased. Six to eight days post-exposure, however, the adrenocortical cholesterol increased beyond normal value. At that time, cortical phospholipids had decreased, and medullary venous thrombi/medullary atrophy were observed. Kovacsh (14) reported that, after exposure to ionizing radiation, the blood levels of rat adrenocortical hormones and their cortical lipid content were inversely related. Then 24 hours following 1500 rad of whole-body irradiation, rat adrenal lipids had an increased proportion of highly unsaturated fatty acids (25). The arachadonic acid content of phosphatides increased to three times normal. This caused the arachadonic acid content to constitute 40 percent of the total fatty acids. These rats died 60 hours after exposure; and at that time, the tetraenonic acid values of cholesterol esters were two times normal. In addition, triglyceride arachidonic acid also increased.

Similar findings were obtained in other species. In monkeys, 17-hydroxycorticosteroid synthesis and secretion occurred four hours after whole-body exposure to 200 rad of x-rays (33). Few morphologic changes were seen in calf adrenal glands after exposure to low doses of 60-Co gamma radiation, but functional alterations were observed. After ACTH-stimulation, the irradiated adrenal glands secreted significantly less hydrocortisone, cortisone, and Porter-Silber chromogens than did the ncn-irradiated controls (28). However, the calf adrenal glands became significantly hypertrophied after exposure to 600 rad, and total 17-hydroxycorticoids were increased (20). Cortical lipid depletion was observed in guinea pigs after local or whole-body exposure to 400 rad (25). This depletion was proportional to the severity of the radiation sickness observed clinically. In addition, the adrenal nonspecific esterases showed a decrease in activity, while the acid

phosphatase had an increase in activity. This seemed to correlate with lysosomal damage. Possible proteolytic activity was implicated in the increases in the adrenal E-600 resistant esterase. The increase in adrenocortical cytoplasmic granules (possible chromidia of Selye) was attributed to degeneration.

Morphologically, few changes have been noted in the adrenal gland exposed to ionizing radiation. As described above, the adrenal gland hypertrophies initially and then later atrophies. The number of mitoses in the mouse adrenal cortical cells was shown to be depressed after doses of up to 325 rad of x-rays (13). Severe morphologic radiation-induced damage to the adrenal glands did not occur until higher doses were used. Exposure to doses of 2000 to 3000 rad resulted in adrenal cortical atrophy (9). Post-irradiation neoplasms of the adrenal gland have been reported. These are seen as a late effect of radiation exposure (>2 years) and will not be discussed.

2.3.6 Pancreas.

The exocrine and endocrine parts of the pancreas are considered to be radioresistant (12, 25). Heinkel and Bergethal (11) demonstrated that enzyme changes usually associated with pancreatic damage (e.g., pancreatitis) were not present in rats exposed to doses up to 2250 rad of x-rays. Multiple repeated doses of ionizing radiation did result in a decrease in serum lipase. Rabbits irradiated with doses of 200 to 1000 rad had temporary degenerative and retrogressive changes in the exocrine and endocrine portions of the pancreas (21).

Light microscopic and electron microscopic changes in the exteriorized canine pancreas following exposure to 5000 to 9000 rad doses of x-rays were studied extensively by Volk and associates (29, 30). Histopathologic examination revealed focal necrosis and leukocyte infiltration of the xocrine pancreas during the 7 days after exposure. After two to three months, acinar cells were moderately basophilic, and their nucleoli were large, dense, and multiple. The endocrine portion of the pancreas did not have any changes demonstrable by light microscopy.

Electron microscopic examination revealed three phases of ultrastructural changes in the pancreas. The first phase (weeks 3 to 4) involved extensive cellular damage with degradation and sequestration of the areas of the cytoplasm. This cellular change has been described in other organ systems such as the gastrointestinal system. The acinar cell microsome lesions were most severe at 5 to 8 days after exposure. Pleomorphic alterations were still evident at 12 to 21 days postexposure. The size and number of zymogen granules decreased over time. Morphologic alterations in the A and B cells of the islets of Langerhans were similar but less severe, and the function of these cells remained normal. The second phase (months 2 to 6) was characterized by endoplasmic reticulum alterations, including dilatation and vesiculation of the cisternae. These changes corresponded with the cytoplasmic basophilia seen by light microscopy. The number and size of zymogen granules began to return to normal. The third phase (months 6 to 9) was characterized by the return to normal of the cellular appearance. Volk (29) proposed that since the mitotic rate in the pancreas is virtually zero, the recovery of the pancreas must be due to a recovery of the injured but surviving cells rather than the proliferation of new cells.

These phases of morphologic changes are accompanied by marked decreases in the pancreatic amylase, leucine animopeptidase, and lipase activities. There is a moderate amount of fibrosis after recovery of the pancreas. This appears to be a

response to a mild inflammatory reaction. Fractionated exposure of the canine pancreas to larger total doses (e.g., 4500 to 5000 rad) results in severe late fibrosis. The canine model for studying the cellular effects of ionizing radiation on the pancreas is the most extensively studied and appears to approximate the effects seen in humans.

SECTION 3

RADIATION EFFECTS ON THE HEMATOPOIETIC AND IMMUNE SYSTEMS

3.1 HEMATOPOIETIC SYSTEM.

3.1.1 Introduction.

The effects of ionizing radiation on hematopoietic tissues have been described extensively. Considerable emphasis has been placed on the effects of radiation on the hematopoietic system since the discovery of x-rays and the observation that exposure to x-rays resulted in hematopoietic derangement. Indeed, hematopoietic cells are among the most radiosensitive. Scientific literature covers many aspects of hematopoietic damage, including peripheral blood response, stem cell damage, late effects on specific bone marrow compartments, and late bone marrow stromal damage. Early work focused on static parameters, such as peripheral blood cell counts and histopathologic changes in bone marrow and spleen. More recent studies use newly developed techniques to expand knowledge of the pathogenesis of hematopoietic responses to ionizing radiation. This allows for a more dynamic and quantitative approach to the problem by providing a means of observing the events that occur after exposure to radiation, from cell killing to cell regeneration during hematopoietic recovery.

As with other organ systems, the effects of radiation exposure on the hematopoietic system may vary with the total area and site exposed, radiation type, total dose, dose rate, species and strain of animal exposed, age of the animal exposed, presence or absence of other stressors (internal and/or external), and combined radiation injuries. These variables and their relationships to the effects of acute exposure to ionizing radiation on the hematopoietic stem cell compartment and peripheral blood cell compartment are described.

3.1.2 Hematopoietic Stem Cells.

3.1.2.1 <u>Survival of Stem Cells</u>. The "stem cell" is a cell that is capable of extensive self-replication, as well as progressive differentiation to one or more mature cell types. Till and McCullough (30) were among the first to use the spleen colony assay to evaluate the mammalian cell survival curve after exposure to radiation. This assay measures the production of hematopoietic colonies after injection of syngeneic bone marrow into irradiated recipient mice. The colonies are thought to be the progeny of single cells that are able to differentiate into (1) erythrocytic, (2) thrombocytic, or (3) granulocytic series cells (13, 33). Several investigators (3, 5, 13) have reported that the stem cell compartment has a radiation survival curve similar to those described for other mammalian cells, although the radiation survival of stem cells does vary. The dose-response curve is exponential after single doses of whole-body radiation with x-rays or gamma rays (20, 21, 22).

Studies have shown an age-dependent variation in radiation sensitivity of stem cells, with 6-week old mice demonstrating a greater sensitivity than 30-week old mice (9, 24 25). In addition, the type of radiation has an effect on stem cell survival.

Neutron irradiation results in a higher relative biological effectiveness (RBE) than does Co⁶⁰ gamma ray or x-ray irradiation (27, 31).

To expand on the information gained from the spleen colony assay, investigators utilize the erythrocytic repopulation assay and the granulocytic repopulation assay to measure the repopulating ability of transplanted progenitor cells to form specific mature progeny (7, 14, 16). Using the two repopulation assays, Hellman, et al. (15) demonstrated a difference between the erythrocytic and granulocytic repopulation assays, namely that the erythrocytic is more sensitive to radiation. Further studies in mice irradiated with 300 rad of x-rays revealed that the colonies produced from cells that survive irradiation are different from unirradiated cells. The colonies from cells that survive irradiation are smaller, primarily due to the loss of erythropoietic differentiation. This repopulation data, along with the spleen colony assay, indicate that erythrocytic differentiation is selectively impaired.

To summarize, the radiation survival curve for hematopoietic stem cells is similar to that of other mammalian cells, and the differentiation potential of the surviving stem cells is altered by radiation exposure. The spleen colony assay and the two repopulation assays provide suitable endpoints for the evaluation of stem cell damage.

3.1.2.2 Stem Cell Compartment Recovery. In response to the cell depletion caused by radiation, the stem cell population markedly increases its proliferative rate. Chervenick and Boggs (4) suggested that, because the process of differentiation into blood cells is suppressed after a heavy dose of radiation, the stem cells can increase their number without the added burden of supplying blood cells. This may explain the initial exponential growth of the number of stem cells. Cronkite, et al. (8) and von Wangenheim, et al. (32) have demonstrated that the number of stem cells does not return to pre-irradiation values after high doses of radiation.

The repopulation assays previously described have also been used to evaluate the recovery of the stem cell compartment after radiation exposure. Hellman, et al. (15) demonstrated that erythrocytic and granulocytic series recover at different rates, with the erythrocytic series repopulating more rapidly. This suggests another alteration in the differentiation of stem cells after radiation exposure. As described earlier, the granulocytic pathway, favored initially, is preserved at the expense of erythropoiesis. By day 3 post-irradiation, this trend reverses so that erythrocytic production is favored. Eventually, both curves return to the pre-irradiated state. These alterations appear to be due to a direct effect on the stem cell. The proliferating stem cells vary in their response to radiation exposure, depending on their position in the cell cycle at the time of radiation exposure. The synthetic phase appears to be the most resistant aspect of the cell cycle of proliferating stem cells.

In addition, there is evidence of cellular repair in stem cells after sublethal exposure to radiation (29). After two doses of 200 rad spaced by time intervals from 0 to 24 hours, the repair in mouse bone marrow appears to occur in cycles. The recovery reaches a maximum after 5 hours, a minimum after 10 hours, and a maximum again after 24 hours. The cycles are considered to represent intracellular recovery coupled with synchrony in the cell population produced by the first fraction of dose.

3.1.2.3 <u>Histologic Changes of Stem Cell Compartment</u>. Histologic changes of the stem cell compartment following radiation exposure have been described

extensively (1, 11, 23, 26, 28, 34). The first few days after radiation exposure reflect a depopulation of the hematopoietic cells. Initially, bone marrow has an excess number of red cells and a disruption of the vascular structure. At three to four days post-irradiation, the bone marrow is aplastic and filled with red cells, and the number of nucleated cells also drops to its lowest level. Depopulation of nucleated cells is most severe in the erythroid precursors. The bone marrow attempts to compensate for the decrease in cellularity by dilation of vascular sinusoids. This is followed by an extravasation of red blood cells—hemorrhage—which is not attributed to any derangement of the platelet population. Later, local regenerative foci do appear, but some may arise from abortive clones. True regenerative foci continue to grow, but an animal may not survive despite this activity.

Initially after radiation exposure, the spleen begins to collect nuclear debris and hemosiderin. The foci of erythropoiesis normally found in the spleen decrease in number and size. By day 14 after radiation exposure, the size and weight of the spleen return to normal. Erythrocytes and lymphocytes appear to be the most affected cells in the spleen. Other cells, such as macrophages, megakaryocytes, and fibroblasts, are relatively resistant to radiation exposure (18).

3.1.3 Peripheral Blood Cells.

The effects of radiation exposure on peripheral blood cells has been described extensively in the literature (2, 5, 10, 12, 17, 19). Bond, et al. (2) has produced one of the most complete discussions of the effects of radiation on peripheral blood cells. The following description presents only a small portion of the volumes of information available on the subject.

- 3.1.3.1 Red Blood Cells. Immediately after midlethal doses of radiation, the numbers of red cells are not altered significantly. Any slight decrease might be due to loss from hemorrhage or direct cell wall injury. Very high doses of radiation (several kilorads) are needed to show direct red cell destruction. However, morphologically, damage is evident within the first day after doses of 1000 rad or more. Damage consists of a loss of normal shape, sometimes with five or more protuberances (5). Later during post-irradiation, the number of red cells decreases significantly. Reticulocytes do not appear until the stem cell compartment recovers, which results in a non-regenerative anemia. This anemia converts to a regenerative anemia in those animals which survive. In one study (10), for example, after midlethal doses of radiation, the packed cell volume (PCV) in rhesus monkeys decreased until the end of the third week. At that time, the PCV was 50% of normal. At week three, the PCV began a progressive increase in the surviving animals. It appears from the work reported in the literature that the non-human primate and the dog most closely mimic the red cell response seen in humans.
- 3.1.3.2 White Blood Cells (Granulocytes). The response of the white blood cell compartment is somewhat different from that of the red blood cell compartment. The number of circulating white blood cells does not decrease as rapidly as does that of red blood cells. Jacobson, et al. (17) showed that, in rabbits, the decrease in granulocyte numbers was dose-dependent during the first few days post-irradiation. A higher dose resulted in a more rapid decrease in the granulocyte number. As presented earlier, initially after irradiation, the surviving stem cells preferentially differentiate to granulocytes. This would confirm the observation that the decrease in granulocyte numbers is initially protracted as compared with the decrease in erythrocyte numbers. As the surviving stem cells switch to favor erythrocyte differentiation, the white blood cell numbers reach a minimum. With time, stem cell

differentiation and recovery allow the circulating numbers of both series to return to normal in animals that survive.

- **3.1.3.3** <u>Thrombocytes</u>. Circulating platelets are not radiosensitive (12). There is a dose-dependent decrease in the circulating numbers of platelets after irradiation. This is considered to be a result of the effects of radiation on the megakaryocytes in the bone marrow.
- **3.1.3.4** <u>Lymphocytes</u>. Lymphocytes are markedly affected by exposure to radiation, with their number decreasing significantly after relatively low doses. The lymphocyte is described in greater detail in Section 2.0, Immune System.

3.2 IMMUNE SYSTEM.

3.2.1 Introduction.

As with the hematopoietic system, the effects of ionizing radiation on the immune system have been described extensively in the literature. Many investigators have shown that lymphocytes are among the most radiosensitive mammalian cells (9, 13, 28, 32, 42). Of all of the histopathologic changes observed in mammals following exposure to ionizing radiation, the most striking change is the rapid death of lymphocytes in the lymphoid tissues. Effects on the immune system can be seen within two hours of a single short exposure at dose levels which are insufficient to kill any other cells of the body. Recently, investigators have begun to use knowledge gained by cellular biologists and immunologists to reexamine the responses of the immune system with respect to both morphology and function. Better techniques have been developed to identify and characterize distinct populations of lymphocytes. Now the radiobiologist must take into account the precise population and subpopulation of lymphocytes under investigation before drawing any conclusions.

Radiation-induced injury to the cells of the immune system occurs through a variety of mechanisms, both direct and indirect. Variables, such as radiation type, total dose, dose rate, total area and site of exposure, time of exposure with respect to the cell cycle, and time interval between exposure and antigen presentation, all affect the results of the investigation. These variables and their effects on lymphocyte populations, cell-mediated immunity, and humoral immunity are described.

3.2.2 Lymphocyte Populations.

Both circulating lymphocytes and organized lymphoid tissues are radiosensitive. Advanced morphologic damage appears rapidly in lymphoid tissues after exposure. A rapid decrease in the size of lymphoid organs, including lymph nodes, thymus, and spleen, is also observed. Suter (39) showed that, with whole-body exposure to 25 r of x-rays, a significant decrease occurs in absolute lymphocyte counts in the peripheral blood. In rats, 100 R of x-rays reduces the lymphocyte counts to 25% of normal values within four hours post-exposure (32). Histopathologic evaluation reveals that necrosis of lymphoid tissues is evident within one hour after exposure to an LD50(30) dose of x-rays (4, 8, 18). Necrotic lymphocytes are phagocytized and nuclear debris accumulates rapidly, reaching a maximum within three hours post-irradiation.

The rapidity of the observable effect in lymphoid tissue can be explained by the timing of radiation-induced cell death. Unlike other mammalian cells, radiation-induced cell death of lymphocytes occurs in interphase. Most cells exposed to 50-100 r do not die until the first or second mitosis after exposure—mitotic death. Small lymphocytes are killed without entering mitosis—interphase death.

As radiation-induced depletion of lymphocytes is somewhat dose-dependent up to the lethal range, so is the time required for lymphoid tissue recovery. Regeneration generally appears to occur with collections of cortical lymphocytes appearing first followed by germinal center formation. Several investigators (15, 22, 24) have shown that an intact thymus must be present for lymphoid recovery to occur in sublethally irradiated mice. Whole-body irradiation results in a protracted recovery period in comparison to local irradiation of the spleen or lymph nodes (5). Future progress in understanding the mechanisms involved in interphase death will assist investigators in their studies of lymphocyte population repair and recovery following irradiation.

There does appear to be a certain subpopulation of T lymphocytes that can function after exposure to radiation (19, 38). Results show that this population of T cells is able to survive interphase death; but when the cells are stimulated to proliferate by exposure to an antigen, they die soon after entering mitosis. In addition, activated T cells of all populations are less sensitive to radiation-induced interphase death than are nonactivated T cells (2, 7, 8).

B lymphocytes appear to be more radiosensitive than T lymphocytes. Several studies (3, 36) utilizing computer-assisted cytometric analysis have shown that radiation-induced abnormalities of the nuclei of B cells are more pronounced than they are in T cells. B cell changes include redistribution and rearrangement of the nuclear chromatin immediately after irradiation. There may be a difference in the radiosensitivity of populations of B cells as there is with T cells; but, clearly, a change in radiosensitivity occurs with B cell maturation.

The thymus and lymph nodes are primary lymphoid organs, and their response to radiation exposure follows expected trends based on their cellular populations. The spleen, however, contains only 60%-70% lymphocytes, and the other cellular elements (macrophages, plasma cells, and hematopoietic cells) are less radiosensitive than are lymphocytes. As one would expect, necrosis is most pronounced in the germinal centers. Necrosis is also marked in the nonthymic-dependent follicular areas (B cell area) of the spleen (1). Recovery of the spleen develops earlier than in the thymus (14).

Cell migration of T and B lymphocytes is also affected by radiation exposure. Anderson, et al. (2) showed that irradiated small T lymphocytes homed normally to the lymphoid tissues within four hours of injection (primary migration). This migration was decreased or abolished when the irradiated small lymphocytes were held *in vitro* for one to seven hours before injection (secondary migration). Anderson suggested that cell damage affecting migration ability develops over several hours. Activated T cells, which are more radioresistant, have only a reduced secondary migration. B cells, which are more radiosensitive, have significantly reduced primary migration and an abolished secondary migration.

3.2.3 Cell-Mediated Immunity.

The effects of radiation exposure on delayed hypersensitivity and graft-versus-host reactions are difficult to assess. Studies utilizing guinea pigs and rabbits have shown that the delayed hypersensitivity reactions are more radioresistant than are antibody responses (31, 33, 43). The graft-versus-host reaction has been studied by irradiation of the parental-strain lymphocytes prior to their injection into F_1 hybrids or irradiation of the hybrid recipients prior to injection of parental-strain lymphocytes (1). Irradiation inhibits the capacity of parental cells to elicit a graft-versus-host response in F_1 hybrids.

Studies have demonstrated that a majority of activated cytotoxic lymphocytes, effector cells that mediate cellular immunity, are extremely resistant (1, 10, 37). They are not sensitive to interphase death and can still function even after relatively high doses of radiation. Grant, et al. (16) have shown some evidence that stimulation by an antigen renders cytotoxic lymphocytes more radioresistant.

3.2.4 Humoral Immunity.

The initiation and persistence of an antibody response involves many different cell types, including macrophages, T and B lymphocytes, and others. Therefore, the well-documented suppressive effect of radiation exposure on the humoral antibody response may involve alterations of one or all of these cell types (6, 21, 41). Presentation of the antigen involves polymorphonuclear leukocytes, primary lymphoid follicles in the spleen, and lymph nodes and macrophages. The effects of radiation exposure on polymorphonuclear leukocytes varies depending on the timing of the exposure. Whole-body irradiation does not impair their ability to phagocytose bacteria. Radiation exposure at the time of or after phagocytosis increases their bactericidal activity (25, 26, 27). Radiation exposure prior to phagocytosis decreases their bactericidal activity (29).

As noted in the discussion on the hematopoietic system, radiation exposure destroys bone marrow stem cells responsible for polymorphonuclear leukocytes production. Primary lymphoid follicles in the spleen and lymph nodes contain specialized reticular cells, which retain antigen on their processes. This retention is suppressed by doses of 450 R and higher (17, 44). This mechanism of follicular antigen localization is probably more important in immunological memory since an antibody response can occur even without follicular localization of antigen. Macrophage migratory activity and phagocytic function are relatively radioresistant (1). With doses in the kilorad range, their catabolism of ingested antigens is variably reduced. There are increases in macrophage intracellular biochemical activities and increased levels of membrane-bound antigen post-exposure. Clearly, the immune depression after irradiation with doses below the kilorad level is not due to macrophage dysfunction for most antigens.

The type of effect that radiation exposure has on the primary antibody response (lymphocyte involvement) depends, in part, on the timing of the exposure. If antigenic challenge is given at the time of or closely after irradiation, the primary antibody response is inhibited since lymphocytes are unable to proliferate in response to antigen presentation. Antigenic challenge given later after irradiation results in an enhanced primary antibody response since suppressor T cells, which are very radiosensitive, have been destroyed (41). Several possible mechanisms of radiation enhancement of antibody production have been proposed:

disproportionate repopulation of depleted lymphoid tissues by rapidly dividing antigen-stimulated cells (12); endotoxin release from radiation damaged gut (34, 35); local cellular destruction, creating an environment for proliferation of more immunocompetent cells than would normally respond (20); selective inhibition of IgG-mediated feedback control (11); and preferential inhibition of regulatory cells (40).

Like the antibody molecules themselves, the cells that produce them are extremely radioresistant (23, 30). Although the primary antibody response is fairly radioresistant, the secondary antibody response is even more so. The cells involved in these responses are similar, so the actual expression of immunity is influenced by cell kinetics and the role of germinal centers. As discussed previously, the timing of the antigen challenge relative to the time of exposure determines the alteration of the antibody response, both primary and secondary.

Clearly, the lymphocyte is the prime target of radiation-induced inhibition of humoral antibody formation.

SECTION 4

LIST OF REFERENCES

4.1 REFERENCES: BRAIN.

- 1. Anderson, B., B. Larsson, L. Leksell, W. Mair, B. Rexed, and P. Sourander, Effect of Local Irradiation of the Central Nervous System with High Energy Protons, In *Response of the Nervous System to Ionizing Radiation*. Academic Press, Inc., New York, pp. 345-358, 1962.
- 2. Andrews, H.L., and K.C. Brace, Terminal Phenomena Associated with Massive Doses of X-rays, *Am. J. Physiol.*, 175:138-140, 1953.
- 3. Arnold, A., Effects of X-irradiation on the Hypothalamus: A Possible Explanation for the Therapeutic Benefits Following X-irradiation of the Hypophyseal Region for Pituitary Dysfunction, *J. Clin. Endocrinol. Metab.*, 14:859-868, 1954.
- 4. Bailey, O.T., F.D. Ingraham, and E.A. Bering, The Late Effects of Tantalum¹⁸² Radiation on the Cerebral Cortex of Monkeys, *J. Neuropathol. Exp. Neurol.*, 17:151-157, 1958.
- 5. Bassant, M.H., and L. Court, Effects of Whole-Body Gamma Irradiation on the Activity of Rabbit Hippocampal Neurons, *Radiat. Res.*, 75:593-606, 1978.
- 6. Bonet-Maury, P., and F. Patti, Lethal Irradiation of Mice with High Doses of Roentgen and Gamma Rays, *Radiology*, 57:419-423, 1951.
- 7. Brace, K.C., H.L. Andrews, and E.C. Thompson, Early Radiation Death in Guinea Pigs, *Am. J. Physiol.*, 179:386-389, 1954.
- 8. Brightman, M.W., I. Klatzo, Y. Olsson, and T.S. Reese, The Blood-Brain Barrier to Protein under Normal and Pathologic Conditions, J. Neurol. Sci., 10:215-239, 1970.
- 9. Brooks, P.M., The Prompt Effects of Whole-Body Irradiation at a High Dose Rate on the Electroencephalogram of Monkeys, *Radiat. Res.*, 4:206-216, 1956.
- Caveness, W.F., L. Roizin, A. Carsten, and J.P. Schade, The Effects of X-irradiation on the Cerebral Cortex of the Monkey, *Trans. Am. Neur. Assoc.*, 92:188-193, 1967.
- Clemente, C.D., and E.A. Holst, Pathological Changes in Neurons, Neuroglia, and Blood-Brain Barrier Induced by X-irradiation of Heads of Monkeys, A.M.A. Arch. Neurol. Psychiat., 71:66-79, 1954.

- 12. Cooper, G.P., and D.J. Kimeldorf, Effects of Brain Lesions on Electroencephalographic Activation by 35 kvp and 100 kvp X-rays, *Intern. J. Radiation Biol.*, 9:101-105, 1965.
- 13. Cooper, G.P., and D.J. Kimeldorf, Electroencephalographic Desynchro-nization in Irradiated Rats with Transected Spinal Cords, *Science*, 143:1040-1041, 1964.
- Davidoff, M., C.G. Dyke, C.A. Elsberg, and I.M. Tarlov, The effect of Radiation Applied Directly to Brain and Spinal Cord. I. Experimental Investigations on Macacas Rhesus Monkeys, *Radiology*, 31:451-463, 1938.
- 15. Eldred, E., and W.V. Trowbridge, Neurological and EEG Findings in the Monkey after Total Body X-irradiation, *Electroenceph. Clin. Neurophysiol.*, 5:259-270, 1953.
- 16. Gangloff, H., and T.J. Haley, Effects of X-irradiation on Spontaneous and Evoked Brain Electrical Activity in Cats, *Radiat. Res.*, 12:694-704, 1960.
- 17. Gangloff, H., and T.J. Haley, Veranderungen der Elektrischen Hirntatigkeit bei Katzen nach Rontgentotalbestrahlung, *Experientia*, 15:397-399, 1959.
- 18. Garcia, J., N.A. Buchwalk, G. Bach-y-Rita, G.H. Feder, and R.A. Kowlling, Electroencephalographic Responses to Ionizing Radiation, *Science*, 140:289-290, 1963.
- 19. Gerstner, H.B., and S.P. Kent, Early Effects of Head X-irradiation in Rabbits, *Radiat. Res.*, 6:626-644, 1957.
- 20. Gerstner, H.B., J.E. Pickering, and A.J. Dugi, Sequelae after Application of High-Intensity X-radiation to the Head of Rabbits, *Radiat. Res.*, 2:219-226, 1955.
- 21. Gerstner, H.B., P.M. Brooks, F.S. Vogel, and S.A. Smith, Effect of Head X-irradiation in Rabbits on Aortic Blood Pressure, Brain Water Content, and Cerebral Histology, *Radiat. Res.*, 5:318-331, 1956.
- 22. Griffin, T.W., J.S. Rasey, and W.A. Bleyer, The Effect of Photon Irradiation on Blood-Brain Barrier Permeability to Methotrexate in Mice, Cancer, 40:1109-1111, 1977.
- 23. Hager, H., W. Hirschberger, and A. Breit, Electron Microscope Observations on the X-irradiated Central Nervous System in the Syrian Hamster, In *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 261-275, 1962.
- Haley, T.J., Changes Induced in Brain Activity by Low Doses of X-irradiation, In Effects of Ionizing Radiation on the Nervous System; Proceedings, International Atomic Energy Agency, Vienna, pp. 171-185, 1962.

- 25. Haymaker, W., G. Laqueur, W.J.H. Nauta, J.E. Pickering, J.C. Sloper, and F.S. Vogel, The effects of Barium ¹⁴⁰-Lanthanum ¹⁴⁰ (Gamma) Radiation on the Central Nervous System and Pituitary Gland of Macaque Monkeys. A Study of 67 Brains and Spinal Cords and 77 Pituitary Glands, *J. Neuropathol. Exptl. Neurol.*, 17:12-57, 1958.
- 26. Haymaker, W., Morphologic Changes in the Nervous System Following Exposure to Ionizing Radiation, in *Effects of Ionizing Radiation of the Nervous System; Proceedings,* International Atomic Energy Agency, Vienna, pp. 309-359, 1962.
- 27. Hull, C.D., J. Garcia, N.A. Buchwald, B. Dubrowsky, and B.H. Feder, Role of the Olfactory System in Arousal to X-ray, *Nature*, 205:627-628, 1965.
- 28. Hunt, E.L., and D.J. Kimeldorf, Arousal Reactions with a Brief Partial-and Whole-Body X-ray Exposure, *Nature*, 200:536-538, 1963.
- 29. Innes, J.R., and S. Carsten, Delayed Effects of Localized X-irradiation of the Nervous System of Experimental Rats and Monkeys, *Brookhaven Symp. Biol.*, 14:200-203, 1961.
- 30. Izosimov, G.V., Effect of Destruction of Reticular Formation of the Mesencephalon and Hypothalamus upon Bio-electric Reactions of the Cerebral Cortex during Acute Radiation Sickness Radiobiologiya, 1:535-542; USAEC Rept. AEC-tr-5425, pp. 110-1., 1961.
- 31. Larsson, B., Blood Vessel Changes Following Local Irradiation of the Brain with High-Energy Protons, *Aeta Soc. Med. Upsalien.*, 65:61-71, 1960.
- 32. Lundqvist, H., K. Rosander, M. Lomanov, V. Lukjashin, G. Shimchuk, V. Zolotov, and E. Minakova, Permeability of the Blood-Brain Barrier in the Rat after Local Proton Irradiation, *Acta Radiolog. Oncol.*, 21:267-271, 1982.
- 33. Lyman, R.S., P.S. Jupalov, and W. Scholz, Effect of Roentgen Rays on the Central Nervous System. Results of Large Doses on the Brains of Adult Dogs. *AMA Arch. Neurol. Psychiat.*, 29:56-87, 1933.
- 34. Minamisawa, T., T. Tsuchiya, and H. Eto, Changes in the Averaged Evoked Potentials of the Rabbit During and After Fractionated X-irradiation, *Electroenceph. Clin. Neurophysiol.*, 33:591-601, 1972.
- 35. Monnier, M., and P. Krupp, Action of Gamma Radiation on Electrical Brain Activity, in *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 607-619, 1962.
- 36. Monnier, M., and P. Krupp, Early Action of Gamma Radiation on Electrical Brain Activity and Behavior in the Rabbit, *Exptl. Neurol.*, 3:419-431, 1961.

- 37. Nair, V., H. Sugano, and L.J. Roth, Recovery of Central Nervous System Functions Impaired by Lethal Head X-irradiation, *Proc. Soc. Exptl. Biol. Med.*, 112:273-277, 1963.
- 38. Naitoh, P., F.A. Spurrell, and G.T. Heistad, Effect of Whole Brain Co⁶⁰ Gamma Irradiation of Cortical Arousal in the Burro, *Electroencephalogr. Clin. Neurophysiol.*, 19:172-181, 1965.
- 39. Ordy, J.M., H.W. Barnes, T. Samorajski, H.J. Curtis, L. Wolin, and W. Zeman, Pathologic and Behavioral Changes in Mice after Deuteron Irradiation of the Central Nervous System, *Radiat. Res.*, 18:31-45, 1963.
- 40. Ordy, J.M., T. Samorajski, W. Zeman, R.I. Collins, and H.J. Curtis, Long-Term Pathologic and Behavioral Changes in Mice after Focal Deuteron Irradiation of the Brain, *Radiat. Res.*, 20:30-42, 1963.
- 41. Remler, M.P., and W.H. Marcussen, Time Course of Early Delayed Blood-Brain Barrier Changes in Individual Cats after Ionizing Radiation, Experimental Neurology, 73:310-314, 1981.
- 42. Remler, M.P., and W.J. Marcussen, The Blood-Brain Barrier Lesion and the Systemic Convulsant Model of Epilepsy, *Epilepsia*, 25:574-577, 1984.
- 43. Rene, A.A., J.L. Parker, J.H. Darden, and N.A. Eaton, Effect of a Supralethal Dose of Radiation on the Blood-Brain Barrier, *AFRRI Scientific Report for Defense Nuclear Agency* SR73-2, 1973.
- 44. Rosenthal, F., and P.S. Timiras, Changes in Brain Excitability after Whole-body X-irradiation in the Rat, *Radiat. Res.*, 15:648-657, 1961.
- 45. Rosenthal, F., and P.S. Timiras, Threshold and Pattern of Electroshock Seizures after 250 rad Whole-Body X-irradiation in Rats, *Proc. Soc. Exptl. Biol. Med.*, 108:267-270, 1961.
- 46. Ross, J.A.T., S.R. Leavitt, E.A. Holst, and C.D. Clemente, Neurological and Electroencephalographic Effects of X-irradiation of the Head in Monkeys, *AMA Arch. Neurol. Psychiat.*, 71:238-249, 1954.
- 47. Russell, D.S., C.W. Wilson, and K. Tansley, Experimental Radio-Necrosis of the Brain in Rabbits, *J. Neurol. Neurosurg. Psychiat.*, 12:187-195, 1949.
- 48. Schoenbrun, R.L., E. Campeau, and W.R. Adey, EEG and Behavioral Effects from X-irradiation of the Hippocampal System, in *Response of the Nervous System to Ionizing Radiation* (2nd Intern. Symp.), Little, Brown & Company, Boston, Mass., pp. 591-620, 1964.
- 49. Scholz, W., Ober die Empfindlichkeit des Gehirns fur Roentgen-und Radium-Strahlen, Klin, *Wochschr.*, 9:189-193, 1935.

- 50. Scholz, W., W. Schlote, and W. Hirschberger, Morphological Effect of Repeated Low Dosage and Single High Dosage Application of X-irradiation to the Central Nervous System, in *Response of the Nervous System to Ionizing Radiation*, Academic press Inc., N.Y., pp. 211-232, 1962.
- 51. Schwartzbaum, J.S., E.L. Hunt, B.P. Davies, and D.J. Kimeldorf, The Effect of Whole-Body X-irradiation on the Electroconvulsive Threshold in the Rat, *J. Comp. Physiol. Psychol.*, 51:181-184, 1958.
- 52. Speck, L.B., Effects of Massive X-irradiation on Rat Electroencephalograms and Brain Serotonin, *J. Neurochem.*, 9:573-574, 1962.
- 53. Tolle, A.E., E.J. Nathaniel, and C.D. Clemente, Neurological Signs Following Head Irradiation in Adult Cats (Abstract), *Anat. Record*, 130:443, 1958.
- 54. Van Cleave, C.D., *Irradiation and the Nervous System*, Rowman and Littlefield, Inc., New York, 1963.
- 55. Vogel, F.S., and J.E. Pickering, Demyelinization Induced in the Brains of Monkeys by Means of Fast Neutrons, Pathogenesis of the Lesion and Comparison of the Lesions of Multiple Sclerosis and Schilder's Disease, J. Exptl. Med., 104:435-442, 1952.
- 56. Yanson, Z.A., Electrophysiological Study of Changes Occurring in Conditioned-Reflex Activity of Rabbits after Total and Partial Exposure to X-rays, in Works of the All-Union Conference on Medical Radiology, Experimental Medical Radiology, USAEC Rept. AEC-tr-3661, 1957.
- 57. Zeman, W., T. Samorajski, and H.J. Curtis, Histochemical Studies on Mouse Brains Irradiated with High Energy Deuteron Microbeams, in *Effects of Ionizing Radiation of the Nervous System: Proceedings*, International Atomic Energy Agency, Vienna, pp. 297-308, 1962.

4.2 REFERENCES: SPINAL CORD.

- 1. Barnes, C.D., Effect of Ionizing Radiation on Inhibition in the Spinal Cord, *Radiat. Res.*, 32:347-354, 1967.
- 2. Blakemore, W.F., and A.C. Palmer, Delayed Infarction of Spinal Cord White Matter Following X-irradiation, *J. Pathology*, 137:273-280, 1982.
- 3. Bradley, W.G., J.D. Fewings, W.J.K. Cumming, and R.M. Harrison, Delayed Myeloradiculopathy Produced by Spinal X-irradiation in the Rat, *J. Neuro. Sci.*, 31:63-82, 1977.
- 4. Breit, A., Radiobiology of the Spinal Cord, with Special Consideration of the Late Reactions, *Aerztl Forsch.*, 16:269-270, 1962.
- 5. Carsten, A., and W. Zeman, The Control of Variables in Radiopathological Studies on Mammalian Nervous Tissue, *Int. J. Radiat. Biol.*, 10:65-74, 1966.

- 6. Furchtgott, E., Behavioral Effects of Ionizing Radiation, *Pharmacolog. Biophys. Agents Behav.*, pp. 1-64, 1971.
- 7. Hornsey, S., R. Myers, P.G. Coultas, M.A. Rogers, and A. White, Turnover of Proliferative Cells in the Spinal Cord After X-irradiation and its Relation to Time-dependent Repair of Radiation Damage, *Br. K. Radiol.*, 54:1081-1085, 1981.
- 8. Innes, J.R., and A. Carsten, Demyelination or Malacic Myelopathy A Delayed Effect of Localized X-irradiation in Experimental Rats, *Arch. Neurol. (Chic.)*, 4:190-199, 1961.
- 9. Larsson, B., L. Leksell, B. Rexed, and P. Sourander, Effect of High Energy Protons on the Spinal Cord, *Acta Radiol.*, 51:52-64, 1959.
- Lazorthes, G., Pathology, Classification and Clinical Aspects of Vascular Diseases of the Spinal Cord, In Vinchen, P.J., and G.W. Bruyn (eds), Handbook of Clinical Neurology Vol. 12, p. 492, N.H.P.C., Chapter 19.
- 11. Mastaglia, F.L., W.I. McDonald, J.V. Watson, and K. Yogendran, Effects of X-irradiation on the Spinal Cord: An Experimental Study of the Morphological Changes in Central Nerve Fibers, *Brain*, 99:101-122, 1976.
- 12. Masuda, K., B.O. Reid, and H.R. Withers, Dose Effect Relationship for Epilation and Late Effects on Spinal Cord in Rats Exposed to Gamma Rays, *Radiology*, 122:239-242, 1977.
- McLaurin, R.L., O.T. Bailey, G.R. Harsh, and R.D. Ingraham, The Effects of Gamma and Roentgen Radiation on the Intact Spinal Cord of the Monkey, Am. J. Roentgenol. Radium Therapy Nucl. Med., 73:827-835, 1955.
- Myers, R., M.A. Rogers, and S. Hornsey, A Reappraisal of the Roles of Glial and Vascular Elements in the Development of White Matter Necrosis in Irradiated Rat Spinal Cord, Br. J. Cancer, 53, Suppl. VII, 221-223, 1986.
- 15. Sato, M., G.M. Austin, and W.R. Stahl, The Effects of Ionizing Radiation on Spinal Cord Neurons, in *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 561-571, 1962.
- 16. Sato, M., W. Stahl, and G. Austin, Acute Radiation Effects on Synaptic Activity in the Mammalian Spinal Cord, *Radiat. Res.*, 18:307-320, 1963.
- 17. Scholz, W., W. Scholte, and W. Hirschberger, Morphological Effect of Repeated Low Dosage and Single High Dosage Application of X-irradiation to the Central Nervous System, in *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 211-232, 1962.

- 18. Van der Kogel, A.J., Late Effects of Radiation on the Spinal Cord, Doctoral Thesis *Radiobiological Institute of the Organization for Health Research TNO*, Rijswijk, The Netherlands.
- 19. Van der Kogel, A.J., Radiation Tolerance of the Rat Spinal Cord: Time-dose Relationships, *Radiology*, 122:505-509, 1977.
- Van der Kogel, A.J., Radiation Tolerance of the Spinal Cord: Dependence on Fractionation and Extended Overall Times, In Radiological Research and Radiotherapy, IAEA Vienna, Vol. 1, p. 83, 1978.
- 21. White, A., and S. Hornsey, Radiation Damage to the Rat Spinal Cord: The Effect of Single and Fractionated Doses of X-rays, *Br. J. Radiology*, 51:515-523, 1978.
- 22. White, W., and S. Hornsey, Time Dependent Repair of Radiation Damage in the Rat Spinal Cord After X-rays and Neutrons, *European J. Cancer*, 16:957-962, 1980.
- 23. Zeman, W., and T. Samorajski, Nervous System, In Berdjis, C.C. (ed), *Pathology of Irradiation*, Williams and Wilkins, Baltimore, Md., pp. 213-277, 1971.
- 24. Zeman, W., Disturbances of Nucleic Acid Metabolism Preceding Delayed Radionecrosis of Nervous Tissue, *Proc. Nat. Acad. Sci.* (Wash.), 50:626-630, 1963.
- 25. Zeman, W., Histologic Events During the Latent Interval in Radiation Injury, In Bailey, O.T. and Smith, D.E. (eds), *The Central Nervous System Some Experimental Models of Neurological Disease (International Academy of Pathology Monograph)*, Williams and Wilkins, Baltimore, Md., pp. 184-200, 1968.
- Zeman, W., Pathogenesis of Radiolesions in the Mature Central Nervous System, In *Proc. 5th Int. Cong. Neuropath.*, Excerpta Medica, Amsterdam, p. 2, 1966.

4.3 REFERENCES: BEHAVIOR.

- 1. Allen, R.G., F.A. Brown, L.C. Logie, D.R. Rovner, S.G. Wilson, and R.W. Zellmer, Acute Effects of Gamma Radiation on Primates, *Radiat. Res.*, 12:532-559, 1960.
- 2. Alvord Jr., E.C., and K.C. Brace, X-ray Induced Pyknosis of Cerebellar Granule Cells in Guinea Pigs and Its Suppression by Barbiturate Anesthesia., J. Neuropathol. Exptl. Neurol., 16:3-17, 1957.
- 3. Andrews, H.L., and D.C. Peterson, Variations in Radiation Recognition by the Mouse, *Radiat. Res.*, 17:514-520, 1962.
- 4. Andrews, H.L., and K.C. Brace, Terminal Phenomena Associated with Massive Doses of X-rays, *Am. J. Physiol.*, 175:138-140, 1953.

- 5. Andrews, H.L., and L.M. Cameron, Radiation Avoidance in the Mouse, *Proc. Soc. Exptl. Biol. Med.*, 103:565-567, 1960.
- 6. Andrews, H.L., Species Differences in Response to High Radiation Doses, *Radiat. Res.*, 9:469-477, 1958.
- 7. Arnold, W.J., Behavior Effects of Cranial Irradiation of Rats, in Response of the Nervous System to Ionizing Radiation, Academic Press, Inc., NY, pp. 669-682, 1962.
- 8. Arnold, W.J., Maze Learning and Retention after X-irradiation of the Head, *J. Comp. Physiol. Psychol.*, 45:358-361, 1952.
- 9. Bachofer, C.S., and S.E. Wittry, Electroretinogram in Response to X-ray Stimulation, *Science*, 133:642-644, 1961.
- Bane, H.N., W.C. Whitehouse, F. Schmidt, and J.J. Nickson, Physiological Changes in the Acute Radiation Syndrome in Dogs (Abstract), Radiat. Res., 5:468, 1956.
- 11. Blair, W.C., The Effects of Cranial X-radiation on Maze Acquisition in Rats, J. Comp. Physiol. Psychol., 51:175-177, 1958.
- 12. Blair, W.C., and W.J. Arnold, The Effects of Cranial X-radiation on Retention of Maze Learning in Rats, *J. Comp. Physiol. Psychol.*, 49:525-528, 1956.
- 13. Blondal, H., Initial Irradiation Reaction in Mice, *Nature*, 182:1026-1027, 1958.
- 14. Brace, K.C., H.L. Andrews, and E.C. Thompson, Early Radiation Death in Guinea Pigs, *Am. J. Physiol.*, 179:386-389, 1954.
- 15. Brightman, M.W., Early Effects of Intensive X-ray Irradiation of the Diencephalon in the Rat, *Exptl. Neurol.*, 1:97-116, 1959.
- 16. Brobeck, J.R., Regulation of Feeding and Drinking, in *Handbook of Physiology, Sec. I. Neurophysiology, Vol. II*, Am. Physiol. Soc., Washington, D.C., pp. 1197-1206, 1960.
- 17. Brown, G.C., M.G. Yochmowitz, G.B. Hubbard, K.A. Hardy, D.M. Hughes, and B. Yarbrough, Behavioral Degradation Due to 1100-rad Pulsed Radiation Exposure (5.8:1 neutron/gamma ratio), *USAFSAM-TR-84-30*, 1984.
- 18. Brown, G.C., M.G. Yochmowitz, K.A. Hardy, D. Hughes, and B. Yarbrough, Behavioral-Performance Effects from a High-Neutron, Low-Gamma Radiation Pulse Exposure, *USAFSAM-TR-82-43*, 1982.
- 19. Brown, W.L., and A.A. McDowell, Behavioral Changes as a Function of Ionizing Radiations, in *Effects of Ionizing Radiation on the Nervous System; Proceedings,* International Atomic Energy Agency, Vienna, pp. 155-170, 1962.

- Brown, W.L., and A.A. McDowell, Some Effects of Radiation on Psychologic Processes in Rhesus Monkeys, in *Response of the* Nervous System to Ionizing Radiation, Academic Press, Inc., New York, pp. 729-746, 1962.
- 21. Brown, W.L., and R.K. White, Preirradiation Fatigue as a Factor in the Prevention of Irradiation Deaths in Rats, *J. Genet. Psychol.*, 93:287-290, 1958.
- 22. Bruner, A., Effects of Co⁶⁰ on Electrical Self-Stimulation of the Brain and Blood Pressure, *Lovelace Foundation for Medical Education and Research*, DNA3163T, 1974.
- 23. Bruner, A., Immediate Effects of 33 to 180 rad/min 60-Co exposure on Performance and Blood Pressure in Monkeys, *Topical Report DNA 4147T*, (DNA 001-74-C-0098), 1976.
- 24. Bruner, A., V. Bogo, and E.A. Henderson, Dose-Rate Effects of Co⁶⁰ Irradiation on Performance and Physiology in Monkeys, *Topical Report DNA 001-74-C-0098*, 1975.
- 25. Brust-Carmona, H., H. Kasprzak, and E.L. Gasteiger, Role of the Olfactory Bulbs in X-ray Detection, *Radiat. Res.*, 29:354-361, 1966.
- 26. Buchwald, N.A., J. Garcia, B.H. Feder, and G. Bach-y-Rita, Ionizing Radiation as a Perceptual and Aversive Stimulus. II. Electrophysiological Studies, *Response of the Nervous System to Ionizing Radiation*, 2nd International Symposium, Los Angeles, 1963, pp. 687-699, 1964.
- 27. Burghardt, W.F., and W.A. Hunt, Characterization of Radiation-Induced Performance Decrement Using a Two-Lever Shock-Avoidance Task, *Radiat. Res.*, 103:149-157, 1985.
- 28. Carpenter, D.O., Early Transient Incapacitation: A Review with Consideration of Underlying Mechanisms, *AFRRI Scientific Report SR79-1*, 1979.
- 29. Casarett, A.P., Swim-Tank Measurement of Radiation-Induced Behavioral Incapacitation, *Psychological Reports*, 33:731-736, 1973.
- 30. Castanera, T.J., D.C. Jones, and D.J. Kimeldorf, The Effect of X-irradiation on the Diffuse Activity Performance of Rats, Guinea pigs, and Hamsters, *Brit. J. Radiol.*, 32:386-389, 1959.
- 31. Castanera, T.J., D.J. Kimeldorf, and D.C. Jones, An Apparatus for Measurement of Activity in Small Animals, *J. Lab. Clin. Med.*, 45:825-832, 1955.
- 32. Chaput, R.L., and D. Wise, Miniature Pig Incapacitation and Performance Decrement after Mixed Gamma-Neutron Irradiation, AFRRI Scientific Report SR69-12, 1969.

- 33. Chaput, R.L., and E.L. Barren, Post-irradiation Performance of Miniature Pigs as Modified by Tasks, *AFRRI Scientific Report SR72-10*, 1972.
- 34. Chaput, R.L., and R.T. Dovacic, Miniature Pig Performance after Fractionated Doses of Ionizing Radiation, *AFRRI Scientific Report SR69-22*, 1969.
- 35. Chaput, R.L., and R.T. Kovacic, Miniature Pig Performance after Fractionated Doses of Radiation: Time-Dose Relationships, *AFRRI Scientific Report SR70-5*, 1970.
- 36. Chaput, R.L., R.T. Kovacic, and E.L. Barren, Performance of Trained Beagles after Supralethal Doses of Radiation, *AFRRI Scientific Report SR72-1*, 1972.
- 37. Cheymol, J., J. Dalion, C. Adolphe, and M. Adolphe, Mecanisme des Crises Convulsives Produites par Irradiaion de la Tete Chez le Lapin, Bull. Aca. Natl. Med. (Paris), 144:11-19, 1960.
- 38. Christensen, H.D., A.M. Flesher, and T.J. Haley, Changes in Brain Self-Stimulation Rates after Exposure to X-irradiation, *J. Pharm. Sci.*, 58:128-129, 1969.
- Conard, R.A., E.P. Cronkite, G. Brecher, and C.P.A. Strome, Experimental Therapy of the Gastrointestinal Syndrome Produced by Lethal Doses of Ionizing Radiation, *J. Appl. Physiol.*, 9:227-233, 1956.
- 40. Conard, R.A., Effect of X-irradiation on Intestinal Motility of the Rat, *J. Physiol.*, 165:375-385, 1951.
- 41. Conard, R.A., Some Effects of Ionizing Radiation on the Physiology of the Gastrointestinal Tract: A Review, *Radiat. Res.*, 5:167-188, 1956.
- 42. Cooper, G.P., and D.J. Kimeldorf, Responses of Single Neurons in the Olfactory Bulbs of Rabbits, Dogs, and Cats to X-rays, *Experientia*, 23:137, 1967.
- 43. Cooper, G.P., and D.J. Kimeldorf, The Effect of X-rays on the Activity of Neurons in the Rat Olfactory Bulb, *Radiat. Res.*, 27:75-86, 1966.
- 44. Curran, C.R., and C.G. Franz, Primate Physical Activity Following Exposure to a Single 2000 rad Pulsed Dose of Mixed Gamma-Neutron Radiation, *AFRRI Scientific Report SR74-29*, 1974.
- 45. Curran, C.R., D.W. Conrad, and R.W. Young, The Effects of 2000 rad of Pulsed Gamma-Neutron Radiation upon the Performance of Unfettered Monkeys, *AFRRI Scientific Report SR71-3*, 1971.
- 46. Davis, R.T., and A.A. McDowell, Performance of Monkeys Before and After Irradiation of the Head with X-rays, in *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 705-718, 1962.

- 47. Davis, R.T., C.B. Elam, and A.A. McDowell, Latent Effects of Chronic Whole-body Irradiation of Monkeys with Mixed Source Radiation, *USAF School Aviat. Med., Rept. No. 57-59*, Randolph AFB, Texas, 1958.
- 48. Davis, R.T., Chronic Effects of Ionizing Radiations and the Hypothesis that Irradiation Produces Aging-like Changes in Behavior, *J. Genet. Psychol.*, 102:311-324, 1963.
- 49. DiMascio, A., J.F. Fuller, N.H. Azrin, and W. Jetter, The Effect of Total-Body X-irradiation on Delayed-Response Performance of Dogs, J. Comp. Physiol. Psychol., 49:600-604, 1956.
- 50. Dinc, H.I., and J.C. Smith, Role of the Olfactory Bulbs in the Detection of Ionizing Radiation by the Rat, *Physiol. Behav.*, 1:139-144, 1966.
- 51. Doull, J., and K.P. DuBois, Influence of Hibernation on Survival Time and Weight Loss of X-irradiated Ground Squirrels, *Proc. Soc. Exptl. Boil. Med.*, 84:367-370, 1953.
- 52. Eldred, E., and W.V. Trowbridge, Radiation Sickness in the Monkey, *Radiology*, 62:65-73, 1954.
- 53. Fields, P.E., The Effect of Whole-Body X-radiation upon Activity Drum, Straightaway, and Maze Performances of White Rats, *J. Comp. Physiol. Psychol.*, 50:386-391, 1957.
- 54. Fields, P.E., The Effect of Whole-Body X-radiation upon White Rats, Paper presented at Am. Psychol. Assoc. Meetings, San Francisco, September, 1955.
- 55. Furchtgott, E., Behavioral Effects of Ionizing Radiations, Pharmacological and Biophysical Agents and Behavior, pp. 1-64, 1971.
- 56. Furchtgott, E., Effects of Total-Body X-irradiation of Learning: an Exploratory Study, *J. Comp. Physiol. Psychol.*, 44:197-203, 1951.
- 57. Furchtgott, E., The Effects of X-irradiation on Brightness Discrimination, *J. Psychol.*, 34:37-41, 1952.
- 58. Gallistel, C.R., Electrical Self-Stimulation and Its Theoretical Implications, *Psychol. Bull.*, 61:23-34, 1964.
- 59. Garcia, J., and D.J. Kimeldorf, Some Factors which Influence Radiation-Conditioned Behavior of Rats, *Radiat. Res.*, 12:719-727, 1960.
- 60. Garcia, J., and D.J. Kimeldorf, Temporal Relationship within the Conditioning of a Saccharin Aversion through Radiation Exposure, *J. Comp. Physiol. Psychol.*, 50:180-183, 1957.

- 61. Garcia, J., and D.J. Kimeldorf, The Effect of Ophthalmectomy upon Responses of the Rat to Radiation and Taste Stimuli, *J. Comp. Physiol. Psychol.*, 51:288-291, 1958.
- 62. Garcia, J., and R.A. Koelling, A Comparison of Aversions Induced by X-rays, Toxins and Drugs in the Rat, *Radiat. Res.*, 7:439-450, 1967.
- 63. Garcia, J., and D.J. Kimeldorf, Conditioned Avoidance Behaviour Induced by Low-Dose Fast Neutron Exposure, *Nature*, 185:261-262, 1960.
- 64. Garcia, J., D.J. Kimeldorf, and E.L. Hunt, Conditioned Responses to Manipulative Procedures Resulting from Exposure to Gamma Radiation, *Radiat. Res.*, 5:79-87, 1956.
- 65. Garcia, J., D.J. Kimeldorf, and E.L. Hunt, Spatial Avoidance in the Rat as a Result of Exposure to Ionizing Radiation, *Brit. J. Radiol.*, 30:318-321, 1957.
- 66. Garcia, J., D.J. Kimeldorf, and E.L. Hunt, The Use of Ionizing Radiation as a Motivating Stimulus, *Psychol. Rev.*, 68:383-395, 1961.
- 67. Garcia, J., D.J. Kimeldorf, and R.A. Koelling, Conditioned Aversion to Saccharin Resulting from Exposure to Gamma Radiation, *Science*, 122:157-158, 1955.
- 68. Garcia, J., D.J. Kimeldorf, E.L. Hunt, and B.P. Davies, Food and Water Consumption of Rats during Exposure to Gamma Radiation, *Radiat. Res.*, 4:33-41, 1956.
- 69. Garcia, J., N.A. Buchwald, B.H. Feder, and R.A. Koelling, Immediate Detection of X-rays by the Rat, *Nature*, 196:1014-1015, 1962.
- 70. Garcia, J., N.A. Buchwald, B.H. Feder, R.A. Koelling, and L. Tedrow, lonizing Radiation as a Perceptual and Aversive Stimulus, *Response of the Nervous System to Ionizing Radiation*, 2nd International Symposium, Los Angeles, 1963, pp. 673-686, 1964.
- 71. Gasteiger, E.L., and S.A. Helling, X-ray Detection by the Olfactory System: Ozone as a Masking Odorant, *Science*, 154:1038-1041, 1966.
- 72. Gerstner, H.B., and S.P. Kent, Early Effects of Head X-irradiation in Rabbits, *Radiat. Res.*, 6:626-644, 1957.
- 73. Gerstner, H.B., J.E. Pickering, and A.J. Dugi, Sequelae after Application of High-Intensity X-radiation to the Head of Rabbits, *Radiat. Res.*, 2:219-226, 1955.
- 74. Haley, T.J., E.F. McCulloh, W.G. McCormick, B.F. Trum, and J.H. Rust, Response of the Burro to 100 rad Fractional Whole-body Gamma Ray Irradiation, *Am. J. Physiol.*, 180:403-407, 1955.

- 75. Haley, T.J., J. Fonseca, N. Komesu, and P. Williams, Inability of Whole-Body X-irradiation to Produce Extinction of Conditioned Avoidance in Rats, *UCLA474 Contract AT[04-1]-GEN-12*, 1961.
- 76. Haley, T.J., P. Bach-y-Rita, and N. Komesu, Effect of X-irradiation on Self-Stimulation of the Brain, *Nature*, 192:1307, 1961.
- 77. Harlow, H.F., K.A. Schiltz, and P.H. Settlage, Effect of Cortical Implantation of Radioactive Cobalt on Learned Behavior of Rhesus Monkeys, *J. Comp. Physiol. Psychol.*, 48:432-436, 1955.
- 78. Harlow, H.F., and L.E. Moon, The Effects of Repeated Doses of Total-Body X-radiation on Motivation and Learning in Rhesus Monkeys, *J. Comp. Physiol. Psychol.*, 49:60-65, 1956.
- 79. Harlow, H.F., Effects of Radiation on the Central Nervous System and on Behavior-General Survey, in *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 627-644, 1962.
- 80. Harvey, F.H., E.C. Alvord Jr., C.M. Shaw, and D.A. Rappaport, The Dual Role of Cerebellum in the Development of the Acute Neurological Syndrome Following Cranial X-irradiation of Guinea Pigs (Abstract), J. Neuropathol. Exptl. Neurol., 21:329-330, 1962.
- 81. Haymaker, W., Morphologic Changes in the Nervous System following Exposure to Ionizing Radiation, in *Effects of Ionizing Radiation of the Nervous System, Proceedings,* International Atomic Energy Agency, Vienna, pp. 309-359, 1962.
- 82. Henshaw, P.S., Experimental Roentgen Injury. III. Tissue and Cellular Changes Brought About with Single, Massive Doses of Radiation, *J. Natl. Cancer Inst.*, 4:503-512, 1944.
- 83. Hicks, S.P., K.A. Wright, and K.E. Leigh, Time-Intensity Factors in Radiation Response. I. The Acute Effects of Megavolt Electrons (Cathode Rays) and High- and Low-Energy X-rays, with Special Reference to the Brain, *AMA Arch. Pathol.*, 61:226-238, 1956.
- 84. Hornsey, S., The Effect of Hypothermia on the Radiosensitivity of Mice to Whole-Body X-irradiation, *Proc. Roy. Soc. (London)*, B147:547-549, 1957.
- 85. Hug, O., Reflex-Like Responses of Lower Animals and Mammalian Organs to Ionizing Radiation, *Immediate and Low Level Effects of Ionizing Radiations*, Proceedings of the Symposium, Venice, 1959, pp. 217-226, 1960.
- 86. Hull, C.D., J. Garcia, N.A. Buchwald, B. Dubrowsky, and B.H. Feder, Role of the Olfactory System in Arousal to X-ray, *Nature*, 205:627-628, 1965.

- 87. Hulse, E.V., and L.G. Mizon, Radiation Conditioned Aversion in Rats after Part Body X-irradiation and its Relationship to Gastric Emptying, *Int. J. Radiation Biol.*, 12:515-522, 1967.
- 88. Hunt, E.L., and D.J. Kimeldorf, Evidence for Direct Stimulation of the Mammalian Nervous System with Ionizing Radiation, *Science*, 137:857-859, 1962.
- 89. Hunt, E.L., and D.J. Kimeldorf, Post-exposure Conditioning of a Saccharin Aversion with Irradiation during Deep Anesthesia, *Radiat. Res.*, 25:200, 1965.
- 90. Hunt, E.L., and D.J. Kimeldorf, The Humoral Factor in Radiation-Induced Motivation, *Radiat. Res.*, 30:404-419, 1967.
- 91. Hunt, E.L., H.W. Carroll, and D.J. Kimeldorf, Effects of Dose and of Partial-Body Exposure on Conditioning Through a Radiation-Induced Humoral Factor, *Physiol. Behav.*, 3:809-913, 1968.
- 92. Hunt, E.L., H.W. Carroll, and D.J. Kimeldorf, Humoral Mediation of Radiation-Induced Motivation in Parabiont Rats, *Science*, 150:1747-1748, 1965.
- 93. Hunt, E.L., H.W. Carroll, and D.J. Kimeldorf, Some Characteristics of the Humoral Motivating Factor Induced by Radiation in Parabiont Rats, *Radiat. Res.*, 27:511-512, 1966.
- 94. Hunt, W.A., Comparative Effects of Exposure to High-Energy Electrons and Gamma Radiation in Active Avoidance Behavior, *Int. J. Radiat. Biol.*, 44:257-160, 1983.
- 95. Hunter, C.G., R.J. Munson, W.M. Court Brown, and J.D. Abbatt, The General Radiation Syndrome: Initial Reaction in the Monkey, *Nature*, 180:1466, 1957.
- 96. Jarrard, L.E., Effects of X-irradiation on Operant Behavior in the Rat, *J. Comp. Physiol. Psychol.*, 56:608-611, 1963.
- 97. Jarrard, L.E., The Effects of Long-Continued, Low-Intensity Gamma Irradiation on Learning and Body Weight in the Rat, *J. Comp. Physiol. Psychol.*, 51:536-540, 1958.
- 98. Jones, D.C., and D.J. Kimeldorf, Gastrointestinal Function during Exposure to X-rays, *Radiat. Res.*, 11:832-843, 1959.
- 99. Jones, D.C., D.J. Kimeldorf, D.O. Rubadeau, and T.J. Castanera, Relationships between Volitional Activity and Age in the Male Rat, Am. J. Physiol., 172:109-114, 1953.
- 100. Jones, D.C., D.J. Kimeldorf, D.O. Rubadeau, G.K. Osborn, and T.J. Castanera, Effect of X-irradiation on Performance of Volitional Activity by the Adult Male Rat, *Am. J. Physiol.*, 177:243-250, 1954.

- 101. Jones, D.C., D.J. Kimeldorf, G.K. Osborn, T.J. Castanera, and D.O. Rubadeau, Volitional Activity Response of Rats to Partial-Body X-irradiation, *Am. J. Physiol.*, 189:15-20, 1957.
- 102. Jones, D.C., D.J. Kimeldorf, T.J. Castanera, D.O. Rubadeau, and G.K. Osborn, Effect of Bone Marrow Therapy on the Volitional Activity of Whole-Body X-irradiated Rats, Am. J. Physiol., 189:21-23, 1957.
- 103. Kaplan, S.J., and E.M. Grasko, The Effects of Pulsed Gamma-Neutron Radiation upon the Performance of the Unfettered Monkey, *AFRRI Scientific Report SR69-9*, 1969.
- 104. Kaplan, S.J., C.D. Tait Jr., P.D. Wall, and R.B. Payne, Behavioral Changes Following Radiation. 1. Study of Retention of a Partially Learned Maze Habit, USAF School Aviat. Med., Unnumbered Proj., Rept. No. 1, Randolph Field, Texas, 1951.
- 105. Khrushchev, V.G., N.G. Darenskaya, and G.M. Pravdina, Behavior of Mice in a Gamma-Radiation Field, *Radiobiologiya*, 1:940-945 [1961]; USAEC Rept. AEC-tr-5427, pp. 196-204, 1961.
- 106. Kimeldorf, D.J., and B.D. Newsom, Survival of Irradiated Rats during Prolonged Exposure to Environmental Cold, *Am. J. Physiol.*, 171:349-353, 1952.
- 107. Kimeldorf, D.J., and D.C. Jones, The Relationship of Radiation Dose to Lethality among Exercised Animals Exposed to Roentgen Rays, *Am. J. Physiol.*, 167:626-632, 1951.
- 108. Kimeldorf, D.J., and E.L. Hunt, Ionizing Radiation: Neural Function and Behavior, *Academic Press*, NY, 1965.
- 109. Kimeldorf, D.J., D.C. Jones, and M.C. Mishler, The Effect of Exercise upon the Lethality of Roentgen Rays for Rats, *Science*, 112:175-176, 1950.
- 110. Kimeldorf, D.J., D.C. Jones, and T.J. Castanera, Effect of X-irradiation upon the Performance of Daily Exhaustive Exercise by the Rat, *Am. J. Physiol.*, 174:331-334, 1953.
- 111. Kimeldorf, D.J., J. Garcia, and D.O. Rubadeau, Radiation-Induced Conditioned Avoidance Behavior in Rats, Mice, and Cats, *Radiat. Res.*, 12:710-718, 1960.
- 112. Kimeldorf, D.J., J. Garcia, and E.L. Hunt, The Behavior of Rats during a Sham-Irradiation Test (Abstract), *Radiat. Res.*, 3:332-333, 1955.
- 113. Koch, R., and D. Klemm, Pharmakologische und Neurophysiologische Untersuchungen am Rontgenganzbestrahlten Tier. II. Mitteilung, Fortschr. Gebiete Rontgenstrahlen Nuklearmed., 93:642-647, 1960.
- 114. Kocmeirska, D., A. Romantowska, and A. Szymanski, Investigations on the Relations between the Biochemical Changes in the Brain and Behavior of Irradiated Rats, *Strahlentherapie* 150:102-108, 1975.

- 115. Langham, W., K.T. Woodward, S.M. Rothermel, P.S. Harris, C.C. Lusbaugh, and J.B. Storer, Studies of the Effect of Rapidly Delivered, Massive Doses of Gamma Rays on Mammals, *Radiat. Res.*, 5:404-432, 1956.
- 116. Levy, C.J., M.E. Carroll, J.C. Smith, and K.G. Hofer, Antihistamines Block Radiation-Induced Taste Aversions, *Science*, 186:1044-1046, 1974.
- 117. Levy, C.K., and H., Quastler, Acute Responses of the Vestibular Apparatus to X-irradiation, *Radiat. Res.*, 16:189-200, 1960.
- 118. McDowell, A.A., and W.L. Brown, A Comparison of Normal and Irradiated Monkeys on an Oddity-Reversal Problem, *J. Genet. Psychol.*, 95:105-110, 1959.
- 119. McDowell, A.A., and W.L. Brown, Comparisons of Running Wheel Activity of Normal and Chronic Radiated Rats under Varying Conditions of Food Deprivation, *J. Genet. Psychol.*, 96:79-83, 1960.
- 120. McDowell, A.A., and W.L. Brown, Response Latencies of Normal and Focal-Head Irradiated Monkeys, *J. Genet. Psychol.*, 103:325-329, 1963.
- 121. McDowell, A.A., and W.L. Brown, Some Evidence of "Psychic Blindness" in Monkeys with Focal-Head Irradiation of the Temporal Lobes, *J. Genet. Psychol.*, 103:317-323, 1963.
- 122. McDowell, A.A., R.T. Davis, and J.P. Steele, Application of Systematic Direct Observational Methods to Analysis of the Radiation Syndrome in Monkeys, *Percept. Motor Skills [Monograph Suppl. 3]*, 6:117-130, 1956.
- 123. McDowell. A.A., and W.L. Brown, Visual Acuity Performance of Normal and Chronic Focal-Head Irradiated Monkeys, *J. Genet. Psychol.* 96:133-137, 1960.
- 124. McLaurin, W.A., B.B. Scarborough, and J.A. Farley, Delay of Post-irradiation Test Fluids: A Factor in Saccharin Avoidance Behavior, *Radiat. Res.*, 22:45-52, 1964.
- 125. McLaurin, W.A., Post-irradiation Saccharin Avoidance in Rats as a Function of the Interval between Ingestion and Exposure, *J. Comp. Physiol. Psychol.*, 57:316-317, 1964.
- 126. Meier, G.W., D.P. Foshee, A.P. Matheny Jr., and F. Carr, Irradiation and Aging: Behavioral Implications, *Radiat. Res.*, 16:130-137, 1962.
- 127. Meier, G.W., Irradiation, Genetics and Aging: Behavioral Implications, in *Effects of Ionizing Radiation on the Nervous System; Proceedings*, International Atomic Energy Agency, Vienna, pp. 187-196, 1962.

- Mickley, G.A., G.R. Sessions, V. Bogo, and K.H. Chantry, Evidence for Endorphin-Mediated Cross-Tolerance between Chronic Stress and the Behavioral Effects of Ionizing Radiation, *Life Sciences*, 33:749-754, 1983.
- 129. Mickley, G.A., K.E. Stevens, G.A. White, and G.L. Gibbs, Endogenous Opiates Mediate Radiogenic Behavioral Change, *Science*, 220:1185-1187, 1983.
- 130. Miletich, D.J., and T.A. Strick, Alteration of Post-irradiation Hypotension and Incapacitation in the Monkey by Administration of Vasopressor Drugs, *AFRRI Scientific Report SR70-1*, 1970.
- 131. Monnier, M., and P. Krupp, Early Action of Gamma Radiation on Electrical Brain Activity and Behavior in the Rabbit, *Exptl. Neurol.*, 3:419-431, 1961.
- 132. Moos, W.S., H.C. Mason, M. Counelis, and R.A. Harvey, Effects of Extremely High X-ray Intensities and Dosages on Mice, *Proc. Soc. Exptl. Biol. Med.*, 101:309-314, 1959.
- 133. Morris, D.D., and J.C. Smith, X-ray-Conditioned Saccharin Aversion Induced during the Immediate Post-exposure Period, *Radiat. Res.*, 21:513-529, 1964.
- 134. Murphy, M.R., D.W. Biick, T.E. Dayton, G.A. Goddard, T.G. Wheeler, and M.E. Campbell, Icnizing Radiation and Chemical Combat Hazards: Effects of Time of Exposure or Combined Hazards on Performance in Rats, *USAF SAM-TR85-103*, 1986.
- 135. Newsom, B.D., and D.J. Kimeldorf, Alterations in Physiological Accommodation to Stress Induced by Irradiation, *Aerospace Med.*, 34:226-230, 1963.
- 136. Newsom, B.D., and D.J. Kimeldorf, Species Differences in Altitude Tolerance Following X-irradiation, *Am. J. Physiol.*, 198:762-764, 1960.
- 137. Newsom, B.D., and D.J. Kimeldorf, Tolerance of Rats to a Cold Environment during Multiple Exposures to a Low Dose of X-rays, *Am. J. Physiol.*, 200:1039-1042, 1961.
- 138. Newson, B.D., and D.J. Kimeldorf, Role of Food Consumption in the Mortality Response of Irradiated Rats Subjected to Prolonged Cold Exposure, *Am. J. Physiol.*, 195:271-275, 1958.
- 139. Newson, B.D., and D.J. Kimeldorf, The Resistance of Animals to Acute Cold Exposure Following X-irradiation, *Intern. J. Radiat. Biol.*, 4:143-149, 1961.
- 140. Olds, J., and P. Milner, Positive Reinforcement Produced by Electrical Stimulation of Septal Area and Other Regions of Rat Brain, *J. Comp. Physiol. Psychol.*, 47:419-427, 1957.

- Ordy, J.M., H.W. Barnes, T. Samorajski, H.J. Curtis, L. Wolin, and W. Zeman, Pathologic and Behavioral Changes in Mice after Deuteron Irradiation of the Central Nervous System, Radiat. Res., 18:31-45, 1965.
- 142. Ordy, J.M., T. Samorajski, W. Zeman, R.L. Collins, and H.J. Curtis, Long-Term Pathologic and Behavioral Changes in Mice after Focal Deuteron Irradiation of the Brain, *Radiat. Res.*, 20:30-42, 1963.
- 143. Osborn, G.K., and D.J. Kimeldorf, Some Radiation Responses of Two Species of Bats Exposed to Warm and Cold Temperatures, *J. Exptl. Zool.*, 134:159-169, 1957.
- 144. Ossenkopp, K.P., and L. Giugno, Taste Aversions Conditioned with Multiple Exposures to Gamma Radiation: Abolition by Area Postrema Lesions in Rats, *Brain Res.*, 346:1-7, 1985.
- 145. Overall, J.E., L.C. Logie, and W.L. Brown, Changes in the Shuttle-Box Behavior in Albino Rats in Response to X-irradiation at 1 rad/min, *Radiat. Res.*, 11:589-599, 1959.
- 146. Overall, J.E., W.L. Brown, and L.C. Logie, Instrumental Behavior of Albino Rats in Response to Incident X-radiation, *Brit. J. Radiol.*, 32:411-414, 1959.
- 147. Overall, J.E., W.L. Brown, and L.C. Logie, The Shuttle-Box Behavior of Albino Rats During Prolonged Exposure to Moderate-Level Radiation, *Nature*, 185:665-666, 1960.
- 148. Painter, E.E., C.L. Prosser, and M.C. Moore, Physiological Observations on Rabbits Exposed to Single Doses of X-rays, in *Biological Effects of External X- and Gamma Radiation, Part 2*, pp. 147-181, USAEC Rept. TID-5220, Oak Ridge, 1956.
- 149. Payne, R.B., Effects of Acute Radiation Exposure on Human Performance, *USAF School of Aerospace Med., Aeromed. Rev.* 3-63, Brooks AFB, Texas, 1963.
- 150. Peacock, L.J., and J.A. Watson, Radiation-Induced Aversion to Alcohol, *Science*, 143:1462-1463, 1964.
- 151. Peng, M., S. Chien, and M.I. Gregersen, Effect of Large Doses of Head Irradiation in Dogs, *Am. J. Physiol.*, 194:344-350, 1958.
- 152. Perry Jr., N.W., Avoidance Conditioning of NaCl with X-irradiation of the Rat, *Radiat. Res.*, 20:471-476, 1963.
- 153. Persinger, M.A., and T.B. Fiss, Mesenteric Mast Cell Degranulation is not Essential for Conditioned Taste Aversion, *Pharmacol. Biochem. Behav.*, 9:725-730, 1978.
- 154. Peterson, D.C., and H.L. Andrews, The Role of Ozone in Radiation Avoidance in the Mouse, *Radiat. Res.*, 19:331-336, 1963.

- 155. Phillips, R.D., D.J. Kimeldorf, and D.C.L. Jones, The Relative Potency of Fast Neutrons and 250 kvp X-rays in the Guinea Pig, *Radiat. Res.*, 19:142-155, 1963.
- 156. Pitchford, T.C., Beagle Incapacitation and Survival Time after Pulsed Mixed Gamma-Neutron Irradiation, *AFRRI Scientific Report SR68-24*, 1968.
- 157. Pribram, K.H., Reinforcement Revisited: A Structural View, in *Nebraska Symposium on Motivation: 1963, Vol. 11*, University of Nebraska Press, Lincoln, Nebr., pp. 113-159, 1963.
- 158. Rabin, B.M., W.A. Hunt, and J. Lee, Attenuation of Radiation- and Drug-Induced Conditioned Taste Aversions Following Area Postrema Lesions in the Rat, *Radiat. Res.*, 93:388-394, 1983.
- 159. Rabin, B.M., W.A. Hunt, and J. Lee, Effects of Dose and of Partial Body Ionizing Radiation on Taste Aversion Learning in Rats with Lesions of the Area Postrema, *Physiol. Behav.*, 32:119-122, 1984.
- 160. Rabin, B.M., W.A. Hunt, and J. Lee, Recall of a Previously Acquired Conditioned Taste Aversion in Rats Following Lesions of the Area Postrema, *Physiol. Behav.*, 32:503-506, 1984.
- 161. Rabin, B.M., W.A. Hunt, and J. Lee, State-Dependent Interactions in the Antihistamine-Induced Disruption of a Radiation-Induced Conditioned Taste Aversion, *Radiat. Res.*, 90:621-627, 1982.
- 162. Rabin, B.M., W.A. Hunt, and J. Lee, Studies on the Role of Central Histamine in the Acquisition of a Radiation-Induced conditioned Taste Aversion, *Radiat. Res.*, 90:609-620, 1982.
- 163. Riopelle, A.J., M.A. Grodsky, and H.W. Ades, Learned Performance of Monkeys after Single and Repeated X-irradiations, *J. Comp. Physiol. Psychol.*, 49:521-524, 1956.
- 164. Riopelle, A.J., Some Behavioral Effects of Ionizing Radiation on Primates, in *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 719-728, 1962.
- 165. Ruch, T.C., W. Isaac, and R.W. Leary, Behavioral and Correlated Hematologic Effects of Sublethal Whole Body Irradiation, in *Response* of the Nervous System to Ionizing Radiation, Academic Press, Inc., New York, pp. 691-703, 1962.
- 166. Rust, J.H., B.F. Trum, H.J. Lane, W.S.G. Kuhn III, J.R. Raysinger and T.J. Haley, Effects of 50 Roentgens and 25 Roentgens Fractional Daily total-Body Gamma Irradiation in the Burro, *Radiat. Res.*, 2:475-482, 1955.
- 167. Rust, J.H., B.F. Trum, J.L. Wolding, C.S. Simons, and C.L. Comer, Lethal Dose Studies with Burros and Swine Exposed to Whole-Body Cobalt-60 Irradiation, *Radiology*, 62:569-574, 1954.

- 168. Scarborough, B.B., J. Martin, and W.A. McLaurin, Ionizing Irradiation: Effects of Repeated Low Dose Exposure, *Physiol. & Behavior*, 1:147-150, 1966.
- 169. Schoenbrun, R.L., E. Campeau, and W.R. Adey, EEG and Behavioral Effects from X-irradiation of the Hippocampal System, in Response of the Nervous System to Ionizing Radiation (2nd Intern. Symp.), Little, Brown & Company, Boston, Mass., pp. 591-620, 1964.
- 170. Sessions, G.R., Histamine and Radiation-Induced Taste Aversion Conditioning, *Science*, 190:402-403, 1975.
- 171. Shipman, T.L. (ed), Acute Radiation Death Resulting from an Accidental Nuclear Critical Excursion, *J. Occupational Med., Spec. Supp.*, 3:146-192, 1961.
- 172. Shively, J.N., H.L. Andrews, H.P. Miller, A.R. Warner Jr., and W.P. McNulty, Responses of Swine to High Doses of Radiation, *Proc. Soc. Exptl. Biol. Med.*, 101:74-77, 1959.
- 173. Smith, D.E., The Influence of X-irradiation upon Dormancy in Vertebrates, *J. Exptl. Zool.*, 139:85-94, 1958.
- 174. Smith, F., and M.M. Grenan, Effect of Hibernation upon Survival Time Following Whole-Body Irradiation in the Marmot (Marmota Monax), *Science*, 113:686-688, 1951.
- 175. Smith, F., and W.W. Smith, Exercise Effects on Tolerance to Radiation, *Am. J. Physiol.*, 165:662-666, 1951.
- 176. Smith, J.C., and D.D. Morris, Effects of Atropine Sulphate on the Conditioned Aversion to Saccharin Fluid with X-ray as the Unconditioned Stimulus, *Radiat. Res.*, 18:186-190, 1963.
- 177. Smith, J.C., and D.D. Morris, The Effects of Atropine Sulphate and Physostigmine on the Conditioned Aversion to Saccharin Solution with X-rays as the Unconditioned Stimulus, in *Response of the Nervous System to Ionizing Radiation* (2nd Intern. Symp.), Little, Brown & Company, Boston, Mass., pp. 662-672, 1964.
- 178. Smith, J.C., D.D. Morris, and J. Hendricks, 7. Further Studies of Conditioned Aversion to Saccharin Induced during the Post-exposure Period, in *Studies in the Use of Ionizing Radiations as Noxious Stimuli, Bull.* 15, FSU-2690-15, Inst. Mol. Biophys., Tallahassee, 1964.
- 179. Smith, J.C., H.L. Taylor, D.D. Morris, and J. Hendricks, Further Studies of X-ray Conditioned Saccharin Aversion During the Post-exposure Period, *Radiat. Res.*, 24:423-431, 1965.
- 180. Smith, J.C., Radiation: Its Detection and Its Effects on Taste Preferences, *Progress in Physiol. Psychol.*, 4:53-117, 1971.

- 181. Smith, W.W., B.J. Highman, J.R. Mitchell, and H.C. Blount Jr., Effect of Environmental Temperature of the Response of Mice to Whole-Body Roentgen Radiation, *Proc. Soc. Exptl. Biol. Med.*, 71:498-501, 1949.
- 182. Spector, A.C., J.C. Smith, and G.R. Hollander, Radiation-Induced Taste Aversion: Effects of Radiation Exposure Level and the Exposure-Taste Interval, *Radiat. Res.*, 106:271-277, 1986.
- 183. Trum, B.F., T.J. Haley, M. Bassin, J. Heglin, and J.H. Rust, Effect of 400 rad Fractional Whole-body Gamma-irradiation in the Burro (Equus asinus asinus), *Am. J. Physiol.*, 174:57-60, 1953.
- 184. Udgodskaya, L.N. and Y.G. Yudin, The Effect of Work on the Clinicomorphological Characteristics of Acute Radiation Sickness, *Med. Radiol.*, 2:68-74, 1957.
- 185. Warren, J.J., S.J. Kaplan, and D.D. Greenwood, The Solution of Discrimination Reversal Problems by Normal and Irradiated Monkeys, *USAF School Aviat. Med., Proj. No. 21-3501-0003, Rept. No. 16*, Randolph AFB, Texas, 1955.

4.4 REFERENCES: CARDIOVASCULAR SYSTEM.

- 1. Alter, W.A., R.L. Pershing, and R.T. Goldhahn, Comparison of Sheep Physiological Responses to Pulsed Fission Spectrum or 60-Cobalt Gamma Radiations, *Technical Report No. AFWL-TR-70-93*, 1970.
- 2. Badran, A.M., A.M. El-Naggar, A. Abdallah, and K.A. Mahmoud, Electrocardiographic Changes Following X-irradiation of the Canine Heart, *Am. Heart. J.*, 79:648-652, 1970.
- 3. Bell, M.C., Radiation Effects on Livestock: Physiological Effects, Dose Response, *Vet. Hum. Toxicol.*, 27:200-207, 1985.
- 4. Berdjis, C.C., The Cardiovascular System, *Pathology of Irradiation*, C.C. Berdjis (ed), Williams and Wilkins Co., Baltimore, MD, pp. 377-407, 1971.
- 5. Bishop, V.S., H.L. Stone, J. Yates, J. Simek, and J.A. Davis, Effects of External Irradiation of the Heart on Cardiac Output, Venous Pressure, and Arterial Pressure, *J. Nuclear Med.*, 6:645-650, 1965.
- 6. Brooks, P.M., H.B. Gerstner, and S.A. Smith, Early Hypotension Induced in the Rabbit by Whole Body X-irradiation, *Am. J. Physiology*, 186:532-536, 1956.
- 7. Brown, J.M., L.F. Fajardo, and J.R. Stewart, Mural Thrombosis of the Heart Induced by Radiation, *Arch. Path.*, 96:1-4, 1973.
- 8. Bruner, A., Immediate Changes in Estimated Cardiac Output and Vascular Resistance After 60-Co Exposure in Monkeys, *Topical Report DNA 4045T, Contract No. DNA 001-74-C-0098*, 1976.

- 9. Bruner, A., V. Bogo, and E.A. Henderson, Dose-rate Effects of 60-Co Irradiation on Performance and Physiology in Monkeys, Lovelace Foundation for Medical Education and Research for the Defense Nuclear Agency, Topical Report DNA 001-74-C-0098, 1975.
- 10. Caster, W.O., and W.D. Armstrong, Electrolyte Metabolism After Total-body X-irradiation, *Rad. Res.*, 5:189, 1956.
- 11. Caster, W.O., W.D. Armstrong, and E. Simonson, Changes in the Cardiovascular System Following Total Body X-irradiation, *Am. J. Physiology*, 188:169-177, 1957.
- 12. Chapman, P.H., and R.J. Young, Effect of Cobalt-60 Gamma Irradiation on Blood Pressure and Cerebral Blood Flow in the Macaca Mulatta, *Rad. Res.*, 35:78-85, 1968.
- 13. Chien, S., L. Lukin, A.P. Holt, S.H. Cherry, W.S. Root, and M.I. Gregersen, The Effect of Total-body X-irradiation on the Circulation of Splenectomized Dogs, *Rad. Res.*, 7:277-287, 1957.
- 14. Cockerham, L.G., S.A. Simpson, T.F. Doyle, and C.J. Gossett-Hagerman, Canine Postradiation Plasma Glucose Variations, *Life Sciences*, *AFRRI Scientific Report SR84-16*, 1984.
- 15. Fajardo, L.F., and J.R. Stewart, Pathogenesis of Radiation-induced Myocardial Fibrosis, *Lab Invest.*, 29:244-257, 1973.
- 16. Fajardo, L.F., and J.R. Stewart, Capillary Injury Preceding Radiation-induced Myocardial Fibrosis, *Radiology*, 101:429-433, 1971.
- 17. Fajardo, L.F., and J.R. Stewart, Experimental Radiation-induced Heart Disease, *Am. J. Pathology*, 59:299-316, 1970.
- 18. Fulton, O.P., and F.N. Sudak, Effect of Total Body X-irradiation on Serum Electrolyte Levels and Electrocardiograms of the Golden Hamster, Am. J. Physiol., 179:135-138, 1954.
- 19. Haley, T.J., R.F. Riley, I. Williams, and M.R. Andem, Presence and Identity of Vasotropic Substances in Blood of Rats Subjected to Acute Whole Body Roentgen Ray Irradiation, *Am. J. Physiology*, 168:628-636, 1952.
- 20. Hawkins, R.N., Effects of High Energy Electron Radiation on Venous Return in the Anesthetized Rat, *Physiologist*, 26: A-76, 1983.
- 21. Hopewell, J.W., Radiation Effects on Vascular Tissue, *Cytotoxic Insult to Tissue*, pp. 228-255, 1983.
- 22. Hopewell, J.W., The Importance of Vascular Damage in the Development of Late Radiation Effects in Normal Tissues, *Radiation Biology in Cancer Research*, R.E. Meyn and H.R. Withers (eds), Raven Press, New York, pp. 449-459, 1980.

- 23. Hopewell, J.W., The Late Vascular Effects of Radiation, *Brit. J. Radiology*, 47:157-158, 1974.
- 24. Hopewell, J.W., and C.M.A. Young, The Effect of Field Size on the Reaction of Pig Skin to Single Doses of X-rays, *Br. J. Radiology*, 55:356-361, 1982.
- 25. Hopewell, J.W., and C.M.A. Young, Changes in the Microcirculation of Normal Tissues After Irradiation, *Int. J. Radiation Oncology Biol. Phys.*, 4:53-58, 1978.
- 26. Hopewell, J.W., and T.J.S. Patterson, The Effects of Previous X-irradiation on the Revascularization of Free Skin Grafts in the Pig, Biorheology, 9:46-47, 1972.
- 27. Jones, A., and J. Wedgewood, Effects of Radiations on the Heart, *Br. J. Radiology*, 33:138-158, 1960.
- 28. Kabal, J., S.J. Baum, and L.J. Parkhurst, Canine Cardiovascular Homeostasis in the Gastrointestinal Radiation Syndrome, *AFRRI Scientific Report, SR72-4, Rad. Res.*, 50:528-538, 1972.
- 29. Keyeux, A., Chapter VII. Functional Response of Heart and Major Vessels, Current Topics in Radiation Research Quarterly, 10:98-108, 1974.
- 30. Khan, M.Y., and M. Ohanian, Radiation-induced Cardiomyopathy. II. An Electron Microscopic Study of Myocardial Microvasculature, Am. J. Pathol., 74:125-132, 1974.
- 31. Khan, M.Y., Radiation-induced Cardiomyopathy, *Am. J. Pathol.*, 73:131-146, 1973.
- 32. Khan, M.Y., Radiation Induced Cardiomyopathy in Rabbits An Ultrastructural Study, *Rad. Res.*, 47:268-269, 1971.
- 33. Kohn, H.I., R.F. Kallman, C.C. Berdjis, and K.B. De Ome, Late Effects of Whole-body X-irradiation in the Mouse. Some Gross and Histologic Aspects of the Development of Morbidity Prior to the Terminal State, with Special Reference to the Gonad, Uterus, Heart, Liver, Kidney, and Submaxillary Gland, Rad. Res., 7:407-435, 1957.
- 34. Kundel, H.L., The Effect of Gamma Irradiation on the Cardiovascular System of the Rhesus Monkey, *Rad. Res.*, 27:406-418, 1966.
- 35. Kundel, H.L., The Effect of High-Energy Proton Irradiation on the Cardiovascular System of the Rhesus Monkey, *Rad. Res.*, 28:529-537, 1966.
- 36. Lauk, S., Z. Kiszel, J. Buschmann, and K.R. Trott, Radiation-induced Heart Disease in Rats, *Int. J. Radiation Oncology Biol. Phys.*, 11:801-808, 1985.

- 37. Lindop, P.J., A. Jones, and A. Bakowska, Dose/time Relationships for Blood Vessels, *Conference on Time and Dose Relationships in Radiation Biology as Applied to Radiotherapy* (1969:Carmel, CA), pp. 174-185, 1970.
- 38. Lukin, L., and M.I. Gregersen, Premortal Blood Volumes in Splenectomized Dogs After Total-Body X-irradiation, *Rad. Res.*, 7:161-166, 1957.
- 39. Maisin, J.R., The Influence of Radiation on Blood Vessels and Circulation, Chapter III. Ultrastructure of the Vessel Wall, *Current Topics in Padiation Research Quarterly*, 10:29-57, 1974.
- 40. Montgomery, P. O'Brien, and S. Warren, Mechanism of Acute Hypotension Following Total Body Irradiation, *Proc. Soc. Exp. Biol. Med.*, 77:803-807, 1951.
- 41. Moss, W.T., and S. Gold, The Acute Effects of Radiation on the Physiology of Small Blood Vessels, *Am. J. Roentgenology*, 90:294-299, 1963.
- 42. Moss, A.J., D.W. Smith, S. Michaelson, B.F. Schreiner, and G.W. Murphy, Radiation Induced Acute Myocardial Infarction in the Dog, *Univ. of Rochester Atomic Energy Project UR-625*, Rochester, N.Y, 1963.
- 43. Myers, J.H., L.H. Blackwell, and R.R. Overman, Early Functional Hemodynamic Impairment in Baboons after 1000 R or Less of Gamma Radiation as Revealed by Hemorrhagic Stress, *Rad. Res.*, 52:564-578, 1972.
- 44. Novi, A.M., Effects of Low Irradiation Doses on the Ultrastructure of the Rat Myocardium, *Virchows Arch. Abt. B. Zellpath.*, 2:24-31, 1969.
- 45. Phillips, R.D., and D.J. Kimeldorf, The Effect of Whole Body X-irradiation on Blood Pressure in the Rat, *Rad. Res.* 18:86-95. 1963.
- 46. Phillips, S.J., D.L. Macken, and R. Rugh, Pathologic Sequelae of Acute Cardiac Irradiation in Monkeys, *Am. Heart J.*, 81:528-542, 1971.
- 47. Phillips, S.J., J.A. Reid, and R. Rugh, Electrocardiographic and Pathologic Changes After Cardiac X-irradiation in Dogs, *Am. Heart J.*, 68:524-533, 1964.
- 48. Phillips, T.L., S. Benak, and G. Ross, Ultrastructural and Cellular Effects of Ionizing Radiation, *Front. Radiation Ther. Onc.*, 6:21-43, 1972.
- 49. Reinhold, H.S., The Influence of Radiation on Blood Vessels and Circulation. I. Introduction, *Current Topics in Radiation Research Quarterly*, 10:3-8, 1974.
- 50. Reinhold, H.S., The Influence of Radiation on Blood Vessels and Circulation. IV. Structural Changes in Blood Vessels, *Current Topics in Radiation Research Quarterly*, 10:58-74, 1974.

- 51. Reinhold, H.S., Radiations and the Microcirculation, *Front. Radiation Ther. Onc.*, 6:44-56, 1972.
- 52. Reinhold, H.S., and G.H. Buisman, Radiosensitivity of Capillary Endothelium, *Br. J. Radiology*, 46:54-57, 1973.
- 53. Reinhold, H.S., and G.H. Buisman, Repair of Radiation Damage to Capillary Endothelium, *Br. J. Radiology*, 48:727-731, 1975.
- 54. Reinhold, H.S., and J.W. Hopewell, Late Changes in the Architecture of Blood Vessels of the Rat Brain After Irradiation, *Br. J. Radiology*, 53:693-696, 1980.
- 55. Ryzewski, J., Changes of Arterial Blood Pressure in Acute Radiation Disease, *Arch. Int. Pharmacodyn*, 140:484-493, 1962.
- 56. Senderoff, E., A.R. Beck, M. Kaneko, and I.D. Baronofsky, The Effects of Cardiac Irradiation Upon the Normal Canine Heart, *Am. J. Roentgen. Rad. Ther. Nucl. Med.*, 86:740-751, 1961.
- 57. Stewart, J.R., and L.F. Fajardo, Radiation-induced Heart Disease. Clinical and Experimental Aspects, *Rad. Clinics North Am.*, 9:511-531, 1971.
- 58. Stone, H.L., V.S. Bishop, and A.C. Guyton, Progressive Changes in Cardiovascular Function After Unilateral Heart Irradiation, *Am. J. Physiol.*, 206:289-293, 1964.
- 59. Stone, H.L., V.S. Bishop, and A.C. Guyton, Ventricular Function Following Radiation Damage of the Right Ventricle, *Am. J. Physiol.*, 211:1209-1213, 1966.
- 60. Takaoka, A., Electrocardiographic Study of Cardiac Damage Following Irradiation of Canine Hearts, *Radiol. Clin. Biol.*, 38:182-196, 1969.
- 61. Weber, R.P., and F.R. Steggerda, Histamine in Rat Plasma; Correlation With Blood Pressure Changes Following X-irradiation, *Proc. Soc. Exp. Biol. Med.*, 70:261-263, 1949.
- 62. Wykoff, M.H., The Effects of Fast Neutron Irradiation on Blood Pressure and the Response to Epinephrine and Acetylcholine in the Rat, *Rad. Res.*, 49:624-630, 1972.
- 63. Wykoff, M.H., and C.E. Short, Effects of Neutron Irradiation on Blood and Cerebrospinal Fluid Pressures in the Burro (Equus asinus), *Am. J. Vet. Res.*, 30:73-76, 1969.
- 64. Yang, V.V., Stearner, S.P., and S.A. Tyler, Radiation-induced Changes in the Fine Structure of the Heart: Comparison of Fission Neutrons and 60-Co Gamma Rays in the Mouse, *Rad. Res.*, 67:344-360, 1976.

65. Yoshii, G., Studies on the Effects of X-ray Irradiation Upon the Blood Pressure of Rats, *Nippon Acta Radiologica*, 21:499-501, 1961.

4.5 REFERENCES: GASTROINTESTINAL SYSTEM.

- 1. Baker, D.G., and C.G. Hunter, The Early Gastrointestinal Response in the Rat Exposed to Whole-body X-irradiation, *Rad. Res.*, 9:660-666, 1958.
- 2. Becciolini, A., G.B. Gerber, and J. Deroo, In Vivo Absorption of Carbohydrates in Rats With Gastro-intestinal Radiation Syndrome, *Acta Radiol. Ther. Physics Biol.*, 16:87-96, 1977.
- 3. Becciolini, A., M. Balzi, D. Cremonini, and D. Fabbrica, S-Phase Cell Distribution in the Small Intestine Irradiated At Different Times of the Day. II. Recovery Phase, *Acta Radiol. Oncol.*, 22:337-344, 1983.
- 4. Becciolini, A., M. Balzi, D. Cremonini, and D. Fabbrica, S-Phase Cell Distribution in the Small Intestine Irradiated At Different Times of the Day. I. Acute Irradiation Injury, *Acta Radiol. Oncol.*, 22:305-313, 1983.
- 5. Becciolini, A., D. Cremonini, M. Balzi, D. Fabbrica, and S. Cinotti, Irradiation at Different Times of the Day. Morphology and Kinetics of the Small Intestine, *Acta Radiol. Oncol.*, 21:169-175, 1982.
- 6. Borowska, A., S. Sierakowski, J. Mackowiak, and K. Wisniewski, A Prostaglandin-like Activity in Small Intestine and Postirradiation Gastro-intestinal Syndrome, *Experientia*, 35:1368-1370, 1979.
- 7. Cheeseman, C.I., A.B.R. Thomson, and K. Walker, The Effects of Abdominal Irradiation on Intestinal Transport in the Rat as Assessed with Isolated Epithelial Cells, *Rad. Res.*, 101:131-143, 1985.
- 8. Chmelar, V., V. Grossmann, I.M. Hais, and F. Deml, Gastric Retention and Its Changes in Mice and Rats During the First Six Days Following X-irradiation, *Rad. Res.*, 37:627-635, 1969.
- 9. Cockerham, L.G., T.F. Doyle, M.A. Donlon, and C.J. Gossett-Hagerman, Antihistamines Block Radiation-induced Increased Intestinal Blood Flow in Canines, *Fund. Appl. Toxicol.*, 5:597-604, 1985.
- Cockerham, L.G., T.F. Doyle, T.B. Trumbo, and J.B. Nold, Acute Postirradiation Canine Intestinal Blood Flow, *Int. J. Radiat. Biol.*, 45:65-72, 1984.
- 11. Conard, R.A., Effect of X-irradiation in Intestinal Motility of the Rat, *Am. J. Physiol.*, 165:375-385, 1951.
- 12. Conard, R.A., E.P. Cronkite, G. Brecher, and C.P. Strome, Experimental Therapy of the Gastrointestinal Syndrome Produced by Lethal Doses of Ionizing Radiation, *J. Appl. Physiol.*, 9:227-239, 1956.

- 13. Conte, F.P., G.S. Melville, and A.C. Upton, Effects of Graded Doses of Whole-body X-irradiation on Mast Cells in the Rat Mesentery, *Am. J. Physiol.*, 187:160-167, 1956.
- 14. Curran, P.F., E.W. Webster, and J.A. Hovsepian, The Effect of X-irradiation on Sodium and Water Transport in Rat Ileum, *Rad. Res.*, 13:369-380, 1960.
- 15. Detrick, L.E., H. Latta, H. Upham, and R. McCandless, Electron Microscopic Changes Across Irradiated Rat Intestinal Villi, *Rad. Res.*, 19:447-461, 1963.
- 16. Detrick, L.E., H.C. Upham, D. Highby, V. Debley, and T.J. Haley, Influence of X-ray Irradiation on Glucose Transport in the Rat Intestine, *Rad. Res.* 2:483-489, 1955.
- 17. Dickson, H.M., Effect of X-irradiation on Glucose Absorption, *Am. J. Physiol.*, 182:477-478, 1955.
- 18. Dorval, E.D., G.P. Mueller, R.R. Eng, A. Durakovic, J.J. Conklin, and A. Dubois, Effect of Ionizing Radiation on Gastric Secretion and Gastric Motility in Monkeys, *Gastroenterology*, 89:374-380, 1985.
- 19. Dubois, A., J.P. Jacobus, M.P. Grissom, R.R. Eng, and J.J. Conklin, Altered Gastric Emptying and Prevention of Radiation-induced Vomiting in Dogs, *AFRRI Scientific Report* SR84-11, 1989. Also in *Gastroenterology*, 86:444-448, 1984.
- 20. Eddy, H.A., and G.W. Casarett, Intestinal Vascular Changes in the Acute Radiation Intestinal Syndrome, In Sullivan, M.F. (ed), Symposium on Gastrointestinal Radiation Injury, Session VI, Monographs on Nuclear Medicine and Biology, Excerpta Medica, 1:385-395, 1968.
- 21. Eisen, V., and D.I. Walker, Effect of Ionizing Radiation on Prostaglandin 15-OH-dehydrogenase (PGDH), *Br. J. Pharmacol.*, 62:461P, 1978.
- 22. Fenton, P.F., and H.M. Dickson, Changes in Some Gastrointestinal Functions Following X-irradiation, *Am. J. Physiol.*, 177:528-530, 1954.
- 23. Forkey, D.J., K.L. Jackson, and G.M. Christensen, Contribution of Bile to Radiation-induced Sodium Loss Via the Rat Small Intestine, *Int. J. Radiat. Biol.*, 14:49-57, 1967.
- 24. Frankendal, B., Gastric Emptying and Small Intestinal Propulsion in Mice Following Irradiation of the Abdomen, *Acta Radiol. Ther. Physiol. Biol.*, 12:529-540, 1973.
- 25. Fry, M., and E. Staffeldt, Effect of a Diet Containing Sodium Deoxycholate on the Intestinal Mucosa of the Mouse, *Nature*, 203:1396-1398, 1964.
- 26. Geraci, J.P., K.L. Jackson, and M.S. Mariano, The Intestinal Radiation Syndrome: Sepsis and Endotoxin, *Rad. Res.*, 101:442-450, 1985.

- 27. Goodman, R.D., A.E. Lewis, and E.A. Schuck, Effects of X-irradiation on Gastrointestinal Transit and Absorption Availability, *Am. J. Physiol.*, 169:242-247, 1952.
- 28. Gunter-Smith, P.J., Gamma Radiation Affects Active Electrolyte Transport by Rabbit Ileum: Basal Na and Cl Transport, *Am. J. Physiol.*, 250:G540-G545, 1986.
- 29. Gunter-Smith, P.J., Effect of Ionizing Radiation on Gastrointestinal Physiology, In Conklin, J.J., and R.I. Walker (eds), *Military Radiobiology*, pp. 135-151, 1987.
- 30. Hagemann, R.F., C.P. Sigdestad, and S. Lesher, Intestinal Crypt Survival and Total and Per Crypt Levels of Proliferative Cellularity Following Irradiation: Fractionated X-ray Exposures, *Rad. Res.*, 47:149-158, 1971.
- 31. Hagemann, R.F., C.P. Sigdestad, and S. Lesher, Intestinal Crypt Survival and Total and Per Crypt Levels of Proliferative Cellularity Following Irradiation: Single X-ray Exposure, *Rad. Res.*, 46:533-546, 1971.
- 32. Hugon, J., and M. Borgers, Ultrastructural and Cytochemical Studies on Karyolytic Bodies in the Epithelium of the Duodenal Crypts of Wholebody X-irradiated Mice, *Lab. Invest.*, 15:1528-1543, 1966.
- 33. Hugon, J., and M. Borgers, Fine Structural Changes and Localization of Phosphatases in the Epithelium of the Duodenal Crypt by X-irradiated Mice, *Histochemie*, 6:209-225, 1966.
- 34. Hugon, J., and M. Borgers, Fine Structure of the Nuclei of the Duodenal Crypt Cells After X-irradiation, *Am. J. Pathology*, 52:701-710, 1968.
- 35. Hugon, J., J.R. Maisin, and M. Borgers, Changes in Ultrastructure of Duodenal Crypts in X-irradiated Mice, *Rad. Res.*, 25:489-502, 1965.
- 36. Hugon, J., J.R. Maisin, and M. Borgers, Delayed Ultrastructural Changes in Duodenal Crypts of X-irradiated Mice, *Int. J. Rad. Biol.*, 10:113-122, 1966.
- 37. Jackson, K.L., and C. Entenman, The Role of Bile Secretion in the Gastrointestinal Radiation Syndrome, *Rad. Res*, 10:67-79, 1959.
- 38. Jackson, K.L., R. Rhodes, and C. Entenman, Electrolyte Excretion in the Rat after Severe Intestinal Damage by X-irradiation, *Rad. Res.*, 8:361-373, 1958.
- 39. Kabal, J., S.J. Baum, and L.J. Parkhurst, Canine Cardiovascular Homeostasis in the Gastrointestinal Radiation Syndrome, *AFRRI Scientific Report*, SR72-4, *Rad. Res.*, 50:528-538, 1972.
- 40. Kagnoff, M.F., Motor Activity In Vitro of Rat Small Intestine Following Whole-body X-irradiation, *Rad. Res.*, 42:565-576, 1970.

- 41. Lesher, S., Compensatory Reactions in Intestinal Tract Crypt Cells after 300 Roentgens of Cobalt-60 Gamma Irradiation, *Rad. Res.*, 32:510-519, 1967.
- 42. Lesher, S., A. Sallese, and M. Jones, Effects of 1000R Whole-body X-irradiation on DNA Synthesis and Mitosis in the Duodenal Crypts of the BCF1 Mouse, *Zeitschrift fur Zellforschung*, 77:144-146, 1967.
- 43. Lesher, S., L.F. Lamerton, G.A. Sacher, and R.J.M. Fry, Effect of Continuous Gamma Irradiation on the Generation Cycle of the Duodenal Crypt Cells of the Mouse and Rat, *Rad. Res.*, 29:57-63, 1966.
- 44. Maisin, J., J.R. Maisin, and A. Dunjic, The Gastrointestinal Tract, In Berdjis, C.C. (ed), *Pathology of Irradiation*, Williams and Wilkins Co., Baltimore, MD, pp. 569-591, 1971.
- 45. Maisin, J.R., and R.A. Popp, Effect of AET on Sodium, Potassium, and Esterases of the Alimentary Tract of Irradiated Mice, *Am. J. Physiol.*, 199:251-259, 1960.
- 46. Man, W.K., A. Michalowski, S.K. Li, J. Barr, and J. Burgin, Gastrointestinal Histamine after Gastric Irradiation in the Mouse, *Agents Actions*, 18:210-213, 1986.
- 47. Mastromarino, A., and R. Wilson, Antibiotic Radioprotection of Mice Exposed to Supralethal Whole-body Irradiation Independent of Antibacterial Activity, *Rad. Res.*, 68:329-338, 1976.
- 48. Mastromarino, A.J., and R. Wilson, Increased Intestinal Mucosal Turnover and Radiosensitivity to Supralethal Whole-body Irradiation Resulting From Cholic Acid-induced Alterations of the Intestinal Microecology of Germfree CFW Mice, Rad. Res., 66:393-400, 1976.
- 49. Matsuoka, O., T. Tsuchiya, M. Kashima, and H. Eto, Serotonin and Radiation Effects on Intestine, In Sullivan, M.F. (ed), *Gastrointestinal Radiation Injury*, Excerpta Medica, 1:313-326, 1968.
- 50. Matsuzawa, T., Survival Time in Germfree Mice After Lethal Whole Body X-irradiation, *Tohoku J. Exp. Med.*, 85:257-263, 1965.
- 51. Matsuzawa, T., and R. Wilson, The Intestinal Mucosa of Germfree Mice after Whole-body X-irradiation with 3 Kiloroentgens, *Rad. Res.*, 25:15-24, 1965.
- 52. McGrath, R.A., Cell Migration and Abnormal Crypt-Cell Enlargement in the Small Intestine of X-irradiated Mice, *Int. J. Radiat. Biol.*, 2:177-182, 1960.
- 53. McGrath, R.A., and C.C. Congdon, X-ray Induced Abdominal Differentiation of the Epithelium of the Small Intestine of the Mouse, *Int. J. Radiat. Biol.*, 1:80-88, 1959.

- 54. Mohiuddin, M., K. Tamura, and P. DeMare, Changes in Absorption of Glucose and Proline Following Irradiation to the Exteriorized Ileum, *Rad. Res.*, 74:186-190, 1978.
- 55. Montagna, W., and J.W. Wilson, A Cytologic Study of the Intestinal Epithelium of the Mouse After Total-body X Irradiation, *JNCI*, 15:1703-1755, 1955.
- 56. Perris, A.D., Intestinal Transport and Metabolism Following Whole-body Irradiation, *Rad. Res.*, 34:523-531, 1968.
- 57. Perris, A.D., E.L. Jervis, and D.H. Smyth, Effects of Whole-body Irradiation on the Transfer Capacity of Rat Small Intestine, *Rad. Res.*, 28:13-29, 1966.
- 58. Pierce, M. The Gastrointestinal Tract, In Bloom, W. (ed), Histopathology of Irradiation from External and Internal Sources, McGraw-Hill Book Co., NY, pp. 502-540, 1948.
- 59. Quastler, H., The Nature of Intestinal Radiation Death, *Rad. Res.*, 4:303-320, 1956.
- 60. Sprugel, W., E. Schubert, P. Mitznegg, F. Heim, G. Hasl, and H. Pauly, Immediate X-irradiation Induced Contracts of the Isolated Guinea Pig Terminal Ileum: The Localization of the Effect of Drugs, *Radiat. Environ. Biophys.*, 14:31-37, 1977.
- 61. Sullivan, M.F., Absorption From Gastrointestinal Tract of the Rat After X-irradiation, Am. J. Physiol., 201:1013-1016, 1961.
- 62. Sullivan, M.F., Dependence of Radiation Diarrhea on the Presence of Bile in the Intestine, *Nature*, 195:1217-1218, 1962.
- 63. Sullivan, M.F., Sodium, Water, and B12 Absorption in Irradiated Rats: Influence of Bile, In Sullivan, M.F. (ed), *Gastrointestinal Radiation Injury*, Excerpta Medica, 1:216-227, 1968.
- 64. Sullivan, M.F., E.V. Hulse, and R.H. Mole, The Mucus-depleting Activity of Bile in the Small Intestine of the Irradiated Rat, *Br. J. Ex Path.*, 46:235-244, 1956.
- 65. Summers, R.W., T.H. Kent, and J.W. Osborne, Effects of Drugs, Ileal Obstruction, and Irradiation on Rat Gastroenterology Propulsion, *Gastroenterology*, 59:731-739, 1970.
- 66. Summers, R.W., A.J. Flatt, M.J. Prihoda, and F.A. Mitros, Effect of Irradiation on Morphology and Motility of Canine Small Intestine, *Dig. Dis. Sci.*, 32:1402-1410, 1987.
- 67. Swift, M.N., S.T. Taketa, and V.P. Bond, Delayed Gastric Emptying in Rats After Whole and Partial Body X-irradiation, *Am. J. Physiol.*, 182:479-486, 1955.

- 68. Taketa, S.T., The Effectiveness of Water-electrolyte Replacement Therapy and of Antibiotic Treatment Against Acute (3-5 Day) Intestinal Radiation Deaths in the Rat, Report for U.S. Naval Radiological Defense Laboratory, USNRDL-TR-516, also in: Rad. Res., 16:312-326, 1961.
- 69. Wilson, R., P. Bealmear and T. Matsuzawa, Acute Intestinal Radiation Death in Germfree and Conventional Mice, In Sullivan, M.F. (ed), Gastrointestinal Radiation Injury, Excerpta Medica, 1:148-158, 1968.

4.6 REFERENCES: ENDOCRINE SYSTEM.

- 1. Affili, A.K., J.W. Osborne, and C.L. Mitchell, Changes in Neurosecretory Material, Water Intake and Urine Output in X-irradiated Rats, *Rad. Res.*, 23:1-11, 1964.
- 2. Arnold, A., Effects of X-irradiation on the Hypothalamus, *J. Clin. Endocr.*, 14:859-862, 1954.
- 3. Bender, A.E., Experimental X-irradiation of the Rat Thyroid, *Br. J. Radiol.*, 21:244-248, 1948.
- 4. Binhammer, R.T., and J.R. Crocker, Effect of X-irradiation on the Pituitary-adrenal Axis of the Rat, *Rad. Res.*, 18:429-436, 1963.
- 5. Borowicz, J.W., and W. Bicz, Morphological and Some Biochemical Changes in the Adrenal Glands in Acute Radiation Sickness in Rats, *Pat. Pol.*, 14:227-232, 1963.
- 6. David, G., L. Faradi, and D. Tanka, On Functional Changes of the Adrenals in Acute Radiation Injury. II. Radiation Protection of the Adrenal Glands., *Radiobiol. Radiother.*, 4:711-718, 1963.
- 7. Edelmann, A., Adrenal Shielding and Survival of Rats After X-irradiation, Am. J. Physiol., 165:57-60, 1951.
- 8. Einhorn, J., and N. Einhorn, Effects of Irradiation of the Endocrine Glands, *Front. Radiat. Ther. Oncol.*, 6:386-400, 1972.
- 9. Engelstad, R.B., and O. Torgersen, Experimental Investigations on Effects of Roentegen Rays on Suprarenal Glands in Rabbits, *Acta Radiol.*, *Stockh.*, 18:671-687, 1946.
- 10. Gray, W.M., J.S. Orr, and W.A. Ratcliffe, The Effects of Whole-body Irradiation on the Serum Levels and Kinetics of Thyroid Hormones in Rats, *Int. J. Radiat. Biol.*, 37:653-666, 1980.
- 11. Heinkel, K., and B. Bergethal, Blood Amylase and Lipase Content Following Roentgen Irradiation of the Pancreas Region. (Animal Experiment Studies), *Strahlentherapie*, 121:154-163, 1963.
- 12. Key, M., Radiobiology of Endocrine Organs, In K.K.N. Charyulu, K.K.K., and A. Sudarsanam (eds), *Hormones and Cancer*, Stratton Intercontinental Medical Book Corp., NY, pp. 21-33, 1976.

- 13. Knowlton, N.P., and L.H. Hempelmann, The Effect of X-rays on the Mitotic Activity of the Adrenal Gland, Jejunum, Lymph Node and Epidermis of the Mouse, *J. Cell Comp. Physiol.*, 33:73-91, 1949.
- 14. Kovacsh, L., On the Morphologic and Functional Changes in the Adrenal Cortex by Ionizing Radiation in Supralethal Doses, *Strahlentherapie*, 129:238-243, 1966.
- 15. Lindsay, S., and I.L. Chaikoff, The Effects of Irradiation on the Thyroid Gland With Particular Reference to the Induction of Thyroid Neoplasms: A Review, *Cancer Res.*, 24:1099-1107, 1964.
- 16. Malone, J.F., The Radiation Biology of the Thyroid, *Curr. Top. Radiat. Res. Q.*, 10:263-368, 1975.
- 17. Mateyko, G.M., and H.A. Charipper, Histological Effects Upon the Pars Anterior of the Rat Following Hypophyseal Cathode-ray Irradiation and Whole-body X-irradiation, *J. Morphol.*, 93:533-555, 1953.
- 18. Mateyko, G.M., and A. Edelmann, The Effects of Localized Cathoderay Particle Irradiation of the Hypophysis and Whole-body X-irradiation on Gonadotrophin, Thyrotrophin, and Adrenocorticotrophin of the Rat Pituitary, *Rad. Res.*, 1:470-482, 1954.
- 19. Michaelson, S.M., W. Quinlan, G.W. Casarett, and W.B. Mason, Radiation-induced Thyroid Dysfunction in the Dog, *Rad. Res.*, 30:38-47, 1967.
- 20. Rosenfeld, G., The Function and Capacity of the Adrenal Cortex Immediately Before Radiation Sickness Death, *J. Lab. Clin. Med.*, 51:198-204, 1958.
- 21. Szczurek, Z., Pathomorphology of Pancreas in Experimental Radiation Sickness in Rabbits, *Polish Med. J.*, 5:1307-1314, 1966.
- 22. Simpson, M.E., G. Van Wagenen, D.C. Van Dyke, A.A. Koneff, and C.A. Tobias, Deuteron Irradiation of the Monkey Pituitary, *Endocrinology*, 65:831-857, 1959.
- 23. Simpson, M.E., G. Van Wagenen, D.C. Van Dyke, A.A. Koneff, and C.A. Tobias, Deuteron Irradiation of the Monkey Pituitary, *Endocrinology*, 65:831-857, 1959.
- Sommers, S.C., Endocrine Changes After Hemiadrenalectomy and Total Body Irradiation in Parabiotic Rats, J. Lab. Clin. Med., 24:396-407, 1953.
- 25. Sommers, S.C., Effects of Ionizing Radiation Upon Endocrine Glands, in Berdjis, C.C. (ed), *Pathology of Irradiation*, Williams and Wilkins Co., Baltimore, MD, Chapter 18, pp. 408-446, 1971.

- 26. Song, C.W., and T.C. Evans, Effect of Whole-body X-irradiation on Thyroid Function in the Mouse, *Rad. Res.*, 33:480-489, 1968.
- 27. Tobias, C.A., J.H. Lawrence, J.T. Lyman, Progress Report on Pituitary Irradiation, In Haley, T.J., and Snider, R.S. (eds), Little, Brown and Co., Boston, 1964.
- 28. Ungar, F., G. Rosenfeld, R.I. Dorfman, and G. Pincus, Irradiation and Adrenal Steroidogenesis. Influence of Irradiation of Isolated ACTH-stimulated Calf Adrenals on Their Cortical Output, *Endocrinology*, 56:30-36, 1955.
- 29. Volk, B.W., and K.F. Wellman, The Effect of Radiation on Ultrastructure and Enzymes of the Canine Pancreas, In Sullivan M.F. (ed), Gastrointestinal Radiation Injury, Excerpta Medica, 1:73-93, 1968.
- 30. Wellmann, K.F., B.W. Volk, and A. Lewitan, The Effect of Radiation on the Fine Structure and Enzyme Content of the Dog Pancreas. II. Long Term Studies, *Lab Invest.*, 15:1007-1023, 1966.
- 31. Wellman, K.F., S.S. Lazarus, and B.W. Volk, Protection of Canine Pancreatic Ultrastructure Against Radiation Damage by Past Treatment with Alloxan, *Nature*, 216:86-87, 1967.
- Wexler, B.C., R. Pencharz, and S.F. Thomas, Adrenal Ascorbic Acid in Male and Female Rats After Total Body X-ray Irradiation, *Proc. Soc. Exp. Biol. Med.*, 79:183-184, 1952.
- 33. Wolf, R.C., and R.E. Bowman, Adrenal Function in the Rhesus Monkey after Total-body X-irradiation, *Rad. Res.*, 23:232-238, 1964.

4.7 REFERENCES: HEMATOPOIETIC SYSTEM.

- 1. Allen, J.R., and L.A. Carstens, Response of Saimiri Sciureus Monkeys to Total Body X-irradiation: Clinical Signs and Pathologic Changes, *Am. J. Vet. Res.*, 11:2179-2188, 1968.
- 2. Bond, V.P., T.M. Fliedner, and J.O. Archambeau, Mammalian Radiation Lethality, *Acad. Press*, NY, 1965.
- 3. Broyles, A.A., Sensitivity to Radiation and Recovery of Hematopoietic Stem Cells, *Radiat. Res.*, 109:12-18, 1987.
- 4. Chervenick, A., and D.R. Boggs, Patterns of Proliferation and Differentiation of Hematopoietic Stem Cells after Compartment Depletion, *Blood*, 37:568-580, 1971.
- 5. Clarke, J.A., C. Proukakis, and A.J. Salsbury, An Effect of Radiation on Rat Erythrocytes, *Int. J. Radiat. Biol.*, 15:389-392, 1969.
- 6. Comas, F.V., The Radiosensitivity of Rat Bone-marrow Cells, *Int. J. Radiat. Biol.*, 6:549-557, 1970.

- 7. Craddock, C.S., S. Perry, L.E. Ventske, and J.S. Lawrence, Evaluation of Marrow Reserved in Normal and Disease States, *Blood*, 15:840, 1960.
- 8. Cronkite, E.P., A.L. Carsten, and G. Brecher, Hemopoietic Stem Cell Niches, Recovery from Radiation and Bone Marrow Transfusions, In: *Radiat. Res.*, S.Okada, M. Imamura, T. Terashima, and H. Yamaguchi, (eds), pp. 648-656, 1979.
- 9. Fred, S.S., and W.W. Smith, Radiation Sensitivity and Proliferative Recovery of Hemopoietic Stem Celis in Weanling as Compared to Adult Mice, *Radiat. Res.*, 32:314-326, 1967.
- 10. Gilbert, C.W., E. Paterson, M.V. Haigh, and R. Schofield, II. Red-cell and Plasma Volume Changes in the Rhesus Monkey After Whole-body Irradiation by X-rays, *Int. J. Rad. Biol.*, 5:9-23, 1962.
- 11. Gleiser, C.A., The Sequence of Pathological Events in Dogs Exposed to a Lethal Dose 100/30 of Total Body X-irradiation, *Am. J. Vet. Res.*, 14:287-297, 1953.
- 12. Greenberg, M.L., A.D. Chanana, E.P. Cronkite, L. Schiffer, and P.A. Strykmans, Radiation Sensitivity of Circulating Platelets, *Radiat. Res.* (abstract), 31:595, 1967.
- 13. Hellman, S., X-Irradiation of the Hematopoietic Stem Cell Compartment, Front. Radiat. Ther. Onc., 6:415-427, 1972.
- 14. Hellman, S., and H.E. Grate, Production of Granulocytic Progeny by Transplanted Bone Marrow in Irradiated Mice, *Blood*, 30:103-111, 1967.
- 15. Hellman, S., H.E. Grate, J.T. Chaffey, The Effect of Radiation on the Capacity of the Stem Cell Compartment to Differentiate into Granulocytic and Erythrocytic Progeny, *Blood*, 34:141-156, 1969.
- 16. Hodgson, G.S., Erythrocyte 59-Fe Uptake as a Function of Bone Marrow Dose Injected in Lethally-Irradiated Mice, *Blood*, 19(4):460-467, 1962.
- 17. Jacobson, L.O., E.K. Marks, E.L. Simmons, C.W. Hagen, and R.E. Zirkle, Effects of Total Body X-irradiation on Rabbits, II. Hematological Effects, In: *Biological Effects of X- and Gamma Radiation*, R.E. Zirkle (ed), Part 1, McGraw-Hill Book Co., NY, p. 265, 1954.
- 18. Jordan, S.W., Ultrastructural Studies of Spleen After Whole Body Irradiation of Mice, *Exp. Molec. Path.*, 6:156-171, 1967.
- 19. Kahn, J.B., and J. Furth, The Pathogenesis of Post-irradiation Anemia, *Blood*, 7:404-416, 1952.
- 20. Lajtha, L.G., Response of Bone Marrow Stem Cells to Ionizing Radiation, In: Current Topics in Radiation Research, M. Ebert and A.

- Howard (eds), North Holland Publishing Co., Amsterdam, Vol. 1, p. 139, 1965.
- 21. Maruyana, Y., and J.G. Eichten, Radiation Sensitivity of Spleen Cells Irradiation In Vitro and In Vivo, *Am. J. Roentgen.*, 102:46, 1968.
- 22. McCulloch, E.A., and J.E. Till, The Sensitivity of Cells from Normal Mouse Bone Marrow to Gamma Radiation In Vitro and In Vivo, *Radiat. Res.*, 16:822-832, 1962.
- 23. Norris, W.P., T.E. Fritz, C.E. Rehfeld, and C.M. Poole, The Response of the Beagle Dog to Cobalt-60 Gamma Radiation: Determination of the LD50(30) and Description of Associated Changes, *Radiat. Res.*, 35:681-708, 1968.
- 24. Proukakis, C., and P.J. Lindop, Age Dependence of Radiation Sensitivity of Haemopoietic Cells in the Mouse, *Nature*, 215:655-656, 1967.
- 25. Proukakis, C., J.E. Coggle, and P.J. Lindop, Effect of Age at Exposure on the Bone Marrow Stem Cell Population in Relation to 30-day Mortality in Mice, In: *Radiation Biology of the Fetal and Juvenile Mammal*, M.R. Sikov and D.C. Mahlum (eds), U.S. Atomic Energy Commission, p. 603, 1969.
- 26. Rene, A.A., J.H. Darden, and S.J. Baum, Bone Marrow Cellularity in Postirradiated Rats, *AFRRI SR68-8*, 1968.
- 27. Schneider, D.O., and G.F. Whitmore, Comparative Effects of Neutrons and X-rays on Mammalian Cells, *Radiat. Res.*, 18:286, 1963.
- 28. Shively, J.N., S.M. Michaelson, and J.W. Howland, The Response of Dogs to Bilateral Whole-body 60-Co Irradiation, *Radiat. Res.*, 15:319-328, 1961.
- 29. Till, J.E., and E.A. McCulloch, Early Repair Processes in Marrow Cells Irradiated and Proliferating In Vivo, *Radiat. Res.*, 18:96, 1963.
- 30. Till, J.E., and E.A. McCullough, A Direct Measurement of the Radiation Sensitivity of Normal Mouse Bone Marrow Cells, *Radiat. Res.*, 14:213, 1961.
- 31. Vogel, H.H., R. Forde, and C. Gurney, Studies with Erythropoietin in Gamma- and Neutron-irradiated Mice, *Exp. Hemat.*, 12:66, 1967.
- 32. von Wangenheim, K.H., H.P. Peterson, and L.E. Feinendegen, Residual Radiation Effect in the Murine Hematopoietic Stem Cell Compartment, *Radiat. Environ. Biophys.*, 25:93-106, 1986.
- 33. Wu, H.M., J.E. Till, L. Siminovitch, and E.A. McCullough, A Cytological Study of the Capacity for Differentiation of Normal Hematopoietic Colony-forming Cells, *J. Cell. Comp. Physiol.*, 69:177, 1967.

34. Zaldivar, R., Pathological Changes in Beagles After Single Doses of Whole-body Gamma Irradiation, *Strahlentherapie*, 135:724-730, 1968.

4.8 REFERENCES: IMMUNE SYSTEM.

- 1. Anderson, R.E., and N.L. Warner, Ionizing Radiation and the Immune Response, *Adv. Immunol.*, 24:215-325, 1967.
- 2. Anderson, R.E., J. Sprent, and J.F.A.P. Miller, Radiosensitivity of T and B Lymphocytes, *Eur. J. Immunol.*, 4:199-203, 1974.
- 3. Anderson, R.E., G.B. Olson, J.L. Howarth, G.L. Wied, P.H. Bartels, *Am. J. Pathol.*, 80:21, 1975.
- 4. Bari, W.A., and G.D. Sorenson, Ultrastructural Alterations in X-irradiated Spleen, *Pathol. Microbiol.*, 27:257-275, 1964.
- 5. Benninghoff, D.L., R.W. Tyler, and N.B. Everett, Repopulation of Irradiated Lymph Nodes by Recirculating Lymphocytes, *Radiat. Res.*, 37(2):381-400, 1969.
- 6. Celada, R., and F.F. Carter, The Radiosensitive Nature of Homograft-rejecting and Agglutinin-forming Capacities of Isolated Spleen Cells, *J. Immunol.*, 89:161-167, 1962.
- 7. Conard, R.A., Quantitative Study of Radiation Effects on Phytoemagglutinin-stimulated Leukocyte Cultures, *Int. J. Radiat. Biol.*, 16:157-165, 1969.
- 8. Cronkite, E.P., A.D. Chanana, D.D. Joel, and J. Laissure, Lymphocyte Repopulation and Restoration of Cell-mediated Immunity Following Radiation: Whole-body and Localized Irradiation, In Bond, V.P., et al. (eds), Conference on Interaction of Radiation and Host Immune Defense Mechanisms in Malignancy, Brookhaven Natl. Lab. Assoc. Univ., Inc., U.S. Atomic Energy Comm., Upton, NY, pp. 181-206, 1974.
- 9. DeBruyn, P.P.H., Effect of X-rays on the Lymphatic Nodule with References to the Dose and Relative Sensitivities of Different Species, *Anat. Record*, 101:373-394, 1968.
- Denham, S., C.K. Grant, J.G. Hall, and P. Alexander, The Occurrence of Two Types of Cytotoxic Lymphoid Cells in Mice Immunized with Allogeneic Tumour Cells, *Transplantation*, 9(4):366-382, 1970.
- 11. Diener, E., and M. Feldmann, Relationship Between Antigen and Antibody-induced Suppression of Immunity, *Transplant. Rev.*, 8:76-103, 1972.
- 12. Dixon, F.J., and P.J. McConahey, Enhancement of Antibody Formation by Whole-body X-irradiation, *J. Exp. Med.*, 117:833-847, 1963.

- 13. Ernstrom, U., Effect of Irradiation on the Release of Lymphocytes from the Thymus, *Acta Radiol. Ther.*, 11:257-276, 1972.
- 14. Gershon, R.K., and R.S. Hencin, The DNA Synthetic Response of Adoptively Transferred Thymocytes in the Spleens of Lethally Irradiated Mice. I. Effect of Varying Antigen and Thymocyte Doses, *J. Immunol.*, 107(6):1723-1728, 1971.
- 15. Globerson, A., L. Fiore-Donati, and M. Feldman, *Exp. Cell Res.*, 28:455, 1962.
- 16. Grant, G.A., G.A. Currie, and P. Alexander, *J. Exp. Med.*, 135:150, 1972.
- 17. Jaroslow, B.N., and G.J.V. Nossal, Effect of X-irradiation on Antigen Localization in Lymphoid Follicles, *Aust. J. Exp. Biol. Med. Sci.*, 44(6):609-627, 1966.
- 18. Jordan, S.W., Ultrastructure Studies of Spleen After Whole-body Irradiation of Mice, *Exp. Mol. Pathol.*, 6:156-171, 1967.
- 19. Lamberg, J.D., and M.R. Schwartz, In McIntyre,R.O. (ed), *Proceedings of the Fourth Annual Leukocyte Conference*, Appleton, NY, p. 173, 1971.
- 20. Makinodan, T., and G.B. Price, J.S. Najarian, and R.L. Simmons (eds), Transplantation, Lea and Febiger, Philadelphia, PA, pp. 251-266, 1965.
- 21. Makinodan, T., and N. Gengozian, Effect of Radiation on Antibody Formation, In: Hollander, A., (ed), *Radiation Protection and Recovery*, pp. 315-316, 1960.
- 22. Miller, J.F.A.P., Immunological Significance of the Thymus and the Adult Mouse, *Ann. NY Acad. Sci.*, 99:340-349, 1962.
- 23. Miller, J.J., and L.J. Cole, The Radiation Resistance of Long-lived Lymphocytes and Plasma Cells in Mouse and Rat Lymph Nodes, *J. Immunol.*, 98(5):982-990, 1967.
- 24. Miller, J.F.A.P., S.M.A. Doak, and A.M. Cross, Role of the Thymus in Recovery of the Immune Mechanism in the Irradiated Adult Mouse, *Proc. Soc. Exp. Biol. Med.*, 112:785-793, 1963.
- 25. Mukherjee, A.K., A.J. Sbarra, The Role of the Phagocyte in Host-parasite Interactions. XIV. Effects of Concurrent X-irradiation on Phagocytosis, *Res. J. Reticuloendothel. Soc.*, 5(2):134-146, 1968.
- 26. Mukherjee, A.K., B. Paul, R.J. McRipley, and A.J. Sbarra, Effect of Concurrent X-irradiation on Phagocytosis, *Bacteriol. Proc.*, p. 92-98, 1967.
- 27. Mukherjee, A.K., B. Paul, R. Strauss, and A.J. Sbarra, The Role of the Phagocyte in Host-parasite Interactions. XV. Effects of HeO2 and

- X-irradiation on the Bactericidal Activities of Phagocyte Fractions, *Res. J. Reticuloendothel. Soc.*, 5(6):529-537, 1968.
- 28. Murray, R.C., The Spleen, The Thymus, In Bloom, W. (ed), McGraw-Hill, NY, *Histopathology of Irradiation from External Sources*, p. 243, 1948.
- 29. Paul, B., R. Strauss, and A.J. Sbarra, The Role of the Phagocyte in Host-parasite Interactions. XVI. Effect of X-irradiation on H2O2 Production in Guinea Pig Exudate Cells, Res. J. Reticuloendothel. Soc., 5(6):538-549, 1968.
- 30. Rosse, W.F., H.J. Rapp, and T. Borsos, Structural Characteristics of Hemolytic Antibodies as Determined by the Effects of Ionizing Radiation, *J. Immunol.*, 98(6):1190-1195, 1967.
- 31. Schipior, P., and H.C. Maguire, Resistance of the Allergic Contact Dermatitis Sensitization Reaction to Whole Body X-ray in the Guinea Pig, *Int. Arch. Allergy Appl. Immunol.*, 29:447, 1966.
- 32. Schrek, R., Qualitative and Quantitative Reactions of Lymphocytes to X-rays, *Ann. NY Acad. Sci.*, 95:839-848, 1961.
- 33. Slavin, S.B., and R.F. Smith, Delayed Hypersensitivity in the Development of Circulating Antibody; The Effect of X-irradiation, *J. Exp. Med.*, 109:325-338, 1959.
- 34. Sljivic, V.S., Radiation and the Phagocytic Function of the Reticuloendothelial System. I. Enhancement of RES Function in X-irradiated Mice, *Br. J. Exp. Pathol.*, 51(2):130-139, 1970.
- 35. Sljivic, V.S., Radiation and the Phagocytic Function of the Reticuloendothelial System. II. Mechanism of RES Stimulation After Irradiation, *Br. J. Exp. Pathol.*, 51(2):140-148, 1970.
- 36. Smith, E.B., D.C. White, R.J. Hartsock, and A.C. Dixon, Acute Ultrastructural Effects of 500 Roentgens on the Lymph Node of the Mouse, *Am. J. Pathol.*, 50:159-165, 1967.
- 37. Song, C.W., and S.H. Levitt, In: Bond, V.P., et al. (eds), *Interaction of Radiation and Host Immune Defense Mechanisms in Malignancy*, Brookhaven Natl. Lab. Assoc. Univ. Inc., U.S. Atomic Energy Comm., Upton, NY, p. 222, 1974.
- 38. Sprent, J., R.E. Anderson, and J.F.A.P. Miller, Radiosensitivity of T and B Lymphocytes. II. Effect of Irradiation on Response of T Cells to Alloantigens, *Eur. J. Immunol.*, 4(3):204-210, 1974.
- 39. Suter, G.M., Responses of Hematopoietic System to X-rays, USAEC Doc. MDDC-824, U.S. Atomic Energy Comm., Oak Ridge, TN, 1974.

- 40. Tada, T., M. Taniguchi, and K. Okumura, Regulation of Homocytotropic Antibody Formation in the Rat. II. Effect of X-irradiation, *J. Immunol.*, 106(4):1012-1018, 1971.
- 41. Taliaferro, W.H., L.G. Taliaferro, and B.N. Jaroslow, *Radiation and Immune Mechanisms*, Academic Press, NY, 1964.
- 42. Trowell, O.A., The Sensitivity of Lymphocytes to Ionizing Radiation, *J. Path. Bact.*, 64:687-704, 1952.
- 43. Uhr, J.W., and M. Scharff, The Effect of X-radiation Upon Delayed Hypersensitivity and Antibody Formation in Guinea Pigs, *J. Exp. Med.*, 112:65-76, 1960.
- 44. Williams, G.M., Antigen Localization in Lymphopenic States. II. Further Studies on Whole Body X-irradiation, *Immunology*, 11:475, 1966.

APPENDIX A

BIBLIOGRAPHY

APPENDIX A

BIBLIOGRAPHY

A.1 READING LIST: BRAIN.

- 1. Allen, R.G., F.A. Brown, L.C. Logie, D.R. Rovner, S.G. Wilson, R.W. Zellmer, Acute Effects of Gamma Radiation in Primates, *School of Aviation Medicine*, *USAF Report No. 59-41*, 1959.
- 2. Altman, J., and W.J. Anderson, Experimental Reorganization of the Cerebellar Cortex. II. Effects of Elimination of Most Microneurons with Prolonged X-irradiation Started at Four Days, *J. Comp. Neur.*, 149:123-152, 1973.
- 3. Altman, J., Experimental Reorganization of the Cerebellar Cortex. III. Regeneration of the External Germinal Layer and Granule Cell Ectopia, J. Comp. Neur., 149:153-180, 1973.
- 4. Altman, J., Experimental Reorganization of the Cerebellar Cortex. IV. Parallel Fiber Reorientation Following Regeneration of the External Germinal Layer, J. Comp. Neur., 149:181-192, 1973.
- 5. Anderson, B., B. Larsson, L. Leksell, W. Mair, B. Rexed, and P. Sourander, Effect of Local Irradiation of the Central Nervous System with High Energy Protons, In *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 345-358, 1962.
- 6. Anderson, B., B. Larsson, L. Leksell, W. Mair, B. Rexed, P. Sourander, and J. Wennerstrand, Histopathology of Late Local Radiolesions in the Goat Brain, *Acta Radiologica Ther. Phys. Biol.*, 9:385-394, 1970.
- 7. Andrews, H.L., Species Differences in Response to High Radiation Doses, *Radiat. Res.*, 9:469-477, 1958.
- 8. Andrews, H.L., and K.C. Brace, Terminal Phenomena Associated with Massive Doses of X-rays, *Am. J. Physiol.*, 175:138-140, 1953.
- 9. Arnold, A., Effects of X-irradiation on the Hypothalamus: A Possible Explanation for the Therapeutic Benefits Following X-irradiation of the Hypophyseal Region for Pituitary Dysfunction, *J. Clin. Endocrinol. Metab.*, 14:859-868, 1954.
- 10. Arnold, A. and P. Bailey, Alterations in the Glial Cells Following Irradiation of the Brain in Primates, *AMA Arch. Path.*, 57:383-391, 1954.
- 11. Arnold, A., P. Bailey, and R.A. Harvey, Intolerance of the Primate Brainstem and Hypothalamus to Conventional and High Energy Radiations, *Neurology*, 4:575-585, 1954.
- 12. Bachofer, C.S., and S.E. Wittry, Electroretinogram in Response to X-ray Stimulation, *Science*, 133:642-644, 1961.

- 13. Bailey, O.T., F.D. Ingraham, and E.A. Bering, The Late Effects of Tantalum¹⁸² Radiation on the Cerebral Cortex of Monkeys, *J. Neuropathol. Exp. Neurol.*, 17:151-157, 1958.
- 14. Barcia-Salorio, J.L., V. Vanclocha, M. Cerda, J. Ciudad, and L. Lopez-Gomez, Response of Experimental Epileptic Focus to Focal Ionizing Radiation, *Appl. Neurophysiol.*, 50:359-364, 1987.
- 15. Bassant, M.H., and L. Court, Effects of Whole-Body Gamma Irradiation on the Activity of Rabbit Hippocampal Neurons, *Radiat. Res.*, 75:593-606, 1978.
- 16. Beckman, F.N., D.H. Bonney, and D.M. Hunter, Fundoscopic Alterations in the Rhesus Monkey Induced by Exposure to Heavy Ions (0+8) 250 MeV/nucleon, *Aerospace Med.*, 45(2):154-160, 1974.
- 17. Berg, N.O., and M. Lindgren, Relative Biological Effectiveness of CO⁶⁰ Gamma-Radiation and 200 KV Roentgen (HVL 0.93 mm CU) with Late Necrosis of Rabbits Brain as a Test System, *Acta Radiol. (Stockh.) Suppl.*, 188:41-53, 1959.
- 18. Betz, E., Radiopathology of External Irradiation, *Curr. Topics Radiat. Res. Quart.*, 9:30-34, 1973.
- 19. Bito, L.Z., and E.M. Klein, The Unique Sensitivity of the Rabbit Eye to X-ray-Induced Ocular Inflammation, *Exp. Eye Res.*, 33:403-412, 1981.
- 20. Blomstrand, C., B. Johansson, and B. Rosengren, Blood-Brain Barrier Lesions in Acute Hypertension in Rabbits after Unilateral X-ray Exposure of Brain, *Acta Neuropath. (Berl.)*, 31:97-102, 1975.
- 21. Blomstrand, C., B. Johansson, and B. Rosengren, Dexamethasone Effect on Blood-Brain Barrier Damage Caused by Acute Hypertension in X-irradiated Rabbits, *Acta Neurol. Scandinav.*, 52:331-334, 1975.
- 22. Bohne, B.A., J.E. Marks, G.P. Glasgow, Delayed Effects of Ionizing Radiation on the Ear, *Laryngoscope*, 95:818-828, 1985.
- 23. Bond, V.P., R.E. Carter, J.S. Robertson, P.H. Seymour, and H.H. Hechter, The Effects of Total-Body Fast Neutron Irradiation in Dogs, *Radiat. Res.*, 4:139-153, 1956.
- 24. Bonet-Maury, P., and F. Patti, Lethal Irradiation of Mice with High Doses of Roentgen and Gamma Rays, *Radiology*, 57:419-423, 1951.
- 25. Brace, K.C., H.L. Andrews, and E.C. Thompson, Early Radiation Death in Guinea Pigs, *Am. J. Physiol.*, 179:386-389, 1954.
- 26. Brightman, M.W., I. Klatzo, Y. Olsson and T.S. Reese, The Blood-Brain Barrier to Protein under Normal and Pathologic Conditions, *J. Neurol. Sci.*, 10:215-239, 1970.

- 27. Brooks, P.M., The Prompt Effects of Whole-Body Irradiation at a High Dose Rate on the Electroencephalogram of Monkeys, *Radiat. Res.*, 4:206-216, 1956.
- 28. Brownson, R.H., and L.W. McDonald, Selective, Acute Destruction of Granule-Cell Precursors in the Dentate Gyrus by Proton Irradiation, *Am. J. Pathol.*, 50:927-942, 1967.
- 29. Brust-Carmona, H., H. Kasprzak, and E.L. Gasteiger, Role of the Olfactory Bulbs in X-ray Detection, *Radiat. Res.*, 29:354-361, 1966.
- 30. Caster, W.O., E.S. Redgate, and W.D. Armstrong, Changes in the Central Nervous System after 700 R Total-Body X-irradiation, *Radiat. Res.*, 8:92-97, 1958.
- 31. Calvo, W., J.W. Hopewell, H.S. Reinhold, A.P. van den Berg, and T.K. Yeung, Dose-Dependent and Time-Dependent Changes in the Choroid Plexus of the Irradiated Rat Brain, *Brit. J. Radiol.*, 60:1109-1117, 1987.
- 32. Calvo, W., J.W. Hopewell, H.S. Reinhold, and T.K. Yeung, Radiation Induced Damage in the Choroid Plexus of the Rat Brain: A Histological Evaluation, *Neuropathol. Appl. Neurobiol.*, 12:47-61, 1986.
- 33. Catravas, G.N., and C.G. McHale, Activity Changes of Brain Enzymes in Rats Exposed to Different Qualities of Ionizing Radiation, *AFRRI Scientific Report for Defense Nuclear Agency SR73-19*, 1973.
- 34. Catravas, G.N., and C.G. McHale, Changed Activities of Brain Enzymes Involved in Neurotransmitter Metabolism in Rats Exposed to Different Qualities of Ionizing Radiation, *J. Neurochem.*, 24:673-676, 1975.
- 35. Catravas, G.N., S.J. Wright, P.J. Trocha, and J. Takenaga, Radiation Effects on Cyclic AMP, Cyclic GMP, and Amino Acid Levels in the CSF of the Primate, *Radiat. Res.*, 87:198-203, 1981.
- 36. Cavaggioni, A., G. Peracchia, and G. Rosati, Electrical Activity of the Ganglion Cells in Irradiated Retinas, *Radiat. Res.*, 39:685-704, 1969.
- 37. Caveness, W.F., and A.L. Carsten, Bilateral Depression of Photic Evoked Response from Unilateral Irradiation of the Visual Cortex, *Electroenceph. Clin. Neurophysiol. (Society Proceedings)*, 29:412, 1970.
- 38. Caveness, W.F., and T.L. Kemper, The Role of Anatomical and Functional Pathways in the Spread of Vasogenic Edema, *Trans. Am. Neurological Assoc.*, 102:71-73, 1977.
- 39. Caveness, W.F., A. Tanaka, K.H. Hess, T.L. Kemper, M.O. Tso, and L.E. Zimmerman, Delayed Brain Swelling and Functional Derangement after X-irradiation of the Right Visual Cortex in the Macaca Mulatta, *Radiat. Res.*, 57:104-120, 1974.
- 40. Caveness, W.F., L. Roizin, A. Carsten, and J.P. Schade, Early and Late Effects of X-irradiation on the Cerebral Cortex of the Monkey, *Trans. Am. Neurol. Assoc.*, 89:126-127, 1964.

- 41. Caveness, W.F., L. Roizin, A. Carsten, and J.P. Schade, The Effects of X-irradiation on the Cerebral Cortex of the Monkey, *Trans. Am. Neurol. Assoc.*, 92:188-193, 1967.
- 42. Caveness, W.F., M. Kato, and K.H. Hess, Remote Effects, in Time and Place, of X-irradiation of the Visual Cortex in the Monkey, *Trans. Am. Neurol. Assoc.*, 96:217, 1971.
- 43. Caveness, W.F., Pathology of Radiation Damage to the Normal Brain of the Monkey, *Natl. Cancer Inst. Monograph*, 46:57-76, 1977.
- 44. Caveness, W.F., T.L. Kemper, M.W. Brightman, R.G. Blasberg, and J.D. Fenstermacher, Directional Character of Vasogenic Edema, *Advances in Neurology*, 20:271-291, 1978.
- 45. Chaput, R.L., and P.A. Berardo, Increased Brain Radioresistance after Supralethal Irradiation, *Medical Physics*, 1:148-151, 1974.
- 46. Chaput, R.L., G.H. Zeman, and T.A. Strike, Gamma-Aminobutyric Acid and its Role in the Radiation Induced Central Nervous System Syndrome, *Fed. Proc.*, 32:348, 1973.
- 47. Chauser, B., C. Morris, S.B. Field, and P.D. Lewis, The Effects of Fast Neutrons and X-rays on the Subependymal Layer of the Rat Brain, *Radiology*, 122:821-823, 1977.
- 48. Christensen, H.D., and T.J. Haley, Distribution of Substance P in the Central Nervous System and Small Intestine of the Rat after X-irradiation, *Radiat. Res.*, 33:588-595, 1968.
- 49. Christensen, H.D., W.R. Smith, and T.J. Haley, Spectral Analysis of the Electrical Activity in the Cat's Visual System after X-irradiation, *Radiat. Res.*, 39:413-420, 1969.
- 50. Chrousos, G.P., D. Opolack, T. Brown, D. O'Neill, J. Schwade, and B.B. Bercu, Effects of Cranial Radiation on Hypothalmic-Adenophypophyseal Function: Abnormal Growth Hormone Secretory Dynamics, *J. Clin. Endocrinol. Metab.*, 54:1135-1139, 1982.
- 51. Clemente, C.D. and E.A. Holst, Pathological Changes in Neurons, Neuroglia, and Blood-Brain Barrier Induced by X-irradiation of Heads of Monkeys, *AMA Arch. Neurol. Psychiatry*, 71:66-79, 1954.
- 52. Cockerham, L.G., T.J. Cerveny, and J.D. Hampton, Postradiation Regional Cerebral Blood Flow in Primates, *Aviation, Space, and Environmental Medicine*, 57:578-582, 1986.
- 53. Cohan, S.L., G.N. Catravas, J.R. Abbott, and E.E. Ricks, The Effect of Supralethal Doses of Ionizing Radiation upon Mitochondria of the Rat Central Nervous System, *AFRRI Scientific Report for Defense Nuclear Agency SR72-12*, 1972.

- 54. Cohan, S.L., J.R. Abbott, and G.N. Catravas, The Effect of Ionizing Radiation upon Mitochondria of the Central Nervous System, *AFRRI Scientific Report for Defense Nuclear Agency SR72-17*, 1972.
- 55. Cooper, G.P. and D.J. Kimeldorf, Effects of Brain Lesions on Electroencephalographic Activation by 35 kvp and 100 kvp X-rays, *Intern. J. Radiation Biol.*, 9:101-105, 1965.
- 56. Cooper, G.P. and D.J. Kimeldorf, Electroencephalographic Desynchronization in Irradiated Rats with Transected Spinal Cords, *Science*, 143:1040-1041, 1964.
- 57. Cooper, G.P., and D.J. Kimeldorf, Responses of Single Neurons in the Olfactory Bulbs of Rabbits, Dogs, and Cats to X-rays, *Experientia*, 23:137-138, 1967.
- 58. Cooper, G.P., Effects of High-Dose X-irradiation on Olfaction in Anesthetized Rabbits, *Radiat. Res.*, 38:544-550, 1969.
- 59. Cordts, R.E., K.P. Ferlic, M.G. Yochmowitz, and J.L. Mattsson, Emesis ED50 of Neutron Irradiation and Prophylactic Effectiveness, *U.S. Air Force School of Aerospace Medicine USAFSAM-TR-85-46*, 1985.
- 60. Crepel, F., and N. Delhaye-Bouchaud, Distribution of Climbing Fibres on Cerebellar Purkinje Cells in X-irradiated Rats. An Electrophysiological Study, *J. Physiol.*, 290:97-112, 1979.
- 61. Dahlstrom, A., J. Haggendal, and B. Rosengren, The Effect of Roentgen Irradiation on Monoamine Containing Neurons in the Rat Brain, *Acta Radiolog. Ther. Physics Biol.*, 12:191-200, 1973.
- 62. Darden, J.H., A.A. Rene, and J.L. Parker, Acetylcholinesterase Activity in Synaptic Vesicles of the Medulla of Rats Exposed to High Doses of Gamma-Neutron Radiation, AFFRI Scientific Report for Defense Nuclear Agency SR71-5, 1971.
- 63. Daugherty, J.H., and C.D. Barnes, Sites of Radiation Sensitivity in the Visual System as Assessed by Double Light Flash, *Radiat. Res.*, 55:169-176, 1973.
- 64. Davidoff, M., C.G. Dyke, C.A. Elsberg, and I.M. Tarlov, The Effect of Radiation Applied Directly to Brain and Spinal Cord. I. Experimental Investigations on Macacas Rhesus Monkeys, *Radiology*, 31:451-463, 1938.
- 65. de Estable-Puig, R.F., and J.F. Estable-Puig, Cerebellar Synaptic Degeneration by X-rays, *Brain Res.*, 21:289-291, 1970.
- 66. de Estable-Puig, R.F., and J.F. Estable-Puig, Fine Structural Study on the Response of the Cerebellar Cortex to Acute Radiation Injury, *Exp. Path.*, 9:231-246, 1974.
- 67. de Estable-Puig, R.F., M-L.L. de Slobodrain, J.F. Estable-Puig, and J.P. Agnard, SEM Study of Brain Macrophages with Quantitative Data on Cell

- Surface Areas and Volumes, *Scanning Electron Microscopy*, Proceedings of the Workshop on Advances in Biomedical Applications of the SEM, 1976.
- 68. de Haan, H.J., S.J. Kaplan, and J.E. Germas, Visual Discrimination Performance in the Monkey Following a 5000-rad Pulse of Mixed Gamma-Neutron Radiation, *AFRRI Scientific Report for Defense Nuclear Agency SR69-1*, 1969.
- 69. De, A.K., S. Chipalkatti, and A.S. Aiyar, Effects of Chronic Irradiation of Age-Related Biochemical Changes in Mice, *Radiat. Res.*, 95:637-645, 1983.
- 70. Drsata, J., and I.M. Hais, Effect of Ionizing Radiation on Aromatic Amino Acid Decarboxylase Activity of Rat Brain and Its Major Regions, Sbornik Vedeckych Praci Lekarske Fakulty Karlovy University v Hradci Kralove, 17:155-163, 1974.
- 71. Eldred, E., and W.V. Trowbridge, Neurological and EEG Findings in the Monkey after Total Body X-irradiation, *Electroencephalogr. Clin. Neurophysiol.*, 5:259-270, 1953.
- 72. Ferszt, R., J. Cervos-Navarro, S. Sasaki, S. Neu, and M. Brock, Vesicular Transport through Endothelial Cells in Focal Brain Edema, *Advances in Neurology*, 20:293-301, 1978.
- 73. Ferszt, R., S. Neu, J. Cervos-Navarro, and J. Sperner, The Spreading of Focal Brain Edema Induced by Ultraviolet Irradiation, *Acta Neuropath.* (Berl.), 42:223-229, 1978.
- 74. Fike, J.R., C.E. Cann, R.L. Davis, and T.L. Phillips, Radiation Effects in the Canine Brain Evaluated by Quantitative Computed Tomography, *Radiology*, 144:603-608, 1982.
- 75. Fike, J.R., C.E. Cann, R.L. Davis, J.K. Borcich, T.L. Phillips, and L.B. Russell, Computed Tomography Analysis of the Canine Brain: Effects of Hemibrain X-irradiation, *Radiat. Res.*, 99:294-310, 1984.
- 76. Gaffey, C.T., Blockage of Pupillodilation with Cyclotron-Accelerated Alpha Particles, *Acta Radiologica Ther. Phys. Biol.*, 5:105-117, 1966.
- 77. Gangloff, H., and T.J. Haley, Effects of X-irradiation on Spontaneous and Evoked Brain Electrical Activity in Cats, *Radiat. Res.*, 12:694-704, 1960.
- 78. Gangloff, H. and T.J. Haley, Veranderungen der Eektrischen Hirntatigkeut bei Katzen nach Rontgentotalbestrahlung, *Experientia*, 15:397-399, 1959.
- 79. Garcia, J., N.A. Buchwald, G. Bach-y-Rita, G.H. Feder, and R.A. Kowlling, Electroencephalographic Responses to Ionizing Radiation, *Science*, 1963.
- 80. Gerber, G.B., J. Deroo, B. Bessemans, H.S. Reinhold, and A.A.C. Verwey-Versteeg, Late Effects in the Central Nervous System. A Study of Biochemical Alterations after Local Exposure of the Rat Brain to 2 krad, Strahlentherapie, 151:530-540, 1976.

- 81. Gerstner, H.B., and S.P. Kent, Early Effects of Head X-irradiation in Rabbits, *Radiat. Res.*, 6:626-644, 1957.
- 82. Gerstner, H.B., J.E. Pickering, and A.J. Dugi, Sequelae after Application of High-Intensity X-radiation to the Head of Rabbits, *Radiat. Res.*, 2:219-226, 1955.
- 83. Gerstner, H.B., P.M. Brooks, E.S. Vogel, and S.A. Smith, Effect of Head X-irradiation in Rabbits on Aortic Blood Pressure, Brain Water Content, and Cerebral Histology, *Radiat. Res.*, 5:318-331, 1956.
- 84. Golley, F.B., E.L. Rauber, E.L. Morgan, and J.H. Jenkins, Effect of Acute Gamma Radiation on Wild Opossum, Gray Fox, Raccoon and Bobcat, *Health Physics*, 11:1573-1576, 1965.
- 85. Gregersen, M.I., C. Pallavicini, and S. Chien, Studies on the Chemical Composition of the Central Nervous System in Relation to the Effects of X-irradiation and of Disturbances in Water and Salt Balance, *Radiat. Res.*, 17:209-225, 1962.
- 86. Griffin, T.W., J. S. Rasey, and W.A. Bleyer, The Effect of Photon Irradiation on Blood-Brain Barrier Permeability to Methotrexate in Mice, *Cancer*, 40:1109-1111, 1977.
- 87. Gueneau, G., J. Brouet, A. Privat, and L. Court, Differential Radiosensitivity of Neurons and Neuroglia of the Hippocampus in the Adult Rabbit, *Acta Neuropathol. (Berl.)*, 48:199-209, 1979.
- 88. Hager, H., W. Hirschberger, and A. Breit, Electron Microscope Observations on the X-irradiated Central Nervous System in the Syrian Hamster, In *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 261-275, 1962.
- 89. Haley, T.J., Changes Induced in Brain Activity by Low Doses of X-irradiation, In *Effects of Ionizing Radiation on the Nervous System; Proceedings,* International Atomic Energy Agency, Vienna, pp. 171-185, 1962.
- 90. Hassler, O., and A. Movin, Microangiographic Studies on Changes in the Cerebral Vessels after Irradiation. I. Lesions in the Rabbit Produced by 60-Co Gamma Rays, 195kV and 34 MV Roentgen Rays, Acta Radiologica Ther. Phys. Biol., 5:279-288, 1966.
- 91. Haymaker, W., Delayed Radionecrosis of the Brain in Monkeys, J. Neuropathol. Exp. Neurol., 27:118-119, 1968.
- 92. Haymaker, W., Morphologic Changes in the Nervous System Following Exposure to Ionizing Radiation, in *Effects of Ionizing Radiation of the Nervous System: Proceedings,* International Atomic Energy Agency, Vienna, Austria, pp. 309-359, 1962.

- 93. Haymaker, W., M.Z.M. Ibrahim, J. Miquel, N. Call, and A.J. Riopelle, Delayed Radiation Effects in the Brains of Monkeys Exposed to X- and Gamma-Rays, J. Neuropath. Exp. Neurol., 27:50-79, 1968.
- 94. Haymaker, W., M.Z.M. Ibrahim, J. Miquel, N. Call, P. Noden, W. Ashley, E.R. Ballinger, J. Ghidoni, I.R. Lindsay, A.J. Gehar, and G. Baker, Acute Changes in the Central Nervous System of Monkeys Exposed to Protons, J. Neuropath. Expt. Neurol., 31:72-101, 1972.
- 95. Haymaker, W., W.J.H. Nauta, J.C. Sloper, G. Laqueur, J.E. Pickering, and F.S. Vogel, The Effects of Barium¹⁴⁰ Lanthanum¹⁴⁰ (Gamma) Radiation on the Central Nervous System and Pituitary Gland of Macaque Monkeys, *J. Neuropathol. Exp. Neurol.*, 17:12-57, 1958.
- 96. Hicks, S.P., and P.O. Montgomery, Effects of Acute Radiation on the Adult Mammalian Central Nervous System, *Proc. Soc. Exper. Biol. and Med.*, 80:15-18, 1952.
- 97. Hopewell, J.W., and E.A. Wright, The Nature of Latent Cerebral Irradiation Damage and Its Modification by Hypertension, *Br. J. Radiol.*, 43:161-167, 1970.
- 98. Hopewell, J.W., and J.B. Cavanagh, Effects of X-irradiation of the Mitotic Activity of the Subependymal Plate of Rats, *Brit. J. Radiol.*, 45:461-465, 1972.
- 99. Hornsey, S., C.C. Morris, and R. Myers, The Relationship Between Fractionation and Total Dose for X-ray Induced Brain Damage, *Int. J. Radiat. Oncol. Biol. Phys.*, 7:393-396, 1981.
- 100. Hristic, M., and V. Pantic, Hypothalamic Nuclei of Rats after Head Irradiation and Adrenocortical Hormone Treatment, *Int. J. Radiat. Biol.*, 26:147-159, 1976.
- 101. Hsu, L.L., T. Samorajski, J.M. Ordy, H. Bose, and H.J. Curtis, Regional Changes in Brain Catecholamines after Proton Irradiation of the Striate Cortex in the Squirrel Monkey, *Journal of Neurochemistry*, 18:1719-1724, 1971.
- 102. Hsu, L.L., T. Samorajski, J.M. Ordy, H. Bose, and H.J. Curtis, Regional Changes in Brain Catecholamines after Proton Irradiation of the Striate Cortex in the Squirrel Monkey, *J. Neurochem.*, 18:1719-1724, 1971.
- 103. Hubbard, B.M., and J.W. Hopewell, Quantitative Changes in the Cellularity of the Rat Subependymal Plate after X-irradiation, *Cell Tissue Kinet.*, 13:403-413, 1980.
- Hull, C.D., J. Garcia, N.A. Buchwald, B. Dubrowsky, and B.H. Feder, Role of the Olfactory System in Arousal to X-ray, *Nature*, 200:627-628, 1965.
- Hunt, E.L., and D.J. Kimeldorf, Arousal Reactions with a Brief Partial- and Whole-Body X-ray Exposure, *Nature*, 200:536-538, 1963.

- 106. Hunt, E.L., Prompt Reactions of the Rabbit to X-rays, *Naval Radiological Defense Laboratory NRDL-TR-69-17*, 1969.
- 107. Hunt, W.A., and T.K. Dalton, Reduction in Cyclic Nucleotide Levels in the Brain after a High Dose of Ionizing Radiation, *Radiat. Res.*, 83:210-215, 1980.
- 108. Hunt, W.A., and T.K. Dalton, Synthesis and Degradation of Cyclic Nucleotides in Brain after a High Dose of Ionizing Radiation, *Radiat. Res.*, 85:604-608, 1981.
- 109. Hunt, W.A., T.K. Dalton, and J.H. Darden, Transient Alterations in Neurotransmitter Activity in the Caudate Nucleus of Rat Brain after a High Dose of Ionizing Radiation, *Radiat. Res.*, 80:556-562, 1979.
- 110. Innes, J.R., and S. Carsten, Delayed Effects of Localized X-irradiation of the Nervous System of Experimental Rats and Monkeys, *Brookhaven Symp. Biol.*, 14:200-203, 1961.
- 111. Iwanowski, L., and M. Ostenda, Ultrastructure of Rat Cerebral Vessels 4 Months after Gamma Irradiation, *Neuropat. Pol.*, 13:527-529, 1975.
- 112. Izosimov, G.V., Effect of Destruction of Reticular Formation of the Mesencephalon and Hypothalamus upon Bio-Electric Reactions of the Cerebral Cortex during Acute Radiation Sickness, *Radiobiologiya*, 1:535-542, 1961; USAEC Rept. AEC-tr-5425, pp. 110-121.
- 113. Kabal, J., L.P. Kirschner, L.J. Parkhurst, and D.E. Wyant, Hyperosmolar Coma as Etiology Factor in the CNS Radiation Syndrome of Rats, *Experientia*, 35:901-902, 1978.
- 114. Kagan, A.R., R.J. Steckel, P. Cancilla, G. Juillard, and T. Patin, The Pathogenesis of Brain Necrosis: Time and Dose Parameters, *Int. J. Radiation Oncology Biol. Phys.*, 1:729-732, 1976.
- 115. Kamen, B.A., J.E. Moulder, L.E. Kun, B.J. Ring, S.M. Adams, B.L. Fish, and J.S. Holcenberg, Effects of Single-Dose and Fractionated Cranial Irradiation on Rat Brain Accumulation of Methotrexate, *Cancer Res.*, 44:5092-5094, 1984.
- 116. Keyeux, A., Late Modifications of Cephalic Circulation in Head X-Irradiated Rats, *Rad. Environm. Biophys.*, 13:125-135, 1976.
- 117. Kocmeirska-Grodzka, D., A. Romatowska, and A. Szymanski, Investigations in the Relations between the Biochemical Changes in the Brain and Behavior of Irradiated Rats, *Strahlentherapie*, 150:102-108, 1975.
- 118. Kocmierska-Grodzka, D., and G.B. Gerber, Serotonin and Proteolytic Enzymes in Brain of Irradiated Animals, *Pol. J. Pharmacol. Pharm.*, 27:119-125, 1975.
- 119. Kosvakov, N.S., The Influence of X-rays on the Catalase Activity in the Brains of Mice, *Med. Radiol.*, 5:76-77, 1960.

- 120. Kruger, L., and J. Hamori, An Electron Microscopic Study of Dendritic Degeneration in the Cerebral Cortex Resulting from Laminar Lesions, Exp. Brain Res., 10:1-16, 1970.
- 121. Lach, H., Z. Srebro, and S. Krawczyk, The Influence of Low-Energy X-irradiation on Neurosecretory Activity in the Hypothalamus of Mice, *Folia Biologica*, 21:313-318, 1973.
- 122. Larsson, B., Blood Vessel Changes Following Local Irradiation of the Brain with High-Energy Protons, *Aeta Soc. Med. Upsalien.*, 65:61-71, 1960.
- 123. Lebedinsky, A.V., On the Biological Effects of Radiation (Comprehensive United Nations Report), *Proceedings of the Second U.N. International Conf. on the Peaceful Uses of Atomic Energy*, 22:15-16, 1958.
- 124. Leith, J.T., and C.K. Levy, Intracerebral Temperature Changes after X-irradiation in the Rabbit, *Int. J. Radiat. Biol.*, 18:291-295, 1970.
- 125. Lippincott, S.W., E.E. Stickley, W. Calvo, and L.E. Farr, Early Neuropathological Responses to 2.2 GeV Protons in Rabbits, Strahlentherapie, 136:178-182, 1967.
- 126. Livanov, M.N and D.A. Biryukov, Changes in the Nervous System Caused by Ionizing Radiation, *Proceedings of the Second U.N. International Conf. on the Peaceful Uses of Atomic Energy*, 22:269-281, 1958.
- 127. Lovelace, W.E., and R.T. Davis, Minimum-Separable Visual Acuity of Rhesus Monkeys as a Function of Aging and Whole-Body Radiation with X-rays, *J. Genetic Psychology*, 103:251-257, 1963.
- 128. Lucas, D.R., The Effect of X-rays on the Metabolism of the Retina, *Int. J. Rad. Biol.*, 10(6):551-565, 1966.
- 129. Lundqvist, H., K. Rosander, M. Lomanov, V. Lukjashin, G. Shimchuk, V. Zolotov and E. Minakova, Permeability of the Blood-Brain Barrier in the Rat after Local Proton Irradiation, *Acta Radiolog. Oncol.*, 21:267-271, 1982.
- 130. Lyman, R.S., P.S. Jupalov, and W. Scholz, Effect of Roentgen Rays on the Central Nervous System. Results of Large Doses on the Brains of Adult Dogs. A.M.A. Arch. Neurol. Psychiat., 29:56-87, 1933.
- 131. Lyubimova-Gerasimoya, R.M., Change of Cerebral Circulation after a Total-Body Ionizing Irradiation of an Animal, *Med. Radiol.*, 5(4):24-29, 1960.
- Mariani, J., C. Mulle, B. Geoffroy, and N. Delhaye-Bouchaud, Peripheral Maps and Synapse Elimination in the Cerebellum of the Rat. II. Representation of Peripheral Inputs through the Climbing Fiber Pathway in the Posterior Vermis of X-irradiated Adult Rats, *Brain Res.*, 421:211-225, 1987.

- 133. Martins, A.N., R.E. Severance, J.M. Henry, and T.F. Doyle, Experimental Delayed Radiation Necrosis of the Brain. Part 1: Effect of Early Dexamethasone Treatment, *J. Neurosurg.*, 51:587-596, 1979.
- 134. Mastaglia, F.L., W.I. McDonald, J. Watson, and K. Yogendran, Early Effects of X-irradiation on Central Nerve Fibers, *British J. Radiol.*, 48:1042-1043, 1975.
- 135. Maxwell, D.S., and L. Kruger, The Reactive Oligodendrocyte. An Electron Microscopic Study of Cerebral Cortex Following Alpha Particle Irradiation, *Am. J. Anat.*, 118:437-460.
- 136. McDonald, L.W., and T.L. Hayes, The Role of Capillaries in the Pathogenesis of Delayed Radionecrosis of Brain, *Am. J. Pathol.*, 50:745-764, 1967.
- 137. McFarland, W.L., and S.G. Levin, Effects of Pulsed Gamma-Neutron Irradiation on the EEG and Behavior of the Monkey, AFRRI Scientific Report for Defense Nuclear Agency SR72-8, 1972.
- 138. Mickley, G.A., G.R. Sessions, V. Bogo, and K.H. Chantry, Evidence for Endorphin-Mediated Cross-Tolerance between Chronic Stress and the Behavioral Effects of Ionizing Radiation, *Life Sciences*, 33:749-754, 1983.
- 139. Mickley, G.A., K.E. Stevens, G.A. White, and G.L. Gibbs, Endogenous Opiates Mediate Radiogenic Behavioral Change, *Science*, 220:1185-1187, 1983.
- 140. Miletich, D.J., and T.A. Strike, Alteration of Postirradiation Hypotension and Incapacitation in the Monkey by Administration of Vasopressor Drugs, *AFFRI Scientific Report for Defense Nuclear Agency SR70-1*, 1970.
- 141. Miline, R., V. Devecerski, M. Dedic, and J. Miline, Changes of Subcommissural Organ in Irradiation Syndrome, *Endocrinologia Experimentalis*, 8:299-309, 1974.
- 142. Minamisawa, T., T. Tsuchiya, and H. Eto, Changes in the Averaged Evoked Potentials of the Rabbit During and After Fractionated X-irradiation, *Electroenceph. Clin. Neurophysiol.*, 33:591-601, 1972.
- 143. Minamisawa, T., T. Maruyama, and Y. Noda, Late Effects of Fast Neutrons and X-rays on Adult Rabbit Brain, *J. Radiat. Res.*, 27:315-318, 1986.
- 144. Miquel, J., P.R. Lundgren, and J.O. Jenkins, Effects of Roentgen Padiation on Glycogen Metabolism of the Rat Brain, Acta Radiologica Ther. Phys. Biol., 5:123-132, 1966.
- 145. Monnier, M., and P. Krupp, Action of Gamma Radiation on Electrical Brain Activity, In *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 607-619, 1962.
- 146. Monnier, M., and P. Krupp, Early Action of Gamma Radiations on Electrical Brain Activity and Behavior in the Rabbit, *Experiment. Neurol.*, 3:419-431, 1961.

- 147. Moustafa, H.F., and J.W. Hopewell, Late Functional Changes in the Vasculature of the Rat Brain after Local X-irradiation, *Brit. J. Radiol.*, 53:21-25, 1980.
- 148. Murphy, J.E., and J.D. Harris, Negligible Effects of X-radiation of the Head upon Hearing in the Rat, *J. Auditory Res.*, 1:117-132, 1961.
- 149. Nair, V., H. Sugano, and L.J. Roth, Recovery of Central Nervous System Functions Impaired by Lethal Head X-irradiation, *Proc. Soc. Exptl. Biol. Med.*, 112:273-277, 1963.
- 150. Naitoh, P., F.A. Spurell, and G.T. Heistad, Effect of Whole Brain Cobalt-60 Gamma Irradiation on Cortical Arousal in the Burro, *Electroenceph. Clin. Neurophysiol.*, 19:172-181, 1965.
- 151. Nathan, M.A., and D.J. Craig, Effect of High-Energy X-ray and Pulsed Gamma-Neutron Radiation on Brain Blood Flow, Vascular Resistance, Blood Pressure, and Heart Rate in Monkeys, *Radiat. Res.*, 50:543-555, 1972.
- 152. Norris, W.P., T.E. Fritz, C.E. Rehfeld, and C.M. Poole, The Response of the Beagle Dog to Cobalt-60 Gamma Radiation: Determination of the LD50(30) and Description of Associated Changes, *Radiat. Res.*, 35:681-708, 1968.
- 153. O'Neill, R.R., S. Wakisaka, and B.L. Malamut, Computer Assisted Tomography of Focal Cerebral Radiation Necrosis in the Monkey.
- 154. Olsson, Y., A.L. Carsten, and I. Klatzo, Effects of Gamma Radiation on the Shark Brain, *Acta Neuropath. (Berl.)*, 21:1-10, 1972.
- 155. Ono, Y., A. Tsuya, and M. Kawakami, Effects of Head Irradiation on Paradoxical Sleep (EEG Afterreaction) in the Rabbit, *Radiat. Res.*, 38:365-378, 1969.
- 156. Ordy, J.M., H.W. Barnes, T. Samorajski, H.J. Curtis, L. Wolin, and W. Zeman, Pathologic and Behavioral Changes in Mice after Deuteron Irradiation of the Central Nervous System, *Radiat. Res.*, 18:31-45, 1963.
- 157. Ordy, J.M., T. Samorajski, L.A. Horrocks, W. Zeman, and H.J. Curtis, Changes in Memory, Electrophysiology, Neurochemistry and Neuronal Ultrastructure after Deuteron Irradiation of the Brain in C57BL/10 Mice, J. Neurchem., 15:1245-1256, 1968.
- 158. Ordy, J.M., T. Samorajski, W. Zeman, R.L. Collins, and H.J. Curtis, Long-Term Pathologic and Behavioral Changes in Mice after Focal Deuteron Irradiation of the Brain, *Radiat. Res.*, 20:30-42, 1963.
- 159. Overall, J.E., W.L. Brown, and L.C. Logie, Instrumental Behavior of Albino Rats in Response to Incident X-radiation, *Brit. J. Radiol.*, 32:411-414, 1959.

- 160. Palaic, D., and Z. Supek, Liberation of 5-Hydroxytryptamine in the Rat Brain-Stem after X-irradiation, *Int. J. Rad. Biol.*, 9:601-604, 1965.
- 161. Pausescu, E., M. Popescu, C. Paun, and T. Teodosiu, Dynamics of the Changes in the Tissular Levels of Cyclic AMP after Cobalt-60 Gamma-Irradiation, *Strahlentherapie*, 151:165-171, 1976.
- 162. Peng, M., S. Chien, and M.I. Gregersen, Effect of Large Doses of Head Irradiation in Dogs, *Am. J. Physiol.*, 194:344-350, 1958.
- 163. Pollack, M. and P.S. Timiras, X-ray Dose and Electroconvulsive Responses in Adult Rats, *Radiat. Res.*, 21:111-119, 1964.
- 164. Rabassini, A., C.S. Rossi, G. Gregolin, Adenosine Triphosphate Activity of the Brain of Rats Submitted to X-irradiation, *Ital. J. Biochem.*, 10:84-87, 1961.
- 165. Rabin, B.M., W.A. Hunt, and J. Lee, Attenuation of Radiation- and Drug-Induced Conditioned Taste Aversions Following Area Postrema Lesions in the Rat, *Radiat. Res.*, 93:388-394, 1983.
- 166. Rea, M.A., and W.J. McBride, Effects of X-irradiation on the Levels of Glutamate, Aspartate and Gaba in Different Regions of the Cerebellum of the Rat, *Life Sciences*, 23:2355-2360, 1978.
- 167. Remler, M.P., and W.H. Marcussen, Time Course of Early Delayed Blood-Brain Barrier Changes in Individual Cats after Ionizing Radiation, Experimenta Neurology, 73:310-314, 1981.
- 168. Remler, M.P., and W.J. Marcussen, The Blood-Brain Barrier Lesion and the Systemic Convulsant Model of Epilepsy, *Epilepsia*, 25:574-577, 1984.
- 169. Rene, A.A., J.L. Parker, J.H. Darden, and N.A. Eaton, Effect of a Supralethal Dose of Radiation on the Blood-Brain Barrier, *AFFRI Scientific Report for Defense Nuclear Agency SR73-2*, 1973.
- 170. Reyners, H., E. Gianfelici de Reyners, and J.-R. Maisin, Early Cell Regeneration Processes after Split-Dose X-irradiation of the Cerebral Cortex of the Rat, *Br. J. Cancer*, P53:218-220, 1986.
- 171. Rogers, M., R. Myers, T. Jenkinson, and S. Hornsey, Histology of the Irradiated Rat Brain in the First Post-Irradiation Year, *Br. J. Radiol.*, 55:208-212, 1982.
- 172. Rolsten, C., J.M. Ordy, and T. Samorjski, Age and Sex Differences in Mortality after Proton Irradiation of the Brain during Maturity and Aging in C57BL/10 Mice, *J. Gerontology*, 28(4):460-465, 1973.
- 173. Romatowska, A., and D. Kocmierska-Grodzka, The Convulsive Action of Pentylemetetrazol and Electroshock in Irradiated Rats, *Pol. J. Pharmacol. Pharm.*, 29:335-343, 1977.
- 174. Rosenthal, F., and P.S. Timiras, Changes in Brain Excitability after Whole-Body X-irradiation in the Rat, *Radiat. Res.*, 15:648-657, 1961.

- 175. Rosenthal, F. and P.S. Timiras, Threshold and Pattern of Electroshock Seizures after 250R Whole-Body X-irradiation in Rats, *Proc. Soc. Exptl. Biol. Med.*, 108:267-270, 1961.
- 176. Ross, J.A.T., S.R. Leavitt, E.A. Holst, and C.D. Ciemente, Neurological and Electroencephalographic Effects of X-irradiation of the Head in Monkeys, *AMA Arch. Neurol. and Psychiat.*, 71:232-249, 1954.
- 177. Rowley, G.R., and R.J. Dellenback, Studies on the Chemical Composition of the Central Nervous System in Relation to the Effects of X-irradiation and of Disturbances in Water and Salt Balance. IV. Effects of X-irradiation on the Chemical Composition of Rabbit Brain, *Radiat. Res.*, 17:244-252, 1962.
- 178. Russell, D.S., C.W. Wilson, and K. Tansley, Experimental Radio-Necrosis of the Brain in Rabbits, *J. Neurol. Neurosurg. Psychiat.*, 12:187-195, 1949.
- 179. Sabine, J.C., Effects of Total Body X-irradiation and Plutonium Injection on the Cholinesterase of Erythrocytes and Brain, *Am. J. Physiol.*, 187:275-279, 1956.
- 180. Samorajski, T., C. Rolsten, and H.J. Curtis, Changes in Neurochemistry and Neuronal Morphology after Exposure of the Mouse Brain to Lethal Levels of Focal Irradiation, *Anat. Rec.*, 168:203-220, 1970.
- 181. Sams, C.F., R.B. Aird, G. Adams, G. Ellman, and S. Endo, A Functional Response of the Central Nervous System to Low-Level Irradiation, *Trans. Am. Neurolog. Assoc.*, 89:128-132, 1964.
- 182. Sams, C.F., S. Endo, R.B. Aird, G.D. Adams, and G.L. Ellman, Functional Response of the Central Nervous System of Dogs to Low-Level Irradiation, *Acta Radiologica Ther. Phys. Biol.*, 5:177-184, 1966.
- 183. Schettler, T., and C.N. Shealy, Experimental Selective Alteration of Blood-Brain Barrier by X-irradiation, *J. Neurosurg.*, 32:89-94, 1970.
- 184. Schoenbrun, R.L., E. Campeau, and W.R. Adey, EEG and Behavioral Effects from X-irradiation of the Hippocampal System, In *Response of the Nervous System to Ionizing Radiation* (2nd Intern. Symp.), Little, Brown & Company, Boston, Mass., pp. 591-620, 1964.
- 185. Scholz, W., Ober die Empfindlichkeit des Gehirns fur Roentgen-und Radium-Strahlen, Klin, *Wochschr.*, 9:189-193, 1935.
- 186. Scholz, W., W. Schlote, and W. Hirschberger, Morphological Effect of Repeated Low Dosage and Single High Dosage Application of X-irradiation to the Central Nervous System, in Response of the Nervous System to Ionizing Radiation, Academic Press, Inc., NY, pp. 211-232, 1962.
- 187. Scholz, W., H. Hager, W. Hirschberger, and A. Breit, Research on Toxicity Changes in the Central Nervous System. The Response of the Central Nervous Tissue to X-irradiation Histological and Electronmicroscopical

- Investigation, School of Aviation Medicine of the Air Research and Development Command, USAF through its European Office Technical Report for Contract AF 61(052)-341, 1961.
- 188. Schwabedal, P., R. Bock, and C. Winkler, Influence of Adrenalectomy, Total-Body X-irradiation and Dexamethasone on the Amount of CRF-Granules and "Classical" Neurosecretory Material in the Rat Neurohypophysis, *Anat. Embryol.*, 148:267-278, 1975.
- 189. Schwartzbaum, J.S., E.L. Hunt, B.P. Davies, and D.J. Kimeldorf, The Effect of Whole-Body X-irradiation on the Electroconvulsive Threshold in the Rat, *J. Comp. Physiol. Psychol.*, 51:181-184, 1958.
- 190. Sherwood, N.M., G.P. Welch, and P.S. Timiras, Changes in Electroconvulsive Thresholds and Patterns in Rats after X-ray and High Energy Proton Irradiation, *Radiat. Res.*, 30:371-390, 1967.
- 191. Speck, L.B., Effects of Massive X-irradiation on Rat Electroencephalograms and Brain Serotonin, *J. Neurochem.*, 9:573-574, 1962.
- 192. Srebro, Z., H. Lach, and E. Szirmai, A Novel Aspect of the Response of the Central Nervous System to Irradiation: The Peroxidase-Positive Glia, *Radiat. Res.*, 50:65-72, 1972.
- 193. Srebro, Z., Periventricular Gomori-Positive Glia in Brains of X-irradiated Rats, *Brain Res.*, 35:463-468, 1971.
- 194. Stepanovic, S.R., and J.L. Nikolic, The Effect of X-irradiation on the Amount of Dopamine in Corpus Striatum of the Rat, *Experientia*, 35:111-112, 1979.
- 195. Szczawinska, K., A. Chodera, Z. Wojciak, and I. Kozaryn, Changes in the Pharmacodynamics and Pharmacokinetics of Psycholeptic Drugs in Radiation-Sickness. Effects of X-ray Radiation on Pharmacodynamic Activity of Nitrazepam in Animals, *Acta Physiol. Pol.*, 26:523-527, 1975.
- 196. Taylor, H.L., J.C. Smith, and A.H. Wall, Effect of Bilateral Olfactory Tract Lesions on Behavioral Detection of X-rays in the Rhesus Monkey, USAF Aeromedical Research Laboratory ARL-TR-68-7, 1968.
- 197. Teskey, G.C. and M. Kavaliers, Ionizing Radiation Induced Opioid-Mediated Analgesia in Male Mice, *Life Sciences*, 35:1547-1552, 1984.
- 198. Tester, J.R., J.W. Ternes, and D.B. Siniff, Behavior and Mortality of Free-Ranging-Raccoons, Snowshoe Hares, and Striped Skunks after Exposure to 300 R Gamma Radiation, *Radiat. Res.*, 69:500-512, 1977.
- 199. Tiller-Borcich, J.K., J.R. Fike, T.L. Phillips, and R.L. Davis, Pathology of Delayed Radiation Brain Damage: An Experimental Canine Model, Radiat. Res., 110:161-172, 1987.
- 200. Timiras, P.S., D.E. Woolley, A.J. Silva, and B. Williams, Changes in the Electrical Activity of the Olfactory Cortex Induced by Radiation and Drugs, *Radiat. Res.*, 30:391-403, 1967.

- 201. Tolle, A.E., E.J. Nathaniel, and C.D. Clemente, Neurological Signs Following Head Irradiation in Adult Cats (Abstract), *Anat. Record*, 130:443, 1958.
- 202. Trocha, P.J., and G.N. Catravas, Prostaglandin Levels and Lysosomal Enzyme Activities in Irradiated Rats, *Int. J. Radiat. Biol.*, 38(5):503-511, 1980.
- 203. Trocha, P.J., and G.N. Catravas, Prostaglandins, Lysosomes, and Radiation Injury, In Samuelson, B., Ramwell, P.W., and Paoletti, R., (eds), *Advances in Prostaglandin and Thromboxane Research*, Raven Press, New York, pp. 851-856, 1980.
- 204. Trocha, P.J., and G.N. Catravas, Variation in Cyclic Nucleotide Levels and Lysosomal Enzyme Activities in the Irradiated Rat, *Radiat. Res.*, 83:658-667, 1980.
- 205. Turbyfill, C.L., J.H. Flinton, R.M. Roudon, and V.A. Kieffer, Lateral Ventricular Pressure Changes in the Monkey Induced by Supralethal Doses of Mixed Gamma-Neutron Radiation, AFFRI Scientific Report for Defense Nuclear Agency SR72-21, 1972.
- 206. Uzzell, B.P., D.E. Sheer, Decreases in 40-Hz EEG Activity in the Olfactory Bulb Following Gamma-Irradiation of the Cat, *Radiat. Res.*, 46:343-352, 1971.
- 207. Van Cleave, C.D., *Irradiation and the Nervous System,* Rowman and Littlefield, Inc., New York, 1963.
- 208. Veninga, T.S., Implication of Bioamines in the X-Ray-Induced Temperature Response of Cats and Rabbits, *Radiat. Res.*, 48:358-367, 1971.
- 209. Vogel, F.S., Changes in the Fine Structure of Cerebellar Neurons Following Ionizing Radiation, *J. Neuropathol. Exp. Neurol.*, 18:580-589, 1959.
- 210. Vogel, F.S., and J.E. Pickering, Demyelinization Induced in the Brains of Monkeys by Means of Fast Neutrons, Pathogenesis of the Lesion and Comparison of the Lesions of Multiple Sclerosis and Schilder's Disease, *J. Exptl. Med.*, 104:435-442, 1952.
- 211. Vogel, F.S., C.G. Hoak, J.C. Sloper, and W. Haymaker, The Induction of Acute Morphological Changes in the Central Nervous System and Pituitary Body of Macaque Monkeys by Cobalt⁶⁰ (Gamma) Radiation, J. Neuropath. and Exper. Neurol., 17:138-150, 1958.
- 212. Wang, T.S., and K.T. Wheeler, Repair of X-ray-Induced DNA Damage in Rat Cerebellar Neurons and Brain Tumor Cells, *Radiat. Res.*, 73:464-475, 1978.
- 213. Wheeler, K.T., and G.B. Nelson, Saturation of a DNA Repair Process in Dividing and Nondividing Mammalian Cells, *Radiat. Res.*, 109:109-117, 1987.

- 214. Wheeler, K.T., R.E. Weinstein, K. Kaufman, and P. Ritter, Structural Alterations of the DNA in Cerebellar Neurons after Whole-Brain Irradiation, *Radiat. Res.*, 85:465-471, 1981.
- 215. Wiberg, A., R. Adolfsson, B. Eckert, and B. Winblad, The Activity of Monoamine Oxidases A and B in Gamma-Irradiated Rabbit Brains, *Experientia*, 38:71-73, 1982.
- 216. Wyant, D.E., J. Kabal, S.J. Baum, and L.J. Parkhurst, The Relationship of Blood-Brain Barrier Damage to Survival Time after Acute Radiation Injury, *AFFRI Scientific Report for Defense Nuclear Agency SR72-18*, 1972.
- 217. Wykoff, M.H., and C.E. Short, Effects of Neutron Irradiation on Blood and Cerebrospinal Fluid Pressures in the Burro (Equus Asinus), *Am. J. Vet. Res.*, 30:73-76, 1969.
- 218. Wykoff, M.H., Observations Comparing the Effects of Neutron Irradiation of the Blood-Cerebral Spinal Fluid Barrier of the Sheep and Burro, *Radiat. Res.*, 27:445-455, 1966.
- 219. Wykoff, M.H., The Effects of Fast Neutron Irradiation on the Enzyme Content of the Rat Brain, *Health Physics*, 23:115-116, 1972.
- 220. Yamashita, K., M. Mieno, and T. Shimizu, Response of the Adrenal Medulla to Exogenous Insulin in Head X-irradiated Dogs, *J. Endocr.*, 71:447-448, 1976.
- 221. Yamashita, K., T. Shimizu, M. Mieno and E. Yamashita, Effects of Exogenous Acetylcholine upon Adrenal 17-Hydroxycorticosteroid Secretion of Intact and Head X-irradiated Dogs, *Neuroendocrinology*, 27:39-45, 1978.
- 222. Yamazaki, J.N., A Review of the Literature on the Radiation Dosage Required to Cause Manifest Central Nervous System Disturbances from In Utero and Postnatal Exposure, *J. Am. Acad. Pediat.*, 37:878-903, 1966.
- 223. Yanson, Z.A., Electrophysiological Study of Changes Occurring in Conditioned-Reflex Activity of Rabbits after Total and Partial Exposure to X-rays, in Works of the All-Union Conference on Medical Radiology, Experimental Medical Radiology, USAEC Rept. AEC-TR-3661, 1957.
- 224. Yoshii, Y., and Y. Maki, Late Radiation Effects in the Mouse Brain. A Quantitative Study on PAS Positive Deposits, *Acta Oncologica*, 26:373-376, 1987.
- 225. Yoshii, Y., Y. Maki, H. Tsunemoto, S. Koike, and T. Kasuga, The Effect of Acute Total-Head X-irradiation on C3H/H3 Mice, *Radiat. Res.*, 86:152-170, 1981.
- 226. Yuhas, J.M., The Central Nervous System Syndrome of the Mouse: Effects of Strain, Age, and Conditioning Exposure, *Radiat. Res.*, 35:714-721, 1968.

- 227. Zeman, G.H., and R.L. Chaput, Gamma-Aminobutyric Acid Metabolism and Radiation-Induced Seizures, *AFRRI Scientific Report for Defense Nuclear Agency SR74-11*, 1974.
- 228. Zeman, W., Oxygen Effect and Selectivity of Radiolesions in the Mammalian Neuraxis, *Acta Radiologica Ther. Phys. Biol.*, 5:204-216, 1966.
- 229. Zeman, W., T. Samorajski, and H.J. Curtis, Histochemical Studies on Mouse Brains Irradiated with High Energy Deuteron Microbeams, in *Effects of Ionizing Radiation of the Nervous System: Proceedings,* International Atomic Energy Agency, Vienna, Austria, pp. 297-308, 1962.
- 230. Zook, B.C., E.W. Bradley, G.W. Casarett, and C.C. Rogers, Pathologic Findings in Canine Brain Irradiated with Fractionated Fast Neutrons or Photons, *Radiat. Res.* 84:562-578, 1980.

A.2 READING LIST: SPINAL CORD.

- 1. Barnes, C.D., Effect of Ionizing Radiation on Inhibition in the Spinal Cord, *Radiat. Res.*, 32:347-354, 1967.
- 2. Blakemore, W.F., and A.C. Palmer, Delayed Infarction of Spinal Cord White Matter Following X-irradiation, *J. Pathology*, 137:273-280, 1982.
- 3. Bradley, W.G., J.D. Fewings, W.J.K. Cumming, and R.M. Harrison, Delayed Myeloradiculopathy Produced by Spinal X-irradiation in the Rat, *J. Neurolog. Sci.*, 31:63-82, 1977.
- 4. Breit, A., Radiobiology of the Spinal Cord, with Special Consideration of the Late Reactions, *Aerztl Forsch.*, 16:269-270, 1962.
- 5. Carsten, A., and W. Zeman, The Control of Variables in Radiopathologic Studies on Mammalian Nervous Tissue, *Int. J. Radiat. Biol.*, 10:65-74, 1966.
- 6. Cavanagh, J.B., J.W. Hopewell, and F.C.K. Chen, Effects of 60-Co Radiation on the Cellular Responses in Degenerating Dorsal Columns in the Rat Spinal Cord, *Acta Neuropath. Berl.*, 19:318-322, 1971.
- 7. Cooper, G.P., Receptor Origin of the Olfactory Bulb Response to Ionizing Radiation, *Am. J. Physiol.*, 215:803-806, 1968.
- 8. Fewings, J.D., J.B. Harris, M.A. Johnson, and W.G. Bradley, Progressive Denervation of Skeletal Muscle Induced by Spinal Irradiation in Rats, *Brain*, 100:157-183, 1977.
- 9. Furchtgott, E., Behavioral Effects of Ionizing Radiation, In *Pharmacological* and *Biophysical Agents and Behavior*, pp. 1-64, 1971.
- 10. Geraci, J.P., P.D. Thrower, K.L. Jackson, G.M. Christensen, R.G. Parker, and M.S. Fox, The Relative Biological Effectiveness of Fast Neutrons for Spinal Cord Injury, *Radiat. Res.*, 59:496-503, 1974.
- 11. Gilmore, S.A., and D. Duncan, On the Presence of Peripheral-Like Nervous and Connective Tissue within Irradiated Spinal Cord, *Anat. Rec.*, 160:675-690, 1968.
- 12. Heard, J.K., and S.A. Gilmore, Intramedullary Schwann Cell Development Following X-Irradiation of Mid-Thoracic and Lumbosacral Spinal Cord Levels in Immature Rats, *Anat. Rec.*, 197:85-93, 1980.
- 13. Hopewell, J.W., A.D. Morris, and A. Dixon-Brown, The Influence of Field Size on the Late Tolerance of the Rat Spinal Cord to Single Doses of X-rays, *Brit. J. Radiol.*, 60:1099-1108, 1987.
- 14. Hornsey, S., R. Myers, and P. Warren, Residual Injury in the Spinal Cord after Treatment with X-rays or Neutrons, *Brit. J. Radiol.*, 55:516-519, 1982.

- 15. Hornsey, S., R. Myers, P.G. Coultas, M.A. Rogers, and A. White, Turnover of Proliferative Cells in the Spinal Cord after X-irradiation and its Relation to Time-Dependent Repair of Radiation Damage, *Br. J. Radiol.*, 54:1081-1085, 1981.
- 16. Hubbard, B.M., and J.W. Hopewell, Changes in the Neuroglial Cell Populations of the Rat Spinal Cord after Local X-irradiation, *Brit. J. Radiol.*, 1979.
- 17. Innes, J.R., and A. Carsten, Demyelination of Malacic Myelopathy A Delayed Effect of Localised X-irradiation in Experimental Rats, *Arch. Neurol. Chic.*, 4:190-199, 1961.
- 18. Kozubek, S., and J. Cerny, Radiation Damage to the Rat Spinal Cord: A Radiobiologic Model, *Acta Radiol. Oncol.*, 20:329-332, 1981.
- 19. Larsson, B., L. Leksell, B. Rexed, and P. Sourander, Effect of High Energy Protons on the Spinal Cord, *Acta Radiol.*, 51:52-64, 1959.
- 20. Lazorthes, G., Pathology, Classification and Clinical Aspects of Vascular Diseases of the Spinal Cord, In *Handbook of Clinical Neurology, Vol. 12, Vinchen, P.J., and G.W. Bruyn (eds)*, N.H.P.C., Chapter 19, p. 492, 1972.
- 21. Mastaglia, F.L., W.I. McDonald, J.V. Watson, and K. Yogendran, Effects of X-irradiation on the Spinal Cord: An Experimental Study of the Morphological Changes in Central Nerve Fibers, *Brain*, 99:101-122, 1976.
- 22. Masuda, K., B.O. Reid, and H.R. Withers, Dose Effect Relationship for Epilation and Late Effects on Spinal Cord in Rats Exposed to Gamma Rays, *Radiology*, 122:239-242, 1977.
- 23. McLaurin, R.L., O.T. Bailey, G.R. Harsh, and R.D. Ingraham, The Effects of Gamma and Roentgen Radiation on the Intact Spinal Cord of the Monkey, *Am. J. Roentgenol, Radium Therapy Nucl. Med.*, 73:827-835, 1955.
- 24. Moss, T.H., and S.J. Lewkowicz, Effect of Ionizing Radiation of the Axon Reaction of Mouse Anterior Horn Motor Neurons. A Histological and Immunocytochemical Study Using a Monoclonal Antibody to Neurofilament Protein, J. Neuro. Sci., 67:1-14, 1985.
- 25. Myers, R., M.A. Rogers, and S. Hornsey, A Reappraisal of the Roles of Glial and Vascular Elements in the Development of White Matter Necrosis in Irradiated Rat Spinal Cord, *Br. J. Cancer*, 53:221-223, 1986.
- 26. Olkowski, Z., Autoradiographic Studies on 14C-leucine Incorporation into Motor Neurons of the Spinal Cord of X-irradiated Mice, *Am. J. Anat.*, 132:393-400, 1971.
- 27. Sato, M., G.M. Austin, and W.R. Stahl, The Effects of Ionizing Radiation on Spinal Cord Neurons, In *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 561-571, 1962.

- 28. Sato, M., W. Stahl, and G. Austin, Acute Radiation Effects on Synaptic Activity in the Mammalian Spinal Cord, *Radiat. Res.*, 18:307-320, 1963.
- 29. Scholz, W., W. Scholte, and W. Hirschberger, Morphological Effect of Repeated Low Dosage and Single High Dosage Application of X-irradiation to the Central Nervous System; In Response of the Nervous System to Ionizing Radiation, Academic Press, Inc., New York, pp. 211-232, 1962.
- 30. Van der Kogel, A.J., and G.W. Barendsen, Late Effects of Spinal Cord Irradiation with 300 kv X-rays and 15 Mev Neutrons, *Brit. J. Radiol.*, 47:393-398, 1974.
- 31. Van der Kogel, A.J., and H.A. Sissingh, Effect of Misonidazole on the Tolerance of the Rat Spinal Cord to Daily and Multiple Fractions per Day of X-rays, *Brit. J. Radiol.*, 56:1221-125, 1983.
- 32. Van der Kogel, A.J., Late Effects of Radiation on the Spinal Cord, *Doctoral Thesis: Radiobiological Institute of the Organisation for Health Research TNO*, Rijwuijk, The Netherlands, 1977.
- 33. Van der Kogel, A.J., Radiation Tolerance of the Rat Spinal Cord: Time-Dose Relationships, *Radiology*, 122:505-509, 1977.
- Van der Kogel, A.J., Radiation-Induced Nerve Root Degeneration and Hypertrophic Neuropathy in the Lumbosacral Spinal Cord of Rats: The Relation with Changes in Aging Rats, *Acta Neuropathologic*, 39:139-145, 1977.
- 35. Van der Kogel, W.J., Radiation Tolerance of the Spinal Cord: Dependence of Fractionation and Extended Overall Times; In *Radiological Research and Radiotherapy*, Vol. 1, p. 83, IAEA Vienna, Austria, 1978.
- White, A., and S. Hornsey, Radiation Damage to the Rat Spinal Cord: The Effect of Single and Fractionated Doses of X-rays, *Br. J. Radiol.*, 51:515-523, 1978.
- 37. White, W., and S. Hornsey, Time Dependent Repair of Radiation Damage in the Rat Spinal Cord after X-rays and Neutrons, *European J. Cancer*, 16:957-962, 1980.
- 38. Yuhas, J.M., Misonidazole Enhancement of Acute and Late Radiation Injury to the Rat Spinal Cord, *Br. J. Cancer*, 40:161-163, 1979.
- 39. Zeman, W., and T. Samorajski, Nervous System; In *Pathology of Irradiation*, C.C. Berdjis (ed), Williams and Wilkins, Baltimore, MD, pp. 213-277, 1971.
- 40. Zeman, W., Disturbances of Nucleic Acid Metabolism Proceeding Delayed Radionecrosis of Nervous Tissue, *Proc. Nat. Acad. Sci. (Wash.)*, 50:626-630, 1963.
- 41. Zeman, W., Histologic Events During the Latent Interval in Radiation Injury; In The Central Nervous System Some Experimental Models of

- Neurological Disease, Bailey, OT, and D.E. Smith (eds), *International Academy of Pathology Monograph*, Williams and Wilkins, Baltimore, MD, pp. 184-200, 1968.
- 42. Zeman, W., Pathogenesis of Radiolesions in the Mature Central Nervous System, In *Proc. 5th Int. Cong. Neuropath.*, Excerpta Medica, Amsterdam, p. 302, 1966.

A.3 READING LIST: BEHAVIOR.

- 1. Abdullin, G.Z., Study of Comparative Radiosensitivity of Different Parts of Brain in Terms of Altered Function, In *Effects of Ionizing Radiation on the Nervous System: Proceedings*, pp. 397-408, International Atomic Energy Agency, Vienna, Austria, 1962: USAEC Rept. AEC-tr-5141, 1962.
- 2. Allen, R.G., F.A. Brown, L.C. Logie, D.R. Rovner, S.G. Wilson, and R.W. Zellmer, Acute Effects of Gamma Radiation on Primates, *Radiat. Res.*, 12:532-559, 1960.
- 3. Alvord Jr., E.C., and K.C. Brace, X-ray Induced Pyknosis of Cerebellar Granule Cells in Guinea Pigs and its Suppression by Barbiturate Anesthesia, *J. Neuropathol. Exptl. Neurol.*, 16:3-17, 1957.
- 4. Andrews, H.L., and D.C. Peterson, Variations in Radiation Recognition by the Mouse, *Radiat. Res.*, 17:514-520, 1962.
- 5. Andrews, H.L., and K.C. Brace, Terminal Phenomena Associated with Massive Doses of X-rays, *Am. J. Physiol.*, 175:138-140, 1953.
- 6. Andrews, H.L., and L.M. Cameron, Radiation Avoidance in the Mouse, *Proc. Soc. Exp. Biol. Med.*, 103:565-567, 1960.
- 7. Andrews, H.L., Species Differences in Response to High Radiation Doses, *Radiat. Res.*, 9:469-477, 1958.
- 8. Arbit, J., Avoidance Conditioning Through Irradiation: A Note on Physiological Mechanisms and Psychological Implications, *Psychol. Rev.*, 65(3), 1958.
- 9. Arnold, W.J., Behavioral Effects of Cranial Irradiation of Rats, In Haley, T.J., and R.S. Snyder (eds), *Response of the Nervous System to Ionizing Radiation*, Academic Press, pp. 669-682, 1962.
- 10. Arnold, W.J., Maze Learning and Retention after X Radiation of the Head, J. Comp. Physiol. Psychol., 45:358-361, 1952.
- 11. Bachofer, C.S., and S.E. Wittry, Electrorentinogram in Response to X-ray Stimulation, *Science*, 133:642-644, 1961.
- 12. Bane, H.N., W.C. Whitehouse, F. Schmidt, and J.J. Nickson, Physiological Changes in the Acute Radiation Syndrome in Dogs (Abstract), *Radiat. Res.*, 5:468, 1956.
- 13. Baylor, E.R., and F.E. Smith, Animal Perception of X-rays, *Radiat. Res.*, 8:466-474, 1958.
- 14. Blair, W.C., and W.J. Arnold, The Effects of Cranial X Radiation on Retention of Maze Learning in Rats, *J. Comp. Physiol. and Psychol.*, 49:525-528, 1958.

- 15. Blair, W.C., The Effects of Cranial X-radiation on Maze Acquisition in Rats, J. Comp. Physiol. Psychol., 51:175-177, 1958.
- 16. Blondal, H., Initial Irradiation Reaction in Mice, *Nature*, 182:1026-1027, 1958.
- 17. Bogo, V., Effects of Bremsstrahlung and Electron Radiation of Rat Motor Performance, *Radiat. Res.*, 100:313-320, 1984.
- 18. Bogo, V., T.A. Hill, and R.W. Young, Comparison of Accelerod and Rotarod Sensitivity in Detecting Ethanol- and Acrylamide-Induced Performance Decrement in Rats: Review of Experimental Consideration of Rotating Rod Systems, *Neurotoxicology*, 2:765-787, 1981.
- 19. Brace, K.C., H.L. Andrews, and E.C. Thompson, Early Radiation Death in Guinea Pigs, *Am. J. Physiol.*, 179:386-389, 1954.
- 20. Brightman, M.W., Early Effects of Intensive X-ray Irradiation of the Diencephalon in the Rat, *Exptl. Neurol.*, 1:97-116, 1959.
- 21. Brizzee, K.R., F.M. Calton, and D.E. Vitale, Effects of Selective Placement of Lesions in Lower Brain Stem Structures on X-irradiation Emesis in the Dog, *Anat. Rec.*, 130:533-541, 1958.
- 22. Brobeck, J.R., Regulation of Feeding and Drinking, In *Handbook of Physiology, Sec, I. Neurophysiology, Vol. II*, pp. 1197-1206. Am. Physiol. Soc., Washington, D.C., 1960.
- 23. Brooks, P.M., The Prompt Effects of Whole-Body Irradiation at a High Dose Rate on the Electroencephalogram of Monkeys, *Radiat. Res.*, 4:206-216, 1956.
- 24. Brown, D.G., and F.F. Haywood, 14-MeV Neutron Irradiation of Swine: Dosimetry and Clinical Response, *Health Physics*, 24:627-636, 1973.
- 25. Brown, G.C., C.R. Curran, D.M. Verrelli, S.J Allen, and D.J. Barnes, Factors Affecting the Performance of Primates Following a 2700-rad Pulsed Dose of Ionizing Radiation, *AFRRI Scientific Report for Defense Nuclear Agency*, SR72-14, 1972.
- 26. Brown, G.C., M.G. Yochmowitz, G.B. Hubbard, K.A. Hardy, D.M. Hughes, and B. Yarbrough, Behavior Degradation Due to 1100-rad Pulsed Radiation Exposure (5.8:1 neutron/gamma ratio), *USAF School of Aerospace Medicine*, USAFSAM-TR-84-30, 1984.
- 27. Brown, G.C., M.G. Yochmowitz, K.A. Hardy, D. Hughes, and B. Yarbrough, Behavioral-performance Effects From a High-neutron, Low-gamma Radiation Pulse Exposure, *USAF School of Aerospace Medicine*, SAM-TR-82-43, 1982.
- 28. Brown, W.L., and A.A. McDowell, Behavioral Changes as a Function of lonizing Radiations, In *Effects of Ionizing Radiation on the Nervous System;*

- Proceedings, International Atomic Energy Agency, Vienna, Austria, pp. 155-170, 1962.
- 29. Brown, W.L., and A.A. McDowell, Some Effects of Radiation on Psychologic Processes in Rhesus Monkeys, *Response of the Nervous System to Ionizing Radiation*, pp. 729-746, 1962.
- 30. Brown, W.L., and R.K. White, Preirradiation Fatigue as a Factor in the Prevention of Irradiation Deaths in Rats, *J. Genet. Psychol.*, 93:287-290, 1958.
- 31. Brown, W.L., J.E. Overall, L.C. Logie, and J.E. Wicker, Lever-Pressing Behavior of Albino Rats during Prolonged Exposures to X-Radiation, *Radiat. Res.*, 13:617-631, 1960.
- 32. Bruner, A., Effects of 60-Co on Electrical Self-stimulation of the Brain and Blood Pressure, Lovelace Foundation for Medical Education and Research for Defense Nuclear Agency, DNA 3163T, 1974.
- 33. Bruner, A., Immediate Effects of 33 to 180 rad/min 60-Co Exposure on Performance and Blood Pressure in Monkeys, Lovelace Foundation for Medical Education and Research for Defense Nuclear Agency, Topical Report No. DNA4147T (DNA 001-74-c-0098), 1976.
- 34. Bruner, A., V. Bogo, and E.A. Henderson, Dose-Rate Effects of 60-Co Irradiation on Performance and Physiology in Monkeys, Lovelace Foundation for Medical Education and Research for the Defense Nuclear Agency Topical Report DNA 001-74-C-0098, 1975.
- 35. Bruner, A., V. Bogo, and R.K. Jones, Delayed Match-to-Sample Performance Decrement in Monkeys Following Cobalt-60 Irradiation, *Topical Report for Defense Nuclear Agency DNA 3159T*, 1973.
- 36. Brunner, R.L., S.J. Haggbloom, and R.A. Gazzara, Effects of Hippocampal X-irradiation-Produced Granule-Cell Agenesis on Instrumental Runway Performance in Rats, *Physiol. Behav.*, 13:485-494, 1974.
- 37. Brust-Carmona, H., H. Kasprzak, and E.L. Gasteiger, Role of the Olfactory Bulbs in X-ray Detection, *Radiat. Res.*, 29:354-361, 1966.
- 38. Buchwald, N.A., J. Garcia, B.H. Feder, and G. Bach-y-Rita, Ionizing Radiation as a Perceptual and Aversive Stimulus. II. Electrophysiological Studies, *Response of the Nervous System to Ionizing Radiation*, 2nd International Symposium, Los Angeles, 1963, pp. 687-699, 1964.
- 39. Burghardt, W.F., and W.A. Hunt, Characterization of Radiation-induced Performance Decrement using a Two-lever Shock-Avoidance Task, *Radiat. Res.*, 103:149-157, 1985.
- 40. Burke, R.D., J.L. Mattsson, and J.R. Fischer, Effect of Ionizing Radiation on Shock-Elicited Aggression of Male Rats, *U.S. Air Force School of Aerospace Medicine SAM-TR-84-48*, 1981.

- 41. Cairnie, A.B., and K.E. Leach, Dexamethasone: A Potent Blocker for Radiation-Induced Taste Aversion in Rats, *Pharmacology, Biochemistry and Behavior*, 17:305-311, 1982.
- 42. Carpenter, D.O., Early Transient Incapacitation: A Review with Consideration of Underlying Mechanisms, AFFRI Scientific Report for Defense Nuclear Agency SR79-1, 1979.
- 43. Casarett, A.P., and C.L. Cornar, Incapacitation and Performance in Rats Following Split Doses of Fission Spectrum Radiation, *Radiat. Res.*, 53:455-461, 1973.
- 44. Casarett, A.P., Swim-Tank Measurement of Radiation-Induced Behavioral Incapacitation, *Psychol. Reports*, 33:731-736, 1973.
- 45. Castanera, T.J., D.C. Jones, and D.J. Kimeldorf, The Effect of X-irradiation on the Diffuse Activity Performance of Rats, Guinea Pigs and Hamsters, *Brit. J. Radiol.*, 32:386-389, 1959.
- 46. Castanera, T.J., D.J. Kimeldorf, and D.C. Jones, An Apparatus for Measurement of Activity in Small Animals, *J. Lab. Clin. Med.*, 45:825-832, 1955.
- 47. Chaput, R.L., and D. Wise, Miniature Pig Incapacitation and Performance Decrement After Mixed Gamma-Neutron Irradiation, *AFRRI Scientific Report for Defense Nuclear Agency SR69-12*, 1969.
- 48. Chaput, R.L., and E.L. Barron, Postirradiation Performance of Miniature Pigs as Modified by Tasks, *AFFRI Scientific Report for Defense Nuclear Agency SR72-10*, 1972.
- 49. Chaput, R.L., and R.T. Dovacic, Miniature Pig Performance After Fractionated Doses of Ionizing Radiation, AFRRI Scientific Report for Defense Nuclear Agency SR69-22, 1969.
- 50. Chaput, R.L., and R.T. Kovacic, Miniature Pig Performance After Fractionated Doses of Radiation: Time-Dose Relationships, *AFRRI Scientific Report for Defense Nuclear Agency SR70-5*, 1970.
- 51. Chaput, R.L., R.T. Kovacic, and E.L. Barron, Performance of Trained Beagles After Supralethal Doses of Radiation, *AFRRI Scientific Report for Defense Nuclear Agency SR72-1*, 1972.
- 52. Cheymol, J., J. Dalion, C. Adolphe, and M. Adolphe, Mecanisme des crises Convulsives Produites par Irradiaion de la tete Chez le Lapin, *Bull. Aca. Natl. Med. (Paris)*, 144:11-19, 1960.
- 53. Christensen, H.D., A.M. Flesher, and T.J. Haley, Changes in Brain Self-Stimulation Rates after Exposure to X-irradiation, *J. Phar. Sci.*, 58:128-129, 1969.
- 54. Cockerham, L.G., V. Bogo, and C.J. Gosset-Hagerman, Gamma Radiation Produced Performance Decrement in Rat as Assessed with the Accelerod, *Neuroscience Letters*, 49:297-300, 1984.

- 55. Conard, R.A., Effect of X-irradiation on Intestinal Motility of the Rat, J. Physiol., 165:375-385, 1951.
- 56. Conard, R.A., Some Effects of Ionizing Radiation on the Physiology of the Gastrointestinal Tract: A Review, *Radiat. Res.*, 5:167-188, 1956.
- 57. Conard, R.A., E.P. Cronkite, G. Brecher, and C.P.A. Strome, Experimental Therapy of the Gastrointestinal Syndrome Produced by Lethal Doses of Ionizing Radiation, *J. Appl. Physiol.*, 9:227-233, 1956.
- 58. Cooper, G.P., Receptor Origin of the Olfactory Bulb Response to Ionizing Radiation, *Am. J. Physiol.*, 215:803-806, 1968.
- 59. Cooper, G.P., and D.J. Kimeldorf, Responses of Single Neurons in the Olfactory Bulbs of Rabbits, Dogs, and Cats to X-rays, *Experientia*, 23:137, 1967.
- 60. Cooper, G.P., and D.J. Kimeldorf, The Effect of X-rays on the Activity of Neurons in the Rat Olfactory Bulb, *Radiat. Res.*, 27:75-86, 1966.
- 61. Court Brown, W.M., Symptomatic Disturbance after Single Therapeutic Dose of X-rays, *Brit. Med. J.*, 1:802-812, 1953.
- 62. Curran, C.R., and C.G. Franz, Primate Physical Activity Following Exposure to a Single 2000-rad Pulsed Dose of Mixed Gamma-Neutron Radiation, AFRRI Scientific Report for Defense Nuclear Agency SR74-29, 1974.
- 63. Curran, C.R., D.W. Conrad, and R.W. Young, The Effects of 2000 rads of Pulsed Gamma-Neutron Radiation upon the Performance of Unfettered Monkeys, AFFRI Scientific Report for Defense Nuclear Agency SR71-3, 1971.
- 64. Curran, C.R., R.W. Young, and W.F. Davis, The Performance of Primates Following Exposure to Pulsed Whole-Body Gamma-Neutron Radiation, AFFRI Scientific Report for Defense Nuclear Agency SR73-1, 1973.
- Darenskaya, N.G., and A.B. Tsypin, Problem of the Relation between the Radiation Sensitivity of the Central Nervous System and the Susceptibility of Animals to Radiation Injury, *Radiobiologiya*, 11(3):468-472 (1962); USAEC Rept. AEC-tr-5430, pp. 202-208.
- 66. Davis, R.T., and A.A. McDowell, Performance of Monkeys Before and After Irradiation of the Head with X-rays, in *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 705-718, 1962.
- 67. Davis, R.T., and A.L. McDonald, Perception of Oddity by Monkeys as a Function of Aging and Radiation, *Psychol. Repts.*, 11:383-386, 1962.
- 68. Davis, R.T., A.A. McDowell, C.W. Deter, and J.P. Steele, Performance of Rhesus Monkeys on Selected Laboratory Tasks Presented Before and

- After a Large Single Dose of Whole-Body X-Radiation, *J. Comp. Physiol. Psychol.*, 49:20-26, 1956.
- 69. Davis, R.T., A.A. McDowell, M.A. Grodsky, and J.P. Steele, The Performance of X-ray Irradiated and Non-Irradiated Rhesus Monkeys Before, During, and Following Chronic Barbiturate Sedation, *J. Genet. Psychol.*, 93:37-51, 1958.
- 70. Davis, R.T., and W.E. Lovelace, Variable Rewards and Peripheral Cues in Discriminations by Irradiated and Nonirradiated Monkeys, *J. Genetic Psychology*, 103:201-205, 1963.
- 71. Davis, R.T., C.B. Elam, and A.A. McDowell, Latent Effects of Chronic Whole-Body Irradiation of Monkeys with Mixed Source Radiation, *USAF School of Aviat. Med., Rept. No. 57-59*, Randolph AFB, Texas, 1958.
- 72. Davis, R.T., Chronic Effects of Ionizing Radiations and the Hypothesis that Irradiation Produces Aging-Like Changes in Behavior, *J. Genet. Psychol.*, 102:311-324, 1963.
- 73. Davis, R.T., Discriminative Performance of Monkeys Irradiated with X-rays, *Am. J. Psychol.*, 74:86-89, 1961.
- 74. Davis, R.T., Latent Changes in the Food Preferences of Irradiated Monkeys, *J. Genet. Psychol.*, 92:53-59, 1958.
- 75. de Haan, H.J., S.J. Kaplan, and J.E. Germas, Visual Discrimination Performance in the Monkey Following a 5000-rad Pulse of Mixed Gamma-Neutron Radiation, *AFRRI Scientific Report for Defense Nuclear Agency SR69-1*, 1969.
- 76. DiMascio, A., J.L. Fuller, N.H. Azrin, and W. Jetter, The Effect of Total-Body X-Irradiation on Delayed-Response Performance of Dogs, *J. Comp. Physiol. Psychol.*, 49:600-604, 1956.
- 77. Dinc, H.I, and J.C. Smith, Role of Olfactory Bulbs in the Detection of Ionizing Radiation by the Rat, *Physiol. Behav.*, 1:139-144, 1966.
- 78. Doull, J., and K.P. Dubois, Influence of Hibernation on Survival Time and Weight Loss of X-irradiated Ground Squirrels, *Proc. Soc. Exptl. Biol. Med.*, 84:367-370, 1953.
- 79. Doyle, T.F., C.R. Curran, and J.E. Turns, Chlorpheniramine as a Prophylaxis to Radiation-Induced Performance Decrement in the Monkey, AFRRI Scientific Report for Defense Nuclear Agency SR73-9, 1973.
- 80. Doyle, T.F., C.R. Curran, and J.E. Turns, The Prevention of Radiation-Induced, Early, Transient Incapacitation of Monkeys by an Antihistamine (37945), Soc. Exptl. Biol. Med., 145:1018-1024, 1974.
- 81. Doyle, T.F., J.E. Turns, and T. A. Strike, Effect of Antihistamine on Early Transient Incapacitation of Monkeys Subjected to 4000 Rads of Mixed Gamma-neutron Radiation, *Aerospace Med.*, April, 1971.

- 82. Eldred, E., and W.V. Trowbridge, Neurological and EEG Findings in the Monkey after Total Body X-irradiation, *Electroencephalogr. Clin. Neurophysiol.*, 5:259-270, 1953.
- 83. Eldred, E. and W.V. Trowbridge, Radiation Sickness in the Monkey, *Radiology*, 62:65-73, 1954.
- 84. Fields, P.E., The Effect of Whole-Body X-radiation upon Activity Drum, Straightaway, and Maze Performances of White Rats, *J. Comp. and Physiol. Psychol.*, 50:386-391, 1957.
- 85. Fields, P.E., The Effect of Whole-Body X-radiation upon White Rats, Paper presented at *Am. Psychol. Assoc. Meetings*, San Francisco, September, 1955.
- 86. Franz, C.G., Effects of Mixed Neutron-Gamma Total-body Irradiation on Physical Activity Performance of Rhesus Monkeys, *Radiat. Res.*, 101:434-441, 1985.
- 87. Furchtgott, E., Behavioral Effects of Ionizing Radiations, In *Pharmacological and Biophysical Agents and Behavior*, WL102, F987, pp. 1-64, 1971.
- 88. Furchtgott, E., Behavioral Effects of Ionizing Radiations, *Psychol. Bull.*, 53(4):321-334, 1956.
- 89. Furchtgott, E., Behavioral Effects of Ionizing Radiations: 1955-61, *Psychol. Bull.*, 60(2):157-199, 1963.
- 90. Furchtgott, E., The Effects of X-irradiation on Brightness Discrimination, *J. Psychol.*, 34:37-41, 1952.
- 91. Furchtgott, E., Effects of Total Body X-irradiation on Learning: An Exploratory Study, *J. Comp. and Physiol. Psychol.*, 44:197-203, 1951.
- 92. Furchtgott, E., The Effects of X-irradiation on Learning: An Exploratory Study, *J. Comp. and Physiol. Psychol.*, 44:197-203, 1951.
- 93. Furchtgott, E., R.L. Murphree, H.B. Pace, and J.W. Dees, Mating Activity of Fetally Irradiated Male Swine and Rats, *Psychol. Rept.*, 5:545-548, 1959.
- 94. Furchtgott, W., Behavior Effects of Total-Body X-irradiation in the White Rat: An Exploratory Study, unpublished Ph.D. thesis, University of California, Los Angeles, CA, 1959.
- 95. Gallistel, C.R., Electrical Self-Stimulation and Its Theoretical Implications, *Psychol. Bull.*, 61:23-34, 1964.
- 96. Garcia, J. and D.J. Kimeldorf, Some Factors which Influence Radiation-Conditioned Behavior of Rats, *Radiat. Res.*, 12:719-727, 1960.
- 97. Garcia, J. and D.J. Kimeldorf, Temporal Relationship within the Conditioning of a Saccharin Aversion through Radiation Exposure, *J. Comp. Physiol. Psychol.*, 50:180-183, 1957.

- 98. Garcia, J., and D.J. Kimeldorf, The Effect of Ophthalmectomy upon Responses of the Rat to Radiation and Taste Stimuli, *J. Comp. Physiol. Psychol.*, 51:288-291, 1958.
- 99. Garcia, J., and R.A. Koelling, A Comparison of Aversions Induced by X-rays, Toxins and Drugs in the Rat, *Radiat. Res.*, 7:439-450, 1967.
- 100. Garcia, J., and D.J. Kimeldorf, Conditioned Avoidance Behavior Induced by Low-Dose Fast Neutron Exposure, *Nature*, 185:261-262, 1960.
- 101. Garcia, J., D.J. Kimeldorf, and E.L. Hunt, The Use of Ionizing Radiation as a Motivating Stimulus, *USNRDL-TR-411*, 1960, also in *Psychol. Rev.*, 68:383-395, 1961.
- 102. Garcia, J., D.J. Kimeldorf, and E.L. Hunt, Conditioned Responses to Manipulative Procedures Resulting from Exposure to Gamma Radiation, *Radiat. Res.*, 5:79-87, 1956.
- 103. Garcia, J., D.J. Kimeldorf, and E.L. Hunt, Spatial Avoidance in the Rat as a Result of Exposure to Ionizing Radiation, *Brit. J. Radiol.*, 30:318-321, 1957.
- 104. Garcia, J., D.J. Kimeldorf, and R.A. Koelling, Conditioned Aversion to Saccharin Resulting from Exposure to Gamma Radiation, *Science*, 122:157-158, 1955.
- 105. Garcia, J., D.J. Kimeldorf, E.L. Hunt, and B.P. Davies, Food and Water Consumption of Rats during Exposure to Gamma Radiation, *Radiat. Res.*, 4:33-41, 1956.
- 106. Garcia, J., N.A. Buchwald, B.H. Feder, and R.A. Koelling, Immediate Detection of X-rays by the Rat, *Nature*, 196:1014-1015, 1962.
- 107. Garcia, J., N.A. Buchwald, B.H. Feder, R.A. Koelling, and L. Tedrow, lonizing Radiation as a Perceptual and Aversive Stimulus, Response of the Nervous System to Ionizing Radiation, 2nd International Symposium, Los Angeles, 1963, pp. 673-686, 1964.
- 108. Gasteiger, E.L., and S.A. Helling, X-ray Detection by the Olfactory System: Ozone as a Masking Odorant, *Science*, 154:1038-1041, 1966.
- 109. George, R.E., R.L. Chaput, and E.L. Barron, The Dependence of Miniature Pig Performance Decrement upon Gamma-Ray Dose Rate, AFRRI Scientific Report for Defense Nuclear Agency SR72-20, 1972.
- 110. George, R.E., R.L. Chaput, D.M. Verrelli, and E.L. Barron, The Relative Effectiveness of Fission Neutrons for Miniature Pig Performance Decrement, *AFRRI Scientific Report for Defense Nuclear Agency SR71-2*, 1971; also in *Radiat. Res.*, 48:332-345, 1971.
- 111. Germas, J.E., and Q.H. Shelton, Performance of the Monkey Following Multiple, Supralethal Pulses of Radiation, *AFRRI Scientific Report for Defense Nuclear Agency SR69-21*, 1969.

- 112. Germas, J.E., M.L. Fineberg, and H.J. deHaan, Visual Discrimination Performance in the Monkey Following a 2500-rad Pulse of Mixed Gamma Neutron Radiation, *AFRRI Scientific Report for Defense Nuclear Agency SR69-8*, 1969.
- 113. Germas, J.E., S.J. Kaplan, and H.J. deHaan, Visual Discrimination Performance in the Monkey Following a 10,000-rad Pulse of Mixed Gamma-Neutron Radiation, AFRRI Scientific Report for Defense Nuclear Agency SR69-2, 1969.
- 114. Gerstner, H.B., and S.P. Kent, Early Effects of Head X-irradiation in Rabbits, *Radiat. Res.*, 6:626-644, 1957.
- 115. Gerstner, H.B., J.E. Pickering, and A.J. Dugi, Sequelae after Application of High-Intensity X-radiation to the Head of Rabbits, *Radiat. Res.*, 2:219-226, 1955.
- 116. Grashchenkov, N.I., Morphologic and Pathophysiologic Signs of the Responses of the Nervous System to Ionizing Radiation, In Response of the Nervous System to Ionizing Radiation, Academic Press, Inc., New York, pp. 297-314, 1962.
- 117. Hagen Jr., C.W., L.O. Jacobson, R. Murray, and P. Lear, Effects of Single Doses of X-rays on Rabbits, USAEC Rept. MDDC-999, Argonne National Laboratory, 1947 (declassified).
- 118. Haley, T.J., E.F. McCulloh, W.G. McCormick, B.F. Trum, and J.H. Rust, Response of the Burro to 100 R Fractional Whole-body Gamma Ray Irradiation, *Am. J. Physiol.*, 180:403-407, 1955.
- 119. Haley, T.J., J. Fonseca, N. Komesu, and P. Williams, Inability of Whole Body X-irradiation to Produce Extinction of Conditional Avoidance in Rats, *UCLA 474 Contract AT(04-1)-GEN-12*, 1961. (Also in *Arch. Intern. Pharmacodyn.* 134:148-153, 1961.)
- 120. Haley, T.J., P. Bach-y-Rita, and N. Komesu, The Effect of X-irradiation on Self Stimulation of the Brain, *AEC Contract AT(04-1)-GEN-12*, 1961, Also in *Nature*, 192:1307, 1961.)
- 121. Hall, C.S., Temperament: A Survey of Animal Studies, *Psychol. Bull.*, 38:909-943, 1941.
- 122. Harlow, H.F., K.A. Schiltz, and P.H. Settlage, Effect of Cortical Implantation of Radioactive Cobalt on Learned Behavior of Rhesus Monkeys, *J. Comp. Physiol. Psychol.*, 48:432-436, 1955.
- 123. Harlow, H.F., and L.E. Moon, The Effects of Repeated Doses of Total-Body X-Radiation on Motivation and Learning in Rhesus Monkeys, *J. Comp. Physiol. Psychol.*, 49:60-65, 1956.
- 124. Harlow, H.F., Effects of Radiation on the Central Nervous System and on Behavior-General Survey, In *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 627-644, 1962.

- 125. Harvey, F.H., E.C. Alvord Jr., C.M. Shaw, and D.A. Rappaport, The Dual Role of Cerebellum in the Development of the Acute Neurological Syndrome Following Cranial X-irradiation of Guinea Pigs (Abstract), J. Neuropathol. Exptl. Neurol., 21:329-330, 1962.
- 126. Hayes, K.J., The Effects of Abnormal Brain Development on Rat Behavior (Abstract), *Am. Psychologist*, 12:461, 1957.
- 127. Haymaker, W., Morphologic Changes in the Nervous System Following Exposure to Ionizing Radiation, In *Effects of Ionizing Radiation of the Nervous System, Proceedings*, International Atomic Energy Agency, Vienna, Austria, pp. 309-359, 1962.
- 128. Henshaw, P.S., Experimental Roentgen Injury. III. Tissue and Cellular Changes Brought About with Single, Massive Doses of Radiation, *J. Natl. Cancer Inst.*, 4:503-512, 1944.
- 129. Hicks, S.P., K.A. Wright, and K.E. Leigh, Time-Intensity Factors in Radiation Response. I. The Acute Effects of Megavolt Electrons (Cathode Rays) and High- and Low-Energy X-rays, with Special Reference to the Brain, A.M.A. Arch. Pathol., 61:226-238, 1956.
- 130. Hornsey, S., The Effect of Hypothermia on the Radiosensitivity of Mice to Whole-Body X-irradiation, *Proc. Roy. Soc. (London)*, B147:547-549, 1957.
- 131. Hug, O., Reflex-Like Responses of Lower Animals and Mammalian Organs to Ionizing Radiation, Immediate and Low Level Effects of Ionizing Radiations, *Proceedings of the Symposium*, Vienna, Austria, 1959, pp. 217-226, 1960.
- 132. Hull, C.D., J. Garcia, N.A. Buchwald, B. Dubrowsky and B.H. Feder, Role of the Olfactory System in Arousal to X-ray, *Nature*, 205:627-628, 1965.
- 133. Hulse, E.V., and L.G. Mizon, Radiation Conditioned Aversion in Rats after Part Body X-irradiation and its Relationship to Gastric Emptying, *Int. J. Radiat. Biol.*, 12:515-522, 1967.
- 134. Hunt, E.L. and D.J. Kimeldorf, Behavioral Arousal and Neural Activation as Radiosensitive Reactions, *Radiat. Res.*, 21:91-110, 1964
- 135. Hunt, E.L., and D.J. Kimeldorf, Arousal Reactions with a Brief Partial- and Whole-Body X-ray Exposure, *U.S. Naval Radiological Defense Laboratory USNRDL-TR-670*, 1963.
- 136. Hunt, E.L., and D.J. Kimeldorf, Evidence for Direct Stimulation of the Mammalian Nervous System with Ionizing Radiation, *Science*, 137:857-859, 1962.
- 137. Hunt, E.L, and D.J. Kimeldorf, Post Exposure Conditioning of a Saccharin Aversion with Irradiation during Deep Anesthesia, *Radiat. Res.*, 25:200, 1965.

- 138. Hunt, E.L., and D.J. Kimeldorf, The Humoral Factor in Radiation-Induced Motivation, *Radiat. Res.*, 30:404-419, 1967.
- 139. Hunt, E.L., H.W. Carroll, and D.J. Kimeldorf, Effects of Dose and of Partial-Body Exposure on Conditioning Through a Radiation-Induced Humoral Factor, *Physiol. Behav.*, 3:809-913, 1968.
- 140. Hunt, E.L., H.W. Carroll, and D.J. Kimeldorf, Humoral Mediation of Radiation-Induced Motivation in Parabiont Rats, Science, 150:1747-1748, 1965.
- 141. Hunt, E.L., H.W. Carroll, and D.J. Kimeldorf, Some Characteristics of the Humoral Motivating Factor Induced by Radiation in Parabiont Rats, *Radiat. Res.*, 27:511-512, 1966.
- 142. Hunt, E.L., Prompt Reactions of the Rabbit to X-rays, *Naval Radiological Defense Laboratory NRDL-TR-69-17*, 1969.
- 143. Hunt, W.A., B.M. Rabin, and J. Lee, Effects of Subdiaphragmatic Vagotomy on the Acquisition of a Radiation-Induced Conditioned Taste Aversion, *Neurotox. Teratol.*, 9:75-77, 1987.
- 144. Hunt, W.A., Comparative Effects of Exposure to High-Energy Electrons and Gamma Radiation on Active Avoidance Behavior, *Int. J. Radiat. Biol.*, 44(3):257-260, 1983.
- 145. Hunter, C.G., R.J. Munson, W.M. Court Brown, and J.D. Abbatt, The General Radiation Syndrome: Initial Reaction in the Monkey, *Nature*, 180:1466, 1957.
- 146. Hupp, E.W., H.B. Pace, E. Furchtgott, and R.L. Murphree, Effect of Fetal Irradiation on Mating Activity in Male Rats, *Psychol. Rept.*, 7:289-294, 1960.
- 147. Innes, J.R., and S. Carsten, Delayed Effects of Localized X-irradiation of the Nervous System of Experimental Rats and Monkeys, *Brookhaven Symp. Biol.*, 14:200-203, 1961.
- 148. Iwanowski, L., and M. Ostenda, Ultrastructure of Rat Cerebral Vessels 4 Months After Gamma Irradiation, *Neuropat. Pol.*, 13:527-529, 1975.
- 149. Jarrard, L.E., Effects of X-irradiation on Operant Behavior in the Rat, J. Comp. Physiol. Psychol., 56:608-611, 1963.
- 150. Jarrard, L.E., The Effects of Long-Continued, Low-Intensity Gamma Irradiation on Learning and Body Weight in the Rat, *J. Comp. Physiol. Psychol.*, 51:536-540, 1958.
- 151. Jetter, W.W., O.R. Lindsley, and F.J. Wohlwill, The Effects of X-Irradiation on Physical Exercise and Behavior in the Dog; Related Hematological and Pathological Control Studies, USAEC Rept. NYO-4548, New York, 1953.
- 152. Jones, D.C., and D.J. Kimeldorf, Gastrointestinal Function during Exposure to X-rays, *Radiat. Res.*, 11:832-843, 1959.

- 153. Jones, D.C., D.J. Kimeldorf, D.O. Rubadeau, and T.J. Castanera, Relationships between Volitional Activity and Age in the Male Rat, *Am. J. Physiol.*, 172:109-114, 1953.
- 154. Jones, D.C., D.J. Kimeldorf, D.O. Rubadeau, G.K. Osborn, and T.J. Castanera, Effect of X-irradiation on Performance of Volitional Activity by the Adult Male Rat, *Am. J. Physiol.*, 177:243-250, 1954.
- 155. Jones, D.C., D.J. Kimeldorf, G.K. Osborn, T.J. Castanera and D.O. Rubadeau, Volitional Activity Response of Rats to Partial-Body X-irradiation, *Am. J. Physiol.*, 189:15-20, 1957.
- 156. Jones, D.C., D.J. Kimeldorf, T.J. Castanera, D.O. Rubadeau, and G.K. Osborn, Effect of Bone Marrow Therapy on the Volitional Activity of Whole-Body X-irradiated Rats, *Am. J. Physiol.*, 189:21-23, 1957.
- 157. Kaplan, S.J., and E.M. Gresko, The Effects of Pulsed Gamma-Neutron Radiation upon the Performance of the Unfettered Monkey, *AFRRI Scientific Report for Defense Nuclear Agency SR69-9*, 1969.
- 158. Kaplan, S.J., C.D. Tait Jr., P.D. Wall, and R.B. Payne, *Behavioral Changes Following Radiation. 1. Study of Retention of a Partially Learned Maze Habit*, USAF School Aviat. Med., Unnumbered Proj., Rept. No. 1, Randolph Field, Texas, 1951.
- 159. Kaplan, S.J., G. Gentry, W.H. Melching, and M. Delit, Some Effects of a Lethal Dose of X-Radiation Upon Retention in Monkeys, *USAF School of Aviat. Med. Proj. No. 21-3501-0003*, Rept. No. 8, Randolph Field, Texas, 1954.
- 160. Kaplan, S.J., W.H. Melching, J.B. Reid, S. Rothermel, and O. Johnson, Behavior, In *The Effects from Massive Doses of High Dose Rate Gamma Radiation on Monkeys*, USAF School of Aviat. Med., Rpt. No. 60-57, Brooks AFB, Texas, 1960.
- 161. Khrushchev, V.G., N.G. Darenskaya, and G.M. Pravdina, Behavior of Mice in a Gamma-Radiation Field, *Radiobiologiya*, 1:940-945, 1961; USAEC Rpt. AEC-tr-5427, pp. 196-204, 1961.
- 162. Kimeldorf, D.J., and B.D. Newsom, Survival of Irradiated Rats during Prolonged Exposure to Environmental Cold, *Am. J. Physiol.*, 171:349-353, 1952.
- 163. Kimeldorf, D.J., and D.C. Jones, The Relationship of Radiation Dose to Lethality Among Exercised Animals Exposed to Roentgen Rays, *Am. J. Physiol.*, 167:626-632, 1951.
- 164. Kimeldorf, D.J., and E.L. Hunt, *Ionizing Radiation: Neural Function and Behavior*, Academic Press, 1965.
- 165. Kimeldorf, D.J., D.C. Jones, and M.C. Mishler, The Effect of Exercise upon the Lethality of Roentgen Rays for Rats, *Science*, 112:175-176, 1950.

- 166. Kimeldorf, D.J., D.C. Jones, and T.J. Castanera, Effect of X-irradiation upon the Performance of Daily Exhaustive Exercise by the Rat, *Am. J. Physiol.*, 174:331-334, 1953.
- 167. Kimeldorf, D.J., Garcia, J., and D.O. Rubadeau, Radiation-Induced Conditioned Avoidance Behavior in Rats, Mice, and Cats, *Radiat. Res.*, 12:710-718, 1960.
- 168. Kimeldorf, D.J., J. Garcia, and E.L. Hunt, The Behavior of Rats during a Sham-Irradiation Test (Abstract), *Radiat. Res.*, 3:332-333, 1955.
- 169. Kimeldorf, D.J., The Effects of Ionizing Radiation on the Physical Performance of Animals, In Performance Capacity: A Symposium, Natl. Res. Council-Natl. Acad. Sci. (U.S.) and Quartermaster Food Container Inst. Rept., Chicago, IL, pp. 205-212, 1961.
- 170. Kimeldorf, D.J., The Measurement of Performance in Small Laboratory Animals, in Performance Capacity: A Symposium, Natl. Res. Council-Natl. Acad. Sci. (U.S.) and Quartermaster Food Container Inst. Rept, Chicago, IL., pp. 99-112, 1961.
- 171. Koch, R., and D. Klemm, Pharmakologische und Neurophysiologische Untersuchungen am Rontgenganzbestrahlten Tier. II. Mitteilung, Fortschr. *Gebiete Rontgenstrahlen Nuklearmed.*, 93:642-647, 1960
- 172. Kocmeirska-Grodzka, D., A. Romatowska, and A. Szymanski, Investigations on the Relations between the Biochemical Changes in the Brain and Behavior of Irradiated Rats, Strahlentherapie, 150:102-108, 1975.
- 173. Landauer, M.R., G.D. Ledney, and H.D. Davis, Locomotor Behavior in Mice Following Exposure to Fission-Neutron Irradiation and Trauma, *Avait. Space Environ. Med.*, 58:1205-1210, 1987.
- 174. Langham, W., K.T. Woodward, S.M. Rothermel, P.S. Harris, C.C. Lusbaugh, and J.B. Storer, Studies of the Effect of Rapidly Delivered, Massive Doses of Gamma Rays on Mammals, *Radiat. Res.*, 5:404-432, 1956.
- 175. Leary, R.W., Food-Preference Changes of Monkeys Subjected to Low-Level Irradiation, *J. Comp. Physiol. Psychol.*, 48:343-346, 1955.
- 176. Levy, C.J., M.E. Carroll, J.C. Smith, and K.G. Hofer, Antihistamines Block Radiation-Induced Taste Aversions, *Science*, 186:1044-1046, 1974.
- 177. Levy, C.K., and H. Quastler, Acute Responses of the Vestibular Apparatus to X-irradiation, *Radiat. Res.*, 16:189-200, 1960.
- 178. Livshits, N.N., Physiological Effects of Nuclear Radiations on the Central Nervous System, *Advan. Biol. Med. Phys.*, 7:173-248, 343-344, 1960.
- 179. Lyman, R.S., P.S. Kupalov, and W. Scholz, Effect of Roentgen Rays on the Central Nervous System. Results of Large Doses on the Brains of Adult Dogs, *Arch. Neurol. Psychiat.*, 29:56-87, 1933.

- 180. Martin, B.A., and S.M. Michaelson, Exercise Performance of Upper-Body X-Irradiated Dogs, *Am. J. Physiol.*, 1966.
- 181. Mattsson, J.L., and M.G. Yochmowitz, Radiation-Induced Emesis in Monkeys, *Radiat. Res.*, 82:191-199, 1980.
- 182. McDowell, A.A., and W.L. Brown, A Comparison of Normal and Irradiated Monkeys on an Oddity-Reversal Problem, *J. Genet. Psychol.*, 95:105-110, 1959.
- 183. McDowell, A.A., and W.L. Brown, Comparisons of Running Wheel Activity of Normal and Chronic Radiated Rats under Varying Conditions of Food Deprivation, J. Genet. Psychol., 96:79-83, 1960.
- 184. McDowell, A.A., and W.L. Brown, Facilitative Effects of Irradiation on Performance of Monkeys on Discrimination Problems with Reduced Stimulus Cues, *J. Genet. Psychol.*, 93:73-78, 1958.
- 185. McDowell, A.A., and W.L. Brown, Latent Effects of Chronic Whole-Body Irradiation upon the Performance of Monkeys on the Spatial Delayed-Response Problem, *J. Genet. Psychol.*, 61:61-64, 1959.
- 186. McDowell, A.A., and W.L. Brown, Perseveration Learning Set Formation to Non-Rewarded Cues by Normal and Previously Irradiated Rhesus Monkeys, *J. Genet. Psychol.*, 107:309-311, 1965.
- 187. McDowell, A.A., and W.L. Brown, Social Distractibility of Normal and Previously Irradiated Male Rhesus Monkeys, *J. Genet. Psychol.*, 103:309-316, 1963.
- 188. McDowell, A.A., and W.L. Brown, Social Distractibility of Previously Irradiated Female Rhesus Monkeys, *J. Genet. Psychol.*, 108:35-38, 1966.
- 189. McDowell, A.A., and W.L. Brown, Some Evidence of "Psychic Blindness" in Monkeys with Focal-Head Irradiation of the Temporal Lobes, *J. Genet. Psychol.*, 103:317-323, 1963.
- McDowell, A.A., and W.L. Brown, Visual Acuity Performance of Normal and Chronic Focal-Head Irradiated Monkeys, J. Genet. Psychol., 96:133-137, 1960.
- 191. McDowell, A.A., and W.L. Brown, Effects of Repetitious Work on Performance of Normal and Focal-Head Irradiated Monkeys, *J. Genet. Psychol.*, 103:305-308, 1963.
- 192. McDowell, A.A., and W.L. Brown, Response Latencies of Normal and Focal-Head Irradiated Monkeys, *J. Genet. Psychol.*, 103:325-329, 1963.
- 193. McDowell, A.A., and W.L. Brown, Sex and Radiation as Factors in Peripheral Cue Discrimination, *J. Genet. Psychol.*, 102:261-265, 1963.

- 194. McDowell, A.A., and W.L. Brown, Some Comparisons of Normal and Irradiated Monkeys on Between-day Reversal Learning, *J. Genetic Psychology*, 103:369-372, 1963.
- 195. McDowell, A.A., and W.L. Brown, Some Differences in Extinction by Normal and Whole-Body Irradiated Monkeys, *J. Genet. Psychol.*, 103:335-340, 1963.
- 196. McDowell, A.A., R.T. Davis, and J.P. Steele, Application of Systematic Direct Observational Methods to Analysis of the Radiation Syndrome in Monkeys, *Percept. Motor Skills (Monograph Suppl. 3)*, 6:117-130, 1956.
- 197. McDowell, A.A., W.L. Brown, and A.C. McTee, Sex as a Factor in Delayed-Response and Reduced-Cue Discrimination Learning by Previously Irradiated Monkeys, *J. Genet. Psychol.*, 100:325-329, 1962.
- 198. McFarland, W.L., and R.W. Young, Performance of the Monkey Following Two Unequal Pulses of Radiation, AFRRI Scientific Report for Defense Nuclear Agency SR71-6, 1971.
- 199. McFarland, W.L., and S.G. Levin, Effects of Pulsed Gamma-Neutron Irradiation on the EEG and Behavior of the Monkey, *AFRRI Scientific Report for Defense Nuclear Agency SR72-8*, 1972.
- 200. McLaurin, W.A., B.B. Scarborough, and J.A. Farley, Delay of Postirradiation Test Fluids: A Factor in Saccharin Avoidance Behavior, *Radiat. Res.*, 22:45-52, 1964.
- 201. McLaurin, W.A., Postirradiation Saccharin Avoidance in Rats as a Function of the Interval Between Ingestion and Exposure, *J. Comp. Physiol. Psychol.*, 57:316-317, 1964.
- 202. Meier, G.W., D.P. Foshee, A.P. Matheny Jr., and F. Carr, Irradiation and Aging: Behavioral Implications, *Radiat. Res.*, 16:130-137, 1962.
- 203. Meier, G.W., Early Behavioral Analysis of Low-Dose-Rate, High-Dose Gamma-Irradiation Effects, *Radiat. Res.*, 22:398-403, 1964.
- 204. Meier, G.W., Irradiation, Genetics and Aging: Behavioral Implications, In Effects of Ionizing Radiation on the Nervous System; Proceedings, pp. 187-196, International Atomic Energy Agency, Vienna, Austria, 1962.
- 205. Meizerov, E.S., The Influence of Whole-Body X-ray Irradiation with Fractionated Doses on the Conditioned Activity of Dogs, *Biophysics*, 4(6):85-97, 1959.
- 206. Melching, W.H., and S.J. Kaplan, Some Effects of a Lethal Dose of X-Radiation Upon Retention. Studies of Shock Avoidance Motivation, USAF School of Aviat. Med. Proj. No. 21-3501-0003, Rpt. No. 9, Randolph Field, Texas, 1954.
- 207. Melching, W.H., and S.J. Kaplan, Some Effects of a Lethal Dose of X-radiation on Retention. Studies of Shock Avoidance Motivation, USAF

- School Aviat. Med., Proj. No. 21-3501-0003, Rept. No. 9, Randolph Field, Texas, 1954.
- 208. Mickley, G.A., and H. Teitelbaum, Persistence of Lateral Hypothalamic-Mediated Behavior after a Supralethal Dose of Ionizing Radiation, *Aviat. Space Environ. Med.*, 49:868-873, 1978.
- 209. Mickley, G.A., Behavioral and Physiological Changes Produced by a Supralethal Dose of Ionizing Radiation: Evidence for Hormone-Influenced Sex Differences in the Rat, *Radiat. Res.*, 81:48-75, 1980.
- 210. Mickley, G.A., G.R. Sessions, V. Bogo, and K.H. Chantry, Evidence for Endorphin-Mediated Cross-Tolerance Between Chronic Stress and the Behavioral Effects of Ionizing Radiation, *Life Sciences*, 33:749-754, 1983.
- 211. Mickley, G.A., H. Teitelbaum, G.A. Parker, F. Vieras, B.A. Dennison, and C.H. Bonney, Radiogenic Changes in the Behavior and Physiology of the Spontaneously Hypertensive Rat: Evidence for a Dissociation Between Acute Hypotension and Incapacitation, Aviat. Space Environ. Med., 53(7):633-638, 1982.
- 212. Mickley, G.A., K.E. Stevens, G.A. White, and G.L. Gibbs, Changes in Morphine Self-Administration after Exposure to Ionizing Radiation: Evidence for the Involvement of Endorphins, *Life Science*, Vol. 33, pp. 711-718.
- 213. Mickley, G.A., K.E. Stevens, G.A. White, and G.L. Gibbs, Endogenous Opiates Mediate Radiogenic Behavioral Change, *Science*, 220:1185-1187, 1983.
- 214. Miletich, D.J., and T.A. Strike, Alteration of Postirradiation Hypotension and Incapacitation in the Monkey by Administration of Vasopressor Drugs, *AFRRI Scientific Report for Defense Nuclear Agency SR70-1*, 1970.
- 215. Monnier, M., and P. Krupp, Early Action of Gamma Radiations on Electrical Brain Activity and Behavior in the Rabbit, *Exptl. Neurology*, 3:419-431, 1961.
- 216. Moos, W.S., H.C. Mason, M. Counelis, and R.A. Harvey, Effects of Extremely High X-ray Intensities and Dosages on Mice, *Proc. Soc. Exptl. Biol. Med.*, 101:309-314, 1959.
- 217. Morris, D.D., and J.C. Smith, X-ray-Conditioned Saccharin Aversion Induced during the Immediate Postexposure Period, *Radiat. Res.*, 21:513-529, 1964.
- 218. Munn, N.L., Handbook of Psychological Research on the Rat, Houghton Miffilin Company, Boston, MA, 1950.
- 219. Murphree, O.D., C.S. Pool, and T.T. Frost, Maze Performance and Fixated Behavior in the Rat after Cranial X-irradiation, *J. Nerv. Mental Disease*, 132:304-306, 1961.

- 220. Murphy, M.R., D.W. Blick, T.E. Dayton, G.A. Goddard, T.G. Wheeler, and M.E. Campbell, lonizing Radiation and Chemical Combat Hazards: Effects of Time of Exposure or Combined Hazards on Performance in Rats, *USAFSAM-TR-85-103*, 1986.
- 221. Musacchia, X.J., and R.E. Barr, Survival of Whole-Body-Irradiated Hibernating and Active Ground Squirrels: Citellus Tridecemilineatus, *Radiat. Res.*, 33:348-356, 1968.
- 222. Naitoh, P., F.A. Spurrell, and G.T. Heistad, Effect of Whole Brain Co⁶⁰ Gamma Irradiation on Cortical Arousal in the Burro, *Electroencephalogr. Clin. Neurophysiol.*, 19:172-181, 1965.
- 223. Nelson, L., and F.H. Wagner, Effects of Sublethal, Cerebral X-irradiation on Movement, Activity and Home-Range Patterns of Black-Tailed Jackrabbits, Health Physics, 25:507-514, 1973.
- 224. Newsom, B.D., and D.J. Kimeldorf, Alterations in Physiological Accommodation to Stress Induced by Irradiation, *Aerospace Med.*, 34:226-230, 1963.
- 225. Newsom, B.D., and D.J. Kimeldorf, Species Differences in Altitude Tolerance Following X-irradiation, *Am. J. Physiol.*, 198:762-764, 1960.
- 226. Newsom, B.D., and D.J. Kimeldorf, Tolerance of Rats to a Cold Environment during Multiple Exposures to a Low Dose of X-rays, *Am. J. Physiol.*, 200:1039-1042, 1961.
- 227. Newsom, B.D., and D.J. Kimeldorf, Role of Food Consumption in the Mortality Response of Irradiated Rats Subjected to Prolonged Cold Exposure, *Am. J. Physiol.*, 195:271-275, 1958.
- 228. Newsom, B.D., and D.J. Kimeldorf, The Resistance of Animals to Acute Cold Exposure Following X-irradiation, *Intern. J. Radiat. Biol.*, 4:143-149, 1961.
- 229. O'Farrell, T.P., J.D. Hedlund, R.J. Olson, and R.O. Gilbert, Radiation Effects in Free-Ranging Pocket Mice, Perognathus Parvus, During the Breeding Season, *Science*, 179:289-291, 1973.
- 230. Olds, J., and P. Milner, Positive Reinforcement Produced by Electrical Stimulation of Septal Area and Other Regions of Rat Brain, *J. Comp. Physiol. Psychol.*, 47:419-427, 1957.
- 231. Ordy, J.M., H.W. Barnes, T. Samorajski, H.J. Curtis, L. Wolin, and W. Zeman, Pathologic and Behavioral Changes in Mice after Deuteron Irradiation of the Central Nervous System, *Radiat. Res.*, 18:31-45, 1963.
- 232. Ordy, J.M., T. Samorajski, L.A. Horrocks, W. Zeman, and H.J. Curtis, Changes in Memory, Electrophysiology, Neurochemistry and Neuronal Ultrastructure after Deuteron Irradiation of the Brain in C57BL/10 Mice, J. Neurochem., 15:1245-1256, 1968.

- 233. Ordy, J.M., T. Samorajski, W. Zeman, R.L. Collins, and H.J. Curtis, Longterm Pathologic and Behavioral Changes in Mice after Focal Deuteron Irradiation of the Brain, *Radiat. Res.*, 20:30-42, 1963.
- 234. Osborn, G.K., and D.J. Kimeldorf, Some Radiation Responses of Two Species of Bats Exposed to Warm and Cold Temperatures, *J. Exptl. Zool.*, 134:159-169, 1957.
- 235. Ossenkopp, K.P., and L. Giugno, Taste Aversions Conditioned with Multiple Exposures to Gamma Radiation: Abolition by Area Postrema Lesions in Rats, *Brain Res.*, 346:1-7, 1985.
- Overall, J.E., W.L. Brown, and L.C. Logie, Instrumental Behavior of Albino Rats in Response to Incident X-radiation, *Brit. J. Radiol.*, 32:411-414, 1959.
- 237. Overall, J.E., L.C. Logie, and W.L. Brown, Changes in the Shuttle-Box Behavior in Albino Rats in Response to X-irradiation at 1 R/min, *Radiat. Res.*, 11:589-599, 1959.
- 238. Overall, J.E., W.L. Brown and L.C. Logie, The Shuttle-Box Behavior of Albino Rats during Prolonged Exposure to Moderate-level Radiation, *Nature*, 185:665-666, 1960.
- 239. Painter, E.E., C.L. Prosser, and M.C. Moore, Physiological Observations on Rabbits Exposed to Single Doses of X-rays, In *Biological Effects of External X- and Gamma Radiation, Part 2*, pp. 147-181, USAEC Rept. TID-5220, Oak Ridge, 1956.
- 240. Payne, R.B., Effects of Acute Radiation Exposure on Human Performance, *USAF School of Aerospace Med., Aeromed. Rev. 3-63*, Brooks AFB, Texas, 1963.
- 241. Peacock, L.J., and J.A. Watson, Radiation-Induced Aversion to Alcohol, Science, 143:1462-1463, 1964.
- 242. Peacock, L.J., and W.T. James, Effects of Repeated Small Doses of Gamma Radiation on Conditioned Reflexes, In *Response of the Nervous System to Ionizing Radiation* (2nd Intern. Symp.), Little, Brown and Company, Boston, pp. 625-631, 1964.
- 243. Peng, M., S. Chien, and M.I. Gregersen, Effect of Large Doses of Head Irradiation in Dogs, *Am. J. Physiol.*, 194(2):344-350, 1958.
- 244. Perry Jr., N.W., Avoidance Conditioning of NaCl with X-irradiation of the Rat, *Radiat. Res.*, 20:471-476, 1963.
- Persinger, M.A. and T.B. Fiss, Mesenteric Mast Cell Degranulation is not Essential for Conditioned Taste Aversion, *Pharmacol. Biochem. Behav.*, 9:725-730, 1978.
- 246. Peterson, D.C., and H.L. Andrews, The Role of Ozone in Radiation Avoidance in the Mouse, *Radiat. Res.*, 19:331-336, 1963.

- 247. Phillips, R.D., D.J. Kimeldorf, and D.C.L. Jones, The Relative Potency of Fast Neutrons and 250 kvp X-rays in the Guinea Pig, *Radiat. Res.*, 19:142-155, 1963.
- 248. Pitchford, T.L., Beagle Incapacitation and Survival Time after Pulsed Mixed Gamma-Neutron Irradiation, *AFRRI Scientific Report for Defense Nuclear Agency SR68-24*, 1968.
- 249. Pribram, K.H., Reinforcement Revisited: A Structural View, In *Nebraska Symposium on Motivation: 1963,* Vol. 11, University of Nebraska Press, Lincoln, NB., pp. 113-159, 1963.
- 250. Rabin, B.M., W.A. Hunt, and J. Lee, Attenuation of Radiation- and-Drug-Induced Conditioned Taste Aversions Following Area Postrema Lesions in the Rat, *Radiat. Res.*, 93:388-394, 1983.
- 251. Rabin, B.M., W.A. Hunt, and J. Lee, Effects of Dose and of Partial Body Ionizing Radiation of Taste Aversion Learning in Rats with Lesions of the Area Postrema, *Physiol. Behav.*, 32(1):119-122, 1984.
- 252. Rabin, B.M., W.A. Hunt, and J. Lee, Recall of a Previously Acquired Conditioned Taste Aversion in Rats Following Lesions of the Area Postrema, *Physiol. Behav.*, 32(3):503-506, 1984.
- 253. Rabin, B.M., W.A. Hunt, and J. Lee, State-Dependent Interactions in the Antihistamine-Induced Disruption of Radiation-Induced Conditioned Taste Aversion, *Radiat. Res.*, 90:621-627, 1982.
- 254. Rabin, B.M., W.A. Hunt, and J. Lee, Studies on the Role of Central Histamine in the Acquisition of a Radiation-Induced Conditioned Taste Aversion, *Radiat. Res.*, 90:609-620, 1982.
- 255. Riopelle, A.J., M.A. Grodsky, and H.W. Ades, Learned Performance of Monkeys after Single and Repeated X Irradiations, *J. Comp. Physiol. Psychol.*, 49:521-524, 1956.
- 256. Riopelle, A.J., Some Behavioral Effects of Ionizing Radiation on Primates, In Response of the Nervous System to Ionizing Radiation, *Academic Press, Inc.*, New York, pp. 719-728, 1962.
- 257. Romatowska, A., and D. Kocmierska-Grodzka, The Convulsive Action of Pentylemetetrazol and Electroshock in Irradiated Rats, *Pol. J. Pharmacol. Pharm.*, 29:335-343, 1977.
- 258. Ruch, T.C., W. Isaac, and R.W. Leary, Behavioral and Correlated Hematologic Effects of Sublethal Whole Body Irradiation, in *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 691-703, 1962.
- 259. Rust, J.H., B.F. Trum, H.J. Lane, W.S.G. Kuhn III, J.R. Raysinger and T.J. Haley, Effects of 50 Roentgens and 25 Roentgens Fractional Daily Total-Body Gamma Irradiation in the Burro, *Radiat. Res.*, 2:475-482, 1955.

- 260. Rust, J.H., B.F. Trum, J.L. Wolding, C.S. Simons, and C.L. Comer, Lethal Dose Studies with Burros and Swine Exposed to Whole-Body Cobalt-60 Irradiation, *Radiology*, 62:569-574, 1954.
- 261. Scarborough, B.B., J. Martin, and W.A. McLaurin, Ionizing Irradiation: Effects of Repeated Low Dose Exposure, *Physiol. Behav.*, 1:147-150, 1966.
- 262. Schoenbrun, R.L., E. Campeau, and W.R. Adey, EEG and Behavioral Effects from X-irradiation of the Hippocampal System, In *Response of the Nervous System to Ionizing Radiation (2nd Intern. Symp.)*, Little, Brown & Company, Boston, Mass., pp. 591-620, 1964.
- 263. Seigneur, L.J., and J.T. Brennan, Incapacitation in the Monkey (Macaca mulatta) Following Exposure to a Pulse of Reactor Radiations, *AFRRI Scientific Report for Defense Nuclear Agency SR66-2*, 1966.
- 264. Sessions, G.R., Histamine and Radiation-Induced Taste Aversion Conditioning, *Science*, 190:402-403, 1975.
- 265. Sharp, J.C., and D.L. Daoust, The Effects of Massive Doses of Ionizing Radiation upon Conditioned Avoidance Behavior of the Primate, *Tech. Rept. No. 3, Behavioral Radiology Laboratory,* Walter Reed Army Institute of Research, Washington, D.C., 1964.
- 266. Shipman, T.L. (ed), Acute Radiation Death Resulting from an Accidental Nuclear Critical Excursion, *J. Occupational Med., Spec. Supp.,* 3:146-192, 1961.
- 267. Shively, J.N., H.L. Andrews, H.P. Miller, A.R. Warner Jr., and W.P. McNulty, Responses of Swine to High Doses of Radiation, *Proc. Soc. Exptl. Biol. Med.*, 101:74-77, 1959.
- 268. Smith, D.E., The Influence of X-irradiation upon Dormancy in Vertebrates, *J. Exptl. Zool.*, 139:85-94, 1958.
- 269. Smith, F., and M.M. Grenan, Effect of Hibernation upon Survival Time Following Whole-Body Irradiation in the Marmot (Marmota Monax), *Science*, 113:686-688, 1951.
- 270. Smith, F., and W.W. Smith, Exercise Effects on Tolerance to Radiation, *Am. J. Physiol.*, 165:662-666, 1951.
- 271. Smith, J.C., and D.D. Morris, Effects of Atropine Sulphate on the Conditioned Aversion to Saccharin Fluid with X-ray as the Unconditioned Stimulus, *Radiat. Res.*, 18:186-190, 1963.
- 272. Smith, J.C., and D.D. Morris, The Effects of Atropine Sulphate and Physostigmine on the Conditioned Aversion to Saccharin Solution with X-rays as the Unconditioned Stimulus, In Response of the Nervous System to Ionizing Radiation (2nd Intern. Symp.), Little, Brown & Company, Boston, Mass., pp. 662-672, 1964.

- 273. Smith, J.C., D.D. Morris, and J. Hendricks, 7. Further Studies of Conditioned Aversion to Saccharin Induced During the Post Exposure Period, In *Studies in the Use of Ionizing Radiations as Noxious Stimuli, Bull. 15, FSU-2690-15*, Inst. Mol. Biophys., Tallahassee, FL, 1964.
- 274. Smith, J.C., H.L. Taylor, D.D. Morris, and J. Hendricks, Further Studies of X-ray Conditioned Saccharin Aversion During the Post Exposure Period, *Radiat. Res.*, 24:423-431, 1965.
- 275. Smith, J.C., Radiation: Its Detection and Its Effects on Taste Preferences, *Progress in Physiol. Psychol.*, 4:53-117, 1971.
- 276. Smith, W.W., B.J. Highman, J.R. Mitchell, and H.C. Blount Jr., Effect of Environmental Temperature of the Response of Mice to Whole-Body Roentgen Radiation, *Proc. Soc. Exptl. Biol. Med.*, 71:498-501, 1949.
- 277. Spector, A.C., J.C. Smith, and G.R. Hollander, A Comparison of Dependent Measures used to Quantify Radiation-Induced Taste Aversion, *Physiol. Behavior*, 27:887-901, 1981.
- 278. Spector, A.C., J.C. Smith, and G.R. Hollander, Radiation-Induced Taste Aversion: Effects of Radiation Exposure Level and the Exposure-Taste Interval, *Radiat. Res.*, 106:271-277, 1986.
- 279. Stahl, W.R., A Review of Soviet Research on the Central Nervous System Effects of Ionizing Radiations, *J. Nerv. Mental Disease*, 129:511-529, 1959.
- 280. Stahl, W.R., Review of Neurophysiologic and Psychologic Research on Irradiation Injury in the USSR, In *Response of the Nervous System to Ionizing Radiation*, Academic Press, Inc., New York, pp. 469-488, 1962.
- 281. Tait Jr., C.D., P.D. Wall, M. Balmuth, and S.J. Kaplan, Behavioral Changes Following Radiation: II. Maternal Behavior and Maze Performance, USAF School Aviat. Med., Proj. No. 21-3501-005, Special Rept. NP-4026, Randolph Field, Texas, 1952.
- 282. Taylor, H.L., J.C. Smith, and A.H. Wall, Effect of Bilateral Olfactory Tract Lesions on Behavioral Detection of X-rays in the Rhesus Monkey, *USAF Aeromedical Research Laboratory ARL-TR-68-7*, 1968.
- 283. Taylor, J.F., J.L. Terry, M.E. Ekstrom, and J.E. West, Temporal Change in Radiosensitivity of Miniature Swine as Evaluated by the Split-Dose Technique, *AFFRI Scientific Report for Defense Nuclear Agency SR74-14*, 1974.
- 284. Thorp, J.W., and J.E. Germas, Performance of Monkeys after Partial Body Irradiation, *AFRRI Scientific Report for Defense Nuclear Agency SR69-18*, 1969.
- 285. Thorp, J.W., and R.W. Young, Monkey Performance after Partial Body Irradiation: Dose Relationships, AFRRI Scientific Report for Defense Nuclear Agency SR70-11, 1970.

- 286. Thorp, J.W., and R.W. Young, Neutron Effectiveness for Causing Incapacitation in Monkeys, *AFRRI Scientific Report for Defense Nuclear Agency SR72-5*, 1972.
- 287. Thorp, J.W., R.L. Chaput, and R.T. Covacic, Performance of Miniature Pigs after Partial-Body Irradiation, *AFRRI Scientific Report for Defense Nuclear Agency SR69-20*, 1969.
- 288. Trum, B.F., T.J. Haley, M. Bassin, J. Heglin, and J.H. Rust, Effect of 400 R Fractional Whole-body Gamma-irradiation in the Burro (*Equus asinus asinus*), *Am. J. Physiol.*, 174:57-60, 1953.
- 289. Trum, B.F., Whole-Body Irradiation of Large Animals, *Military Surgeon*, 12:333-341, 1953.
- 290. Turbyfill, C.L., R.M. Roudon, V.A. Kieffer, Behavior and Physiology of the Monkey (Macaca mulatta) Following 2500 Rads of Pulsed Mixed Gamma-Neutron Radiation, AFRRI Scientific Report for Defense Nuclear Agency SR71-10, 1971.
- 291. Udgodskaya, L.N., and Y.G. Yudin, The Effect of Work on the Clinicomorphological Characteristics of Acute Radiation Sickness, *Med. Radiol.*, 2:68-74, 1957.
- 292. Urmer, A.H., and W.L. Brown, The Effect of Gamma Radiation on the Reorganization of a Complex Maze Habit, *J. Genet. Psychol.*, 97:67-76, 1960.
- 293. Van Cleave, C.D., *Irradiation and the Nervous System,* Rowman and Littlefield, Inc., New York, 1963.
- 294. Warren, J.J., S.J. Kaplan, and D.D. Greenwood, The Solution of Discrimination Reversal Problems by Normal and Irradiated Monkeys, USAF School Aviat. Med., Proj. No. 21-3501-0003, Rept. No. 16, Randolph AFB, Texas, 1955.
- 295. Wheeler, T.G., K.A. Hardy, L.B. Anderson, and S. Anderson, Motor Performance in Irradiated Rats as a Function of Radiation Source, Dose, and Time Since Exposure, *Final Report for USAF School of Aerospace Medicine* USAFSAM-TR-84-8, 1984.
- 296. White, R.K., and W.L. Brown, Conditioned Food Avoidance on a T-maze in Irradiated Rats, *J. Genet. Psychol.*, 61:151-158, 1959.
- 297. Wilson, S.G., Radiation-Induced Central Nervous System Death, *School of Aviation Medicine*, USAF Report No. 59-58, 1959.
- 298. Yamazaki, J.N., A Review of the Literature on the Radiation Dosage Required to Cause Manifest Central Nervous System Disturbances from In Utero and Postnatal Exposure, *J. Am. Acad. Pediat.*, 37:878-903, 1966.
- 299. Yochmowitz, M., R. Patrick, R. Jaeger, and D. Barnes, Protracted Radiation-Stressed Primate Performance, *Aviat. Space Environ. Med.*, 1977.

- 300. Yochmowitz, M.G., C. Brown, and K.A. Hardy, Performance Following a 500-675 rad Neutron Pulse, *Aviat., Space Environ. Med.,* 56:525-533, 1985.
- 301. Young, R.W., and D.A. Kessler, Performance of Sequential Tasks by Unrestrained Monkeys Following a 4200-rad Pulse of Mixed Gamma-Neutron Radiation, AFRRI Scientific Report for Defense Nuclear Agency SR69-14, 1969.
- 302. Young, R.W., and W.L. McFarland, Performance of the Monkey (Macaca mulatta) after Two 2500-rad Pulses of Mixed Gamma-Neutron Radiation, AFRRI Scientific Report for Defense Nuclear Agency SR72-19, 1972.
- 303. Young, R.W., and W.L. McFarland, The Effects of 15,000 rads Pulsed Gamma-Neutron Radiation on the Behavioral Performance of Monkeys (Macaca mulatta), AFRRI Scientific Report for Defense Nuclear Agency SR70-7, 1970.

A.4 READING LIST: CARDIOVASCULAR SYSTEM.

- 1. Adamson, I.Y.R., D.H. Bowden, and J.P. Wyatt, A Pathway To Pulmonary Fibrosis: An Ultrastructural Study Of Mouse and Rat Following Radiation to the Whole Body and Hemithorax, *Am. J. Path.*, 58:481-498, 1970.
- 2. Allen, J.R., and L.A. Carstens, Responses of Saimiri Sciureus Monkeys to Total Body X-irradiation: Clinical Signs and Pathologic Changes, *Am. J. Vet. Res.*, 11:2179-2188, 1968.
- 3. Alter, W.A., R.L. Pershing, and R.T. Goldhahn, Comparison of Sheep Physiological Responses to Pulsed Fission Spectrum or 60-Cobalt Gamma Radiations, *Technical Report No. AFWL-TR-70-93*, 1970.
- 4. Alter, W.A., G.N. Catravas, R.N. Hawkins, and C.R. Lake, Effect of Ionizing Radiation on Physiological Function in the Anesthetized Rat, AFRRI Scientific Report SR84-29, also in *Rad. Res.*, 99:394-409, 1984.
- 5. Alter, W.A., R.N. Hawkins, G.N. Catravas, T.F. Doyle, and J.K. Takenaga, Possible Roles of Histamine in Radiation-induced Hypotension in the Rhesus Monkey, *Rad. Res.*, 94:654, 1983.
- 6. Andersen, A.C., A Substance Observed Within the Vascular System of Dogs Receiving Lethal Exposures of Whole-body X-irradiation, *Rad. Res.*, 6:361-370, 1957.
- 7. Arthurson, G., and L. Thoren, Capillary Permeability Following Ionizing Radiation, In *Intermedes Proceedings 1968: Combined Injuries and Shock*, pp. 83-87, 1968.
- 8. Asscher, A.W., and S.G. Anson, Arterial Hypertension and Irradiation Damage to the Nervous System, *Lancet*, 2:1343-1346, 1962.
- 9. Asscher, A.W., C. Wilson, and S.G. Anson, Sensitisation of Blood-vessels to Hypertensive Damage by X-irradiation, *Lancet*, 2:580-583, 1961.
- 10. Badran, A.M., A.M. El-Naggar, A. Abdallah, and K.A. Mahmoud, Electrocardiographic Changes Following X-irradiation of the Canine Heart, *Am. Heart. J.*, 79:648-652, 1970.
- 11. Bell, M.C., Radiation Effects on Livestock: Physiological Effects, Dose Response, *Vet. Hum. Toxicol.*, 27:200-207, 1985.
- 12. Berdjis, C.C., Cardiovascular System and Radiation. Late Effects of X-rays on the Arteries of the Adult Rat, *Strahlentherapie*, 112:595-603, 1960.
- 13. Berdjis, C.C., Protracted Effects of Repeated Doses of X-ray Irradiation in Rats, Exp. Mol. Path., 2:157-172, 1963.
- 14. Berdjis, C.C., Arteriosclerosis and Irradiation, Fed. Proc., 27:414, 1968.

- 15. Berdjis, C.C., The Cardiovascular System, In Berdjis, C.C. (ed), *Pathology of Irradiation*, C.C. Williams and Wilkins Co., Baltimore, MD, pp. 377-407, 1971.
- 16. Bicher, H.I., G.V. Darymple, D. Ashbrook, R. Smith, and D. Harris, Effect of lonizing Radiation On Liver Microcirculation and Oxygenation, *Advances in Experimental Medicine and Biology Oxygen Transport to Tissue-II*, 75:497-503, 1976.
- 17. Bishop, V.S., H.L. Stone, J. Yates, J. Simek, and J.A. Davis, Effects of External Irradiation of the Heart on Cardiac Output, Venous Pressure, and Arterial Pressure, *J. Nuclear Med.*, 6:645-650, 1965.
- 18. Blakemore, W.F., and A.C. Palmer, Delayed Infarction of Spinal Cord White Matter Following X-irradiation, *J. Pathol.*, 137:273-280, 1982.
- 19. Blomstrand, C., B. Johansson, and B. Rosengren, Blood-brain Barrier Lesions in Acute Hypertension in Rabbits After Unilateral X-ray Exposure of Brain, *Acta Neuropath. (Berl.)*, 31:97-102, 1975.
- 20. Blomstrand, C., B. Johansson, and B. Rosengren, Dexamethasone Effect on Blood-brain Barrier Damage Caused by Acute Hypertension in X-irradiation Rabbits, *Acta Neurol. Scandinav.*, 52:331-334, 1975.
- 21. Borak, J., Radiation Effects on the Blood Vessels. Part III: Telangiectasis; Effects on Lymph Vessels, *Radiology*, 38:718-727, 1942.
- 22. Borak, J., Radiation Effects on Blood Vessels. I. Erythema; Edema, Radiology, 38:481-492, 1942.
- 23. Borak, J., Radiation Effects. II. Inflammation; Degeneration; Suppression of Growth Capacity; Retrogression; Necrosis, *Radiology*, 38:607-617, 1942.
- 24. Bosniak, M.A., M.A. Hardy, J. Quint, and N.A. Ghossein, Demonstration of the Effect of Irradiation on Canine Bowel Using *In Vivo* Photographic Magnification Angiography, *Radiology*, 93:1361-1368, 1969.
- 25. Boyer, N.H., and A.D. Conger, Low-dose X-radiation Damage to Capillaries of Mouse Small Intestine, *Invest. Radiol.*, 7:418-426, 1972.
- 26. Brooks, P.M., H.B. Gerstner, and S.A. Smith, Early Hypotension Induced in the Rabbit by Whole Body X-irradiation, *Am. J. Physiol.*, 186:532-536, 1956.
- 27. Brooks, P.M., E.O. Richey, and J.E. Pickering, Prompt Pulmonary Ventilation and Oxygen Consumption Changes in Rhesus Monkeys Associated With Whole-body Gamma-irradiation, *Rad. Res.*, 6:430-449, 1957.
- 28. Brown, R.C., and E. Glatstein, Comparison of Fractionated Versus Split-course Irradiation on Renal Blood Flow in Mice, *Cancer*, 32:524-527, 1973.
- 29. Brown, J.M., L.F. Fajardo, and J.R. Stewart, Mural Thrombosis of the Heart Induced by Radiation, *Arch. Path.*, 96:1-4, 1973.

- 30. Bruner, A., Effects of 60-Co on Electrical Self-stimulation of the Brain and Blood Pressure, Lovelace Foundation for Medical Education and Research for Defense Nuclear Agency, DNA 3163T, 1974.
- 31. Bruner, A., Effects on Blood Pressure and Heart Rate of Selective Shielding of Midline Trunk Structures in Monkeys Exposed to 1000 Rads 60-Co, *Topical Report DNA 4048T, Contract Nos. DASA 01-70-0059 and DNA 001-74-C-0098*, 1976.
- 32. Bruner, A., Immediate Changes in Estimated Cardiac Output and Vascular Resistance After 60-Co Exposure in Monkeys, *Topical Report DNA 4045T, Contract No. DNA 001-74-C-0098*, 1976.
- 33. Bruner, A., Immediate Dose-rate Effects of 60-Co on Performance and Blood Pressure in Monkeys, *Rad. Res.*, 70:378-390, 1977.
- 34. Bruner, A., Immediate Effects of 33 to 180 Rad/min 60-Co Exposure on Performance and Blood Pressure in Monkeys, Lovelace Foundation for Medical Education and Research for Defense Nuclear Agency Topical Report No. DNA414T (DNA 001-74-C-0098), 1976 Radiation Research, 70:378-390, 1977.
- 35. Bruner, A., V. Bogo, and E.A. Henderson, Dose-rate Effects of 60-Co Irradiation on Performance and Physiology in Monkeys, Lovelace Foundation for Medical Education and Research for the Defense Nuclear Agency, Topical Report DNA 001-74-C-0098, 1975.
- 36. Bruner, A., A.W. Neely, E.A. Henderson, and G.K. Weiss, Baroreceptor Reflex Response to Phenylephrine and Carotid Occlusion in Monkeys Receiving 1000 Rads Cobalt-60, Lovelace Foundation for Medical Education and Research for Defense Nuclear Agency, DNA316T, 1973.
- 37. Calvo, W., J.W. Hopewell, H.S. Reinhold, and T.K. Yeung, Radiation Induced Damage in the Choroid Plexus of the Rat Brain: A Histiological Evaluation, *Neuropathol. Appl. Neurobiol.* 12:47-61, 1986.
- 38. Calvo, W., J.W. Hopewell, H.S. Reinhold, A.P. van den Berg, and T.K. Yeung, Dose-dependent and Time-dependent Changes in the Choroid Plexus of the Irradiated Rat Brain, *Br. J. Radiol.*, 60:1109-1117, 1987.
- 39. Carpenter, D.O., Early Transient Incapacitation: A Review With Consideration of Underlying Mechanisms, AFRRI Scientific Report for Defense Nuclear Agency, SR79-1, 1979.
- 40. Caster, W.O., and W.D. Armstrong, Electrolyte Metabolism After Total-body X-irradiation, *Rad. Res.*, 5:189, 1956.
- 41. Caster, W.O., W.D. Armstrong, and E. Simonson, Changes in the Cardiovascular System Following Total Body X-irradiation, *Am. J. Physiol.*, 188:169-177, 1957.
- 42. Chapman, P.H., and R.J. Young, Effect of Cobalt-60 Gamma Irradiation on Blood Pressure and Cerebral Blood Flow in the Macaca Mulatta, *Rad. Res.*, 35:78-85, 1968.

- 43. Chapman, P.H., and R.J. Young, Effect of High Energy X-irradiation of the Head on Cerebral Blood Flow and Blood Pressure in the Macaca Mulatta, *Aerospace Med.*, 39:1316-1320, 1968.
- 44. Chien, S., L. Lukin, A.P. Holt, S.H. Cherry, W.S. Root, and M.I. Gregersen, The Effect of Total-body X-irradiation on the Circulation of Splenectomized Dogs, *Rad. Res.*, 7:277-287, 1957.
- 45. Clemente, C.D., and H.E. Richardson, Some Observations on Radiation Effects on the Blood-brain Barrier and Cerebral Blood Vessels, In Haley, T.J., and R.S. Snider (eds), *Response of the Nervous System to Ionizing Radiation*, Academic Press, NY, pp. 411-428, 1962.
- 46. Cockerham, L.G., and B.J. Kelman, Summary of Symposium on Acute Radiation-induced Injury, *Fund. Appl. Toxicol.*, 11:571-579, 1988.
- 47. Cockerham, L.G., T.J. Cerveny, and J.D. Hampton, Postradiation Regional Cerebral Blood Flow in Primates, *Aviat. Space Environ. Med.*, 57:578-582, 1986.
- 48. Cockerham, L.G., T.F. Doyle, M.A. Donlon, and C.J. Gossett-Hagerman, Antihistamines Block Radiation-induced Increased Intestinal Blood Flow in Canines, Fund. Appl. Toxicol., 5:597-604, 1985.
- 49. Cockerham, L.G., T.F. Doyle, T.B. Trumbo, and J.B. Nold, Acute Post-irradiation Canine Intestinal Blood Flow, *Int. J. Radiat. Biol.*, 45:65-72, 1984.
- 50. Cockerham, L.G., S.A. Simpson, T.F. Doyle, and C.J. Gossett-Hagerman, Canine Postradiation Plasma Glucose Variations, *Life Sciences*, *AFRRI Scientific Report SR84-16*, 1984.
- 51. Cohn, K.E., J.R. Stewart, L.F. Fajardo, and E.W. Hancock, Heart Disease Following Radiation, *Medicine*, 46:281-298, 1967.
- 52. Concannon, J.P., R.E. Summers, R. Brewer, C. Weil, and D. Hayeslip, High Oxygen Tension and Radiation Effect on the Kidney, *Radiology*, 82:508-519, 1964.
- 53. Coon, J.M., L.E. Ellinwood, and J.E. Wilson, Release of Potassium From the X-irradiated Mammalian Heart, *Fed. Proc.*, 14:329, 1955.
- 54. Cosgrove, G.E., A.C. Upton, and L.H. Smith, Radiation Glomerulo-sclerosis and Other Late Effects: Influence of Radiological Factors and AET, *Rad. Res.*, 25:725-735, 1965.
- 55. Davies, R.W., and J. Gamble, Changes in the Rate of Transudation of Vascular Fluid in the Isolated Rat Mesentery Following Irradiation, *J. Physiol.*, 266:71P-72P, 1977.
- De, A.K., S. Chipalkatti, and A.S. Aiyar, Effects of Chronic Irradiation on Age-related Biochemical Changes in Mice, *Rad. Res.*, 95:637-645, 1983.

- 57. Devik, F., A study of the Local Roentgen Reaction on the Skin of Mice, with Special Reference to the Vascular Effects, *Acta Radiol. (Supp.)*, 119:1-72, 1955.
- 58. Dimitrievich, G.S., S.L. Hausladen, F.T. Kuchnir, and M.L. Griem, Radiation Damage and Subendothelial Repair to Rabbit Ear Chamber Microvasculature, *Rad. Res.*, 69:276-292, 1977.
- 59. Downing, V., F.W. Bishop, and S.L. Warren, Effects of Roentgen Irradiation Upon the Blood Vessels of Repair Tissue and the Brown-Pearce Rabbit Epithelioma, *Am. J. Roentgenol.*, 43:249-261, 1940.
- 60. Doyle, T.F., C.R. Curran, and J.E. Turns, The Prevention of Radiation-induced, Early, Transient Incapacitation of Monkeys by an Antihistamine (37945), *Proc. Soc. Exper. Biol. Med.*, 145:1018-1024, 1974.
- 61. Dunjic, A., The Influence of Radiation on Blood Vessels and Circulation. X. Blood Flow and Permeability in Irradiated Skin, *Curr. Top. Radiat. Res. Q.*, 10:151-169, 1974.
- 62. Dunjic, A., The Influence of Radiation on Blood Vessels and Circulation. XI. Blood Flow and Permeability After Whole Body Irradiation, *Curr. Top. Radiat. Res. Q.*, 10:170-184, 1974.
- 63. Durakovic, A., Heart Function Studies in Dogs After Acute Gamma Irradiation of the Pericardium, *Mil. Med.*, 151:275-277, 1986.
- 64. Eassa, E.H., and G.W. Casarett, Effect of Epsilon-amino-n-caproic Acid (EACA) on Radiation-induced Increase in Capillary Permeability, *Radiology*, 106:679-688, 1973.
- 65. Eassa-Helmy, M., M.D. Eassa, and G.W. Casarett, Effect of Epsilon-aminon-caproic Acid (EACA) on Radiation-induced Increase in Capillary Permeability, *Radiology*, 106:679-688, 1973.
- 66. Eddy, H.A., and G.W. Casarett, Intestinal Vascular Changes in the Acute Radiation Intestinal Syndrome, In Sullivan, M.F. (ed), Symposium on Gastrointestinal Radiation Injury, Session VI, 1:385-395, 1968.
- 67. Egawa, J., and K. Ishioka, Radiation Effects on the Fine Blood Vessels in Abdominal Organs of Mice, *Acta Radiol. Oncol.*, 17:414-422, 1978.
- 68. Eriksson, B., Microangiographic Pattern in the Small Intestine of the Cat After Irradiation, Scand. J. Gastroenterol., 17:887-895, 1982.
- 69. Eriksson, B., and L. Johnson, Capillary Filtration in the Small Intestine After Irradiation, An Experimental Study in the Cat, *Scand. J. Gastroenterol.*, 18:209-215, 1983.
- 70. Eriksson, B., L. Johnson, and P.-G. Lundquist, Ultrastructural Aspects of Capillary Function in Irradiated Bowel. An Experimental Study in the Cat, Scand. J. Gastroenterol., 18:473-480, 1983.

- 71. Evans, M.L., M.M. Graham, R.A. Mahler, and J.S. Rasey, Changes in Vascular Permeability Following Thorax Irradiation in the Rat, *Rad. Res.*, 107:262-271, 1986.
- 72. Fajardo, L.F., and J.R. Stewart, Experimental Radiation-induced Heart Disease, *Am. J. Pathol.*, 59:299-316, 1970.
- 73. Fajardo, L.F., and J.R. Stewart, Capillary Injury Preceding Radiation-induced Myocardial Fibrosis, *Radiology*, 101:429-433, 1971.
- 74. Fajardo, L.F., and J.R. Stewart, Pathogenesis of Radiation-induced Myocardial Fibrosis, *Lab. Invest.*, 29:244-257, 1973.
- 75. Fike, J.R., C.E. Cann, R.L. Davis, and T.L. Phillips, Radiation Effects in the Canine Brain Evaluated by Quantitative Computed Tomography, *Radiology*, 144:603-608, 1982.
- 76. Florey, L., The Endothelial Cell, Br. Med. J., 2:487-490, 1966.
- 77. Fridrich, R., and M. Scafer, The Liver Blood Flow After Local X-irradiation, *Experientia*, 21:40-41, 1965.
- 78. Fulton, G.P., and F.N. Sudak, Effect of Total Body X-irradiation on Serum Electrolyte Levels and Electrocardiograms of the Golden Hamster, *Am. J. Physiol.*, 179:135-138, 1954.
- 79. Gillette, E.L., and S.L. McChesney, Relationship of Functional Changes and Radiation Induced Cardiomyopathy in Dogs, *Br. J. Cancer*, 53:192-195, 1986.
- 80. Gilmore, S.A., Alterations in Blood Vessels in X-irradiated Spinal Cords of Young Rats, *Anat. Rec.*, 163:89-100, 1968.
- 81. Glatstein, E., Alterations in Rubidium-86 Extraction in Normal Mouse Tissues After Irradiation. An Estimate of Long-term Blood Flow Changes in Kidney, Lung, Liver, Skin and Muscle, *Rad. Res.*, 53:88-101, 1973.
- 82. Gleiser, C.A., The Sequence of Pathological Events in Dogs Exposed to a Lethal Dose 100/30 of Total Body X-irradiation, *Am. J. Vet. Res.*, 14:287-297, 1953.
- 83. Gold, H., Atherosclerosis in the Rat. Effect of X-ray and a High Fat Diet, *Proc. Soc. Exp. Biol. Med.*, 111:593-595, 1962.
- 84. Graham, M.M., The Measurement of Capillary Permeability Changes in the Irradiated Rat Using Double Isotope Technique, *Rad. Res.*, 51:519, 1972.
- 85. Gross, N.J., The Pathogenesis of Radiation-Induced Lung Damage, Lung, 159:115-125, 1981.
- 86. Gup, A.K., T.J.U. Schlegel, C.B. Caldwell, and J. Schlosser, Effect of Irradiation on Renal Function, *J. Urology*, 97:36-39, 1967.

- 87. Guttman, P.H., and H.I. Kohn, Progressive Intercapillary Glomerulosclerosis in the Mouse, Rat, and Chinese Hamster, Associated with Aging and X-ray Exposure, *Am. J. Path.*, 37:293-305, 1960.
- 88. Haley, T.J., R.F. Riley, I. Williams, and M.R. Andem, Presence and Identity of Vasotropic Substances in Blood of Rats Subjected to Acute Whole Body Roentgen Ray Irradiation, *Am. J. Physiol.*, 168:628-636, 1952.
- 89. Hampton, J.C., and B. Rosario, Permeability of Arterial Internal Elastic Laminae in Irradiated Mice, *Exp. and Mol. Pathol.*, 17:307-316, 1972.
- 90. Harris, J.W., and T.R. Noonan, Early Vascular Permeability Changes in Whole-body X-irradiated Rats, *Rad. Res.*, 34:357-365, 1968.
- 91. Harrison, R.G., and B. Jolles, The Influence of Catechin on Dermal "Flux" and Vascular Permeability Changes Caused by X-irradiation, *Biorheology*, 9:47, 1972.
- 92. Hassler, O., and A. Movin, Microangiographic Studies on Changes in the Cerebral Vessels After Irradiation. I. Lesions in the Rabbit Produced by 60-Co Gamma Rays, 195kV and 34MV Roentgen Rays, *Acta Radiol. Ther. Phys. Biol.*, 5:279-288, 1966.
- 93. Hawkins, R.N., Effects of High Energy Electron Radiation on Venous Return in the Anesthetized Rat, *Physiologist*, 26: A-76, 1983.
- 94. Hawkins, R.N., W.A. Alter, T.F. Doyle, and G.N. Catravas, Radiation-induced Cardiovascular Dysfunction in the Rhesus Monkey, *Rad. Res.*, 94:654, 1983.
- 95. Haymaker, W., Delayed Radionecrosis of the Brain in Monkeys, J. Neuropathol. Exp. Neurol., 27:118-119, 1968.
- 96. Haymaker, W., M.Z.M. Ibrahim, J. Miquel, N. Call, and A.J. Riopelle, Delayed Radiation Effects in the Brains of Monkeys Exposed to X- and Gamma-rays, J. Neuropath. Exp. Neurol., 27:50-79, 1968.
- 97. Hebard, D.W., K.L. Jackson, and G.M. Christensen, The Chronological Development of Late Radiation Injury in the Liver, *Rad. Res.*, 81:441-454, 1980.
- 98. Hempelmann, L.H., H. Lisco, and J.G. Hoffman, The Acute Radiation Syndrome: A Study of Nine Cases and a Review of the Problem, *Ann. Intern. Med.*, 36:279-510, 1956.
- 99. Highman, B., A.R. Hanks, and N.W. Rantanen, Effect of Regional Shielding on Bacterial Endocarditis in X-irradiated Rats, *Rad. Res.*, 43:691-697, 1970.
- 100. Hirst, D.G., and B. Hobson, Repair of Radiation Damage in the Blood Vessels of the Mouse Mesentery and Small Intestine, *Int. J. Radiat. Biol.*, 34:566-567, 1978.
- 101. Hopewell, J.W., The Late Vascular Effects of Radiation, *Brit. J. Radiology*, 47:157-158, 1974.

- 102. Hopewell, J.W., Early and Late Changes in the Functional Vascularity of the Hamster Cheek Pouch After Local X-irradiation, *Rad. Res.*, 63:157-164, 1975.
- 103. Hopewell, J.W., The Importance of Vascular Damage in the Development of Late Radiation Effects in Normal Tissues, In Meyn, R.E., and H.R. Withers (eds), Radiation Biology in Cancer Research, Raven Press, NY, pp. 449-459, 1980.
- 104. Hopewell, J.W., Radiation Effects on Vascular Tissue, In *Cytotoxic Insult to Tissue*, pp. 228-255, 1983.
- 105. Hopewell, J.W., and R.J. Berry, Radiation Tolerance of the Pig Kidney: A Model for Determining Overall Time and Fraction Factors for Preserving Renal Function, *Int. J. Radiat. Oncol. Biol. Physics*, 1:61-63, 1975.
- 106. Hopewell, J.W., and T.J.S. Patterson, The Effects of Previous X-irradiation on the Revascularization of Free Skin Grafts in the Pig, *Biorheology*, 9:46-47, 1972.
- 107. Hopewell, J.W., and C.M.A. Young, Changes in the Microcirculation of Normal Tissues After Irradiation, *Int. J. Radiat. Oncol. Biol. Phys.*, 4:53-58, 1978.
- 108. Hopewell, J.W., and C.M.A. Young, The Effect of Field Size on the Reaction of Pig Skin to Single Doses of X-rays, *Br. J. Radiol.*, 55:356-361, 1982.
- 109. Hopewell, J.W., and E.A. Wright, The Nature of Latent Cerebral Irradiation Damage and Its Modification by Hypertension, *Br. J. Radiol.*, 43:161-167, 1970.
- 110. Hopewell, J.W., A.D. Morris, and A. Dixon-Brown, The Influence of Field Size on the Late Tolerance of the Rat Spinal Cord to Single Doses of X-rays, *Brit. J. Radiol.*, 60:1099-1108, 1987.
- 111. Hopewell, J.W., D. Campling, W. Calvo, H.S. Reinhold, J.H. Wilkinson, and T.K. Yeung, Vascular Irradiation Damage: Its Cellular Basis and Likely Consequences, *Br. J. Cancer*, 53:181-191, 1986.
- 112. Horn, N.L., M. Thompson, A.E. Howes, J.M. Brown, R.F. Kallman, and J.C. Phobert, Acute and Chronic Effects of X-irradiation on Blood Flow in the Mouse Limb, *Radiology*, 113:713-722, 1974.
- 113. Hunt, E.L., and D.J. Kimeldorf, Arousal Reactions With a Brief Partial- and Whole-body X-ray Exposure, *U.S. Naval Radiological Defense Laboratory*, *USNRDL-TR-670*, 1963.
- 114. Hurley, J.V., K.N. Ham, and G.B. Ryan, The Mechanism of the Delayed Response to X-irradiation of the Skin of Hairless Mice and of Rats, *Pathology*, 1:3-18, 1969.

- 115. Iwanowski, L., and M. Ostenda, Ultrastructure of Rat Cerebral Vessels 4 Months After Gamma Irradiation, *Neuropat. Pol.*, 13:527-529, 1975.
- 116. Janossy, G., Cardiac Output and its Distribution in the Terminal Stage of the Gastrointestinal Irradiation Syndrome ("radiation shock"). *Acta Media Academiae Scientiarum Hungaricae*, 26:23-29, 1969.
- 117. Janossy, G., Intestinal Blood Flow in Gastrointestinal Irradiation Syndrome in the Rat, *Acta Media Academiae Scientiarum Hungaricae*, 26:13-21, 1969.
- 118. Jennings, F.L., and R.A. Turner, Radiosensitivity of Epithelium and Endothelium in the Lungs, *Rad. Res.* 22:201, 1964.
- 119. Jolles, B., and R.G. Harrison, Proteases and the Depletion and Restoration of Skin Responsiveness to Radiation, *Nature*, 205:920-921, 1965.
- 120. Jolles, B., and R.G. Harrison, Enzymatic Processes and Vascular Changes in the Skin Radiation Reaction, *Br. J. Radiol.*, 39:12-18, 1966.
- 121. Jones, A., and J. Wedgewood, Effects of Radiations on the Heart, *Br. J. Radiology*, 33:138-158, 1960.
- 122. Jones, A.E., and P.J. Lindop, The Late Effects of Radiation on the Vascular System, *Br. J. Radiol.*, 42:789-799, 1969.
- 123. Kabal, J., S.J. Baum, and L.J. Parkurst, Alteration of Intestinal Vasoactivity During the Development of the Gastrointestinal Radiation Syndrome, *AFRRI Scientific Report, SR71-11*, 1971.
- 124. Kabal, J., S.J. Baum, and L.J. Parkhurst, Canine Cardiovascular Homeostasis in the Gastrointestinal Radiation Syndrome, *AFRRI Scientific Report*, *SR72-4*, and in *Rad. Res.*, 50:528-538, 1972.
- 125. Kabal, J., L.P. Kirschner, L.J. Parkhurst, and D.E. Wyant, Hyperosmolar Coma As Etiology Factor in the CNS Radiation Syndrome of Rats, *Experientia*, 35:901-902, 1978.
- 126. Kawamura, F., and K. Fujiwara, Effects of Irradiation on the Fine Vasculature of Normal and Malignant Tissues, *Fraction Size in Radiol. Radiother.*, 1:27-37, 1972.
- 127. Keyeux, A., Chapter VII. Functional Response of Heart and Major Vessels, Curr. Top. Radiat. Res. Q., 10:98-108, 1974.
- 128. Keyeux, A., The Influence of Radiation on Blood Vessels and Circulation. IX. Blood Flow and Permeability in the Central Nervous System, *Curr. Top. Rad. Res. Q.*, 10:135-150, 1974.
- 129. Keyeux, A., Late Modifications of Cephalic Circulation in Head X-irradiated Rats, *Rad. Environ. Biophys.*, 13:125-135, 1976.
- 130. Keyeux, A., A. Dunjic, E. Royer, D. Jovanovic, and J. Van de Merckt, Late Functional and Circulatory Changes in Rats After Local Irradiation, *Int, J. Radiat. Biol.*, 20:7-25, 1971.

- 131. Khan, M.Y., Radiation Induced Cardiomyopathy in Rabbits An Ultrastructural Study, *Rad. Res.*, 47:268-269, 1971.
- 132. Khan, M.Y., Radiation-induced Cardiomyopathy, Am. J. Pathol., 73:131-146, 1973.
- 133. Khan, M.Y., and M. Ohanian, Radiation-induced Cardiomyopathy. II. An Electron Microscopic Study of Myocardial Microvasculature, *Am. J. Pathol.*, 74:125-132, 1974.
- 134. Kirkpatrick, J.B., Pathogenesis of Foam Cell Lesions in Irradiated Arteries, *Am. J. Path.*, 50:291-301, 1967.
- 135. Kivy-Rosenberg, E., and B.W. Zweifach, Microcirculatory Effect of Serotonin on Hemostasis Following Whole-body X-irradiation, *Am. J. Physiol.*, 211:730-734, 1966.
- 136. Kohn, H.I., R.F. Kallman, C.C. Berdjis, and K.B. De Ome, Late Effects of Whole-body X-irradiation in the Mouse. Some Gross and Histologic Aspects of the Development of Morbidity Prior to the Terminal State, with Special Reference to the Gonad, Uterus, Heart, Liver, Kidney, and Submaxillary Gland, Rad. Res., 7:407-435, 1957.
- 137. Kosmider, S., Z. Szczurak, and T. Petelenz, The Patholomorphology of the Heart Muscle in Experimental Radiation Disease in Rabbits, *Arch. Immunol. Ther. Exp.*, 10:416-459, 1962.
- 138. Krochak, R.J., and D.G. Baker, Radiation Nephritis. Clinical Manifestations and Pathophysiologic Mechanisms, *Urology*, 27:389-393, 1986.
- 139. Kundel, H.L., The Effect of Gamma Irradiation on the Cardiovascular System of the Rhesus Monkey, *Rad. Res.*, 27:406-418, 1966.
- 140. Kundel, H.L., The Effect of High-Energy Proton Irradiation on the Cardiovascular System of the Rhesus Monkey, *Rad. Res.*, 28:529-537, 1966.
- Lamberts, H. B., and W.G.R.M. de Boer, Contributions to the Study of Immediate and Early X-ray Reactions with Regard to Chemoprotection. IX. X-ray-induced Coronary Occlusion Leading to Heart Damage in Rabbits, Int. J. Rad. Biol., 8:359-365, 1964.
- 142. Langham, W., K.T. Woodard, S.M. Rothermel, P.S. Harris, C.C. Lushbaugh, and J.B. Storer, Studies of the Effect of Rapidly Delivered, Massive Doses of Gamma-Rays on Mammals, Rad. Res., 5:404-432, 1956.
- 143. Larsson, B., Blood Vessel Changes Following Local Irradiation of the Brain With High-energy Protons, *Acta Radiol. Ther. Phys. Biol.*, 52:61-71, 1960.
- 144. Lauk, S., Z. Kiszel, J. Buschmann, and K.R. Trott, Radiation-induced Heart Disease in Rats, *Int. J. Rad. Oncol. Biol. Phys.*, 11:801-808, 1985.

- 145. Law, M.P., and R.H. Thomlinson, Vascular Permeability in the Ears of Rats After X-irradiation, *Br. J. Radiol.*, 51:895-904, 1978.
- 146. Law, M.P., Radiation-Induced Vascular Injury and Its Relation to Late Effects in Normal Tissues, *Adv. Radiat. Biol.*, 9:37-73, 1981.
- 147. Lebedinsky, A.V., The Influence of Ionizing Radiations on Animal Organisms, *Proc. Int. Conf. on the Peaceful Uses of Atomic Energy*, 11:7-24, 1955.
- 148. Leroy, E.P., E.J. Liebner, and R.J. Jensik, The Ultrastructure of Canine Alveoli After Supervoltage Irradiation of the Thorax, *Lab Invest.*, 15:1544-1558, 1966.
- 149. Leszczynski, D., R. Renkonen, and P. Hayry, Turnover of Dendritis Cells in Rat Heart, *Scand. J. Immunol.*, 22:351-355, 1985.
- 150. Levy, C.K., Indirect Induction of Vascular Damage by X-irradiation, *Circ. Res.*, 8:399-402, 1960.
- 151. Lindop, P.J., Can Late Radiation Damage to Blood Vessels Be Predicted From Early Vessel Changes?, *Biorheology*, 9:46, 1972.
- 152. Lindop, P.J., A. Jones, and A. Bakowska, Dose/time Relationships for Blood Vessels, *Conference on Time and Dose Relationships in Radiation Biology as Applied to Radiotherapy*, Carmel, CA, pp. 174-185, 1970.
- 153. Liu, C.T., M.J. Griffin, and D.E. Hilmas, Effect of Staphylococcal Enterotoxin B on Cardiorenal Functions and Survival in X-irradiated Rhesus Macaques, A. J. Vet. Res., 39:1213-1217, 1978.
- 154. Lukin, L., and M.I. Gregersen, Premortal Blood Volumes in Splenectomized Dogs After Total-Body X-irradiation, *Rad. Res.*, 7:161-166, 1957.
- 155. Lyubimova-Gerasimova, R.M., Change of Cerebral Circulation After Total-body Ionizing Irradiation of an Animal, *Med. Radiol.*, 5:24-29, 1960.
- 156. Madrazo, A., J. Churg, and Y. Suzuki, Radiation Nephritis. Acute Changes Following High Doses of Radiation, *Am. J. Path.*, 54:507-527, 1969.
- 157. Maier, J.G., Effects of Radiations on Kidney, Bladder and Prostate, *Front. Radiat. Ther. Oncol.*, 6:196-227, 1972.
- 158. Maisin, J.R., The Ultrastructure of the Lung of Mice Exposed to a Supralethal Dose of Ionizing Radiation on the Thorax, *Rad. Res.*, 44:545-564, 1970.
- 159. Maisin, J.R., The Influence of Radiation on Blood Vessels and Circulation, Chapter III. Ultrastructure of the Vessel Wall, *Curr. Top. Radiat. Res. Q.*, 10:29-57, 1974.
- 160. Maisin, J.R., H. Oledzka-Slotwinska, and M. Lambiet-Collier, Ultrastructure of Lung Parenchyma and Permeability Changes of the Blood Air Barrier After a Local Exposure of Mice to 2000 R of X-rays, *Advances in Radiation*

- Research (International Congress of Radiation Research Fourth), pp. 1347-1360, 1970.
- 161. Makale, M.T., D.H. Giebelhaus, E. Dimitrov, and R.F. Ruth, Moderation of Irradiation Hypotension in the Rabbit, *Rad. Res.*, 94:654, 1983.
- 162. Martins, A.N., R.E. Severance, J.M. Henry, and T.F. Doyle, Experimental Delayed Radiation Necrosis of the Brain. Part 1: Effects of Early Dexamethasone Treatment, *J. Neurosurg.*, 51:587-596, 1979.
- 163. McDonald, L.W., and T.L. Hayes, The Role of Capillaries in the Pathogenesis of Delayed Radionecrosis of Brain, *Am. J. Path.*, 50:745-764, 1967.
- 164. McFarland, W.L., and S.G. Levin, Effects of Pulsed Gamma-neutron Irradiation on the EEG and Behavior on the Monkey, AFRRI Scientific Report for Defense Nuclear Agency, SR72-8, 1972.
- 165. Meeks, F.A., W.A. Alter, R.N. Hawkins, R.R. Eng, J.T. O'Neill, and G.N. Catravas, Radiation-induced Changes in Regional Blood Flow in Rhesus, *Physiologist*, 27:274, 1984.
- 166. Mendelsohn, M.L., and E. Caceres, Effect of X-Ray to the Kidney on the Renal Function of the Dog, *Am. J. Physiol.*, 173:351-354, 1953.
- 167. Mickley, G.A., Behavioral and Physiological Changes Produced By a Supralethal Dose of Ionizing Radiation: Evidence for Hormone-influenced Sex Differences in the Rat, *Rad. Res.*, 81:48-75, 1980.
- 168. Mickley, G.A., H. Teitelbaum, G.A Parker, F. Vieras, B.A. Dennison, and C.H. Bonney, Radiogenic Changes in the Behavior and Physiology of the Spontaneously Hypertensive Rat: Evidence For a Dissociation Between Acute Hypotension and Incapacitation, *Aviat. Space Environ. Med.*, 53(7):633-638, 1982.
- 169. Miletich, D.J., and T.A. Strike, Alteration of Postirradiation Hypotension and Incapacitation in the Monkey By Administration of Vasopressor Drugs, AFRRI Scientific Report for Defense Nuclear Agency, SR70-1, 1970.
- 170. Montgomery, P., S.E. O'Brien, and S. Warren, Mechanism of Acute Hypotension Following Total Body Irradiation, *Proc. Soc. Exp. Biol. Med.*, 77:803-807, 1951.
- 171. Moss, A.J., D.W. Smith, S. Michaelson, B.F. Schreiner, and G.W. Murphy, Radiation Induced Acute Myocardial Infarction in the Dog, *Univ. of Rochester Atomic Energy Project UR-625*, Rochester, NY, 1963.
- 172. Moss, W.T., and S. Gold, The Acute Effects of Radiation on the Physiology of Small Blood Vessels, *Am. J. Roentgenol.*, 90:294-299, 1963.
- 173. Mostofi, F.K., and C.C. Berdjis, The Kidney, in Berdjis, C.C. (ed), *Pathology of Irradiation*, Williams and Wilkins Co., Baltimore, MD, pp. 597-635, 1971.

- 174. Mount, D., and W.R. Bruce, Local Plasma Volume and Vascular Permeability of Rabbit Skin After Irradiation, *Rad. Res.*, 23:430-445, 1964.
- 175. Moustafa, H.F., and J.W. Hopewell, Blood Flow Clearance Changes in Pig Skin After Single Doses of X-rays, *Br. J. Radiol.*, 52:138-144, 1979.
- 176. Moustafa, H.F., and J.W. Hopewell, Late Functional Changes in the Vasculature of the Rat Brain After Local X-irradiation, *Br. J. Radiol.* 53:21-25, 1980.
- 177. Myers, J.H., L.H. Blackwell, and R.R. Overman, Early Functional Hemodynamic Impairment in Baboons After 1000 R or Less of Gamma Radiation As Revealed By Hemorrhagic Stress, *Rad. Res.*, 52:564-578, 1972.
- 178. Myers, R., M.A. Rogers, and S. Hornsey, A Reappraisal of the Roles of Glial and Vascular Elements in the Development of White Matter Necrosis in Irradiated Rat Spinal Cord, *Br. J. Cancer*, 53:221-223, 1986.
- 179. Narayan, K., and W.J. Cliff, Morphology of Irradiated Microvasculature: A combined In Vivo and Electron-microscopic Study, *Am. J. Pathol.*, 106:47-62, 1982.
- 180. Nathan, M.A., and D.J. Craig, Effect of High-energy X-ray and Pulsed Gamma-neutron Radiation on Brain Blood Flow, Vascular Resistance, Blood Pressure, and Heart Rate in Monkeys, *Rad. Res.*, 50:543-555, 1972.
- 181. Norris, W.P., C.E. Rehfeld, C.M. Poole, and T.E. Fritz, The Response of the Beagle Dog to Cobalt-60 Gamma Radiation: Determination of the LD50(30) and Description of Associated Changes, *Rad. Res.*, 35:681-708, 1968.
- 182. Novi, A.M., Effects of Low Irradiation Doses on the Ultrastructure of the Rat Myocardium, *Virchows Arch. Abt. B Zellpath.*, 2:24-31, 1969.
- 183. Patterson, T.J.S., R.J. Berry, and G. Wiernik, The Effect of X-Radiation on the Survival of Skin Flaps in the Pig, *Br. J. Plast. Surg.*, 25:17-19, 1972.
- 184. Perris, A.D., E.L. Jervis, and D.H. Smyth, Effects of Whole-Body Irradiation on the Transfer Capacity of Rat Small Intestine, *Rad. Res.*, 28:13-29, 1966.
- 185. Phillips, R.D., and D.J. Kimeldorf, The Effect of Whole Body X-irradiation on Blood Pressure in the Rat, *Rad. Res.*,18:86-95. 1963.
- 186. Phillips, S.J., D.L. Macken, and R. Rugh, Pathologic Sequelae of Acute Cardiac Irradiation in Monkeys, *Am. Heart J.*, 81:528-542, 1971.
- 187. Phillips, S.J., J.A. Reid, and R. Rugh, Electrocardiographic and Pathologic Changes After Cardiac X-irradiation in Dogs, *Am. Heart J.*, 68:524-533, 1964.
- 188. Phillips, T.L., An Ultrastructural Study of the Development of Radiation Injury in the Lung, *Radiology*, 87:49-54, 1966.

- 189. Phillips, T.L., and G. Ross, A Quantitative Technique for Measuring Renal Damage After Irradiation, *Radiology*, 109:457-462, 1973.
- 190. Phillips, T.L., S. Benak, and G. Ross, Ultrastructural and Cellular Effects of lonizing Radiation, *Front. Radiation Ther. Onc.*, 6:21-43, 1972.
- 191. Phillips, T.L., G.Y. Ross, L.S. Goldstein, J. Ainsworth, and E. Alpen, *In Vivo* Radiobiology of Heavy Ions, *Int. J. Radiation Oncology*, 8:2121-2125, 1982.
- 192. Prosser, C.L., E.E. Painter, H. Lisco, A.M. Brues, L.O. Jacobson, and M.N. Swift, The Clinical Sequence of Physiological Effects of Ionizing Radiation in Animals, *Radiology*, 49:299-313, 1947.
- 193. Quastler, H., and M. Zucker, The Hierarchy of Modes of Radiation Death in Specifically Protected Mice, *Rad. Res.*, 10:402-409, 1959.
- 194. Reinhold, H.S., Radiations and the Microcirculation, *Front. Radiat. Ther. Oncol.*, 6:44-56, 1972.
- 195. Reinhold, H.S., The Influence of Radiation on Blood Vessels and Circulation. Cell Viability of the Vessel Wall., *Curr. Top. Rad. Res. Q.*, 10:9-28, 1974.
- 196. Reinhold, H.S., The Influence of Radiation on Blood Vessels and Circulation. I. Introduction, *Curr. Top. Rad. Res. Q.*, 10:3-8, 1974.
- 197. Reinhold, H.S., The Influence of Radiation on Blood Vessels and Circulation. IV. Structural Changes in Blood Vessels, *Curr. Top. Rad. Res. Q.*, 10:58-74, 1974.
- 198. Reinhold, H.S., and G.H. Buisman, Radiosensitivity of Capillary Endothelium, *Br. J. Radiol.*, 46:54-57, 1973.
- 199. Reinhold, H.S., and G.H. Buisman, Repair of Radiation Damage to Capillary Endothelium, *Br. J. Radiol.*, 48:727-731, 1975.
- 200. Reinhold, H.S., and J.W. Hopewell, Late Changes in the Architecture of Blood Vessels of the Rat Brain After Irradiation, *Br. J. Radiol.*, 53:693-696, 1980.
- 201. Reinhold, H. S., A. Keyeux, A. Dunjic, D. Jovanovic, and J.R. Maisin, The Influence of Radiation on Blood Vessels and Circulation. XII. Discussion and Conclusions, *Curr. Top. Rad. Res. Q.*, 10:185-198, 1974.
- 202. Remler, M.P., and W.H. Marcussen, Time Course of Early Delayed Blood-Brain Barrier Changes in Individual Cats After Ionizing Radiation, *Exp. Neurol.*, 73:310-314, 1981.
- 203. Rene, A.A., J.L. Parker, J.H. Darden, and N.A. Eaton, Effect of a Supralethal Dose of Radiation on the Blood-brain Barrier, AFRRI Scientific Report for Defense Nuclear Agency, SR73-2, 1973.

- Rhoades, R.P., The Vascular System, in Bloom, W. (ed), Histopathology of Irradiation From External and Internal Sources, McGraw-Hill Book Co., NY, pp. 712-735, 1948.
- 205. Rigdon, R.H., and H. Curl, Effect of Roentgen Irradiation on Capillary Permeability and Inflammation in the Skin of the Rabbit, *Am. J. Roentgen. Radium Ther. Nucl. Med.*, 49:250-257, 1943.
- 206. Rose, J.C., Thromboxane-mediated Injury Following Radiation, *U.S. Army Medical Research and Development Command Annual Summary Report Contract No. DAMD17-84-C-4006*, 1984.
- 207. Roswit, B., L.H. Wisham, and J. Sorrentino, The Circulation of Radiation Damaged Skin. Radiosodium Clearance Studies, *Am. J. Roentgen. Radium Ther. Nucl. Med.*, 69:980-990, 1953.
- 208. Ruiter, J., and L.M. van Putten, Measurement of Blood Flow in the Mouse Tail After Irradiation, *Rad. Res.*, 61:427-438, 1975.
- 209. Ryzewski, J., Changes of Arterial Blood Pressure in Acute Radiation Disease, *Arch. Int. Pharmacodyn. Ther.*, 140:484-493, 1962.
- 210. Samorajski, T., Late Ultrastructural Changes in Neuronal Mitochondria After Ionizing Radiation of the Brain, *J. Comp. Neurol.*, 161:255-268, 1970.
- 211. Samorajski, T., C. Rolsten, and H.J. Curtis, Changes in Neurochemistry and Neuronal Morphology After Exposure of the Mouse Brain to Lethal Levels of Focal Irradiation, *Anat. Rec.*, 168:203-220, 1970.
- 212. Sams, A., Effect of X-irradiation on the Circulatory System of the Hind Limb of the Mouse, *Int. J. Rad. Biol.*, 7:113-129, 1963.
- 213. Sams, A., Histiologic Changes in the Larger Blood Vessels of the Hind Limb of the Mouse After X-irradiation, *Int. J. Rad. Biol.*, 9:165-174, 1965.
- 214. Scanlon, G.T., Vascular Alteration in the Irradiated Rabbit Kidney, *Radiology*, 94:401-406, 1970.
- 215. Selye, H., *The Physiology and Pathology of Exposure to Stress*, Acta Endocrinologica, Inc., Montreal, Canada, 1950.
- 216. Senderoff, E., A.R. Beck, M. Kaneko, and I.D. Baronofsky, The Effects of Cardiac Irradiation Upon the Normal Canine Heart, *Am. J. Roentgen. Rad. Ther. Nucl. Med.*, 86:740-751, 1961.
- 217. Senderoff, E., M. Kahn, H. Peck, and I.D. Baronofsky, The Effect of Cardiac Irradiation Upon the Electrocardiogram of the Normal Canine Heart, *Am. J. Roentgenol.*, 83:1078-1082, 1960.
- 218. Sholley, M.M., N.E. Pratt, and M. Sodicoff, Early Radiation Injury in the Rat Parotid Gland. Reaction of Acinar Cells and Vascular Endothelium, *Lab. Invest.*, 31:340-354, 1974.

- 219. Smith, C., and L.A. Loewenthal, A Study of Elastic Arteries in Irradiated Mice of Different Ages, *Proc. Soc. Exp. Biol. Med.*, 75:859-861, 1950.
- 220. Song, C.W., R.S. Anderson, and J. Tabachnick, Early Effects of Beta Irradiation on Dermal Vascular Permeability to Plasma Proteins, *Rad. Res.*, 27:604-615, 1966.
- 221. Song, C.W., J.J. Drescher, and J. Tabachnick, Effect of Anti-inflammatory Compounds on Beta-irradiation-induced Increase in Vascular Permeability, *Rad. Res.*, 34:616-625, 1968.
- 222. Stearner, S.P., and E.J.B. Christian, Early Vascular Injury in the Irradiated Chick Embryo: Effect of Exposure Time, *Rad. Res.*, 38:153-160, 1969.
- 223. Stewart, J.R., and L.F. Fajardo, Radiation-induced Heart Disease. Clinical and Experimental Aspects, *Rad. Clin. North Am.*, 9:511-531, 1971.
- 224. Stewart, J.R., and L.F. Fajardo, Radiation-induced Heart Disease, *Front. Radiation Ther. Onc.*, 6:274-288, 1972.
- 225. Stewart, J.R., and L.F. Fajardo, Radiation-induced Heart Disease: An Update, *Prog. Cardiovasc. Dis.*, 27:173-194, 1984.
- 226. Stewart, J.R., K.E. Cohn, L.F. Fajardo, E.W. Hancock, and H.S. Kaplan, Radiation-induced Heart Disease, *Radiology*, 89:302-310, 1967.
- 227. Stewart, J.R., L.F. Fajardo, K.E. Cohn, and V. Page, Experimental Radiation-induced Heart Disease in Rabbits, *Radiology*, 91:814-817, 1968.
- 228. Stone, H.L., V.S. Bishop, and A.C. Guyton, Progressive Changes in Cardiovascular Function After Unilateral Heart Irradiation, *Am. J. Physiol.*, 206:289-293, 1964.
- 229. Stone, H.L., V.S. Bishop, and A.C. Guyton, Ventricular Function Following Radiation Damage of the Right Ventricle, *Am. J. Physiol.*, 211:1209-1213, 1966.
- 230. Swift, M.N., and S.T. Taketa, Effect on Circulating Blood Volume of Partial Sheilding of Rat Intestine During X-irradiation, *Rad. Res.*, 8:516-525, 1958.
- 231. Szabo, G., E. Sarmai, and Z. Magyar, Effect of Total Body Irradiation on Capillary Permeability. Fluid and Electrolyte Balance, and Intraorganic Plasma Protein Spaces, *Acta Medica Academiae Scientiarum Hungaricae Tomus*, 23:243-253, 1967.
- 232. Takahashi, M., and R.F. Kallman, Quantitative Estimation of Histological Changes in Subcutaneous Vasculature of the Mouse After X-irradiation, *Int. J. Radiat. Oncol. Biol. Phys.*, 2:61-68, 1977.
- 233. Takaoka, A., Electrocardiographic Study of Cardiac Damage Following Irradiation of Canine Hearts, *Radiol. Clin. Biol.*, 38:182-196, 1969.

- 234. Tanaka, A., Z. Magyar, H. Ueno, Y. Yamashita, and Z. Magyar, Regional Cerebral Blood Flow in Delayed Brain Swelling Following X-irradiation of the Right Occipital Lobe in the Monkey, *Brain Res.*, 96:233-246, 1975.
- 235. Tannock, I.F., and S. Hayashi, the Proliferation of Capillary Endothelial Cells, *Cancer Res.*, 32:77-82, 1972.
- 236. Thorp, J.W., Blood PO₂ and pH in Monkeys After Incapacitating Doses of Ionizing Radiation, *AFRRI Scientific Report for Defense Nuclear Agency*, TN72-3, 1972.
- 237. Timmermans, R., and G.B. Gerber, Reaction of Blood Pressure and Mesenteric Blood Flow to Infusion of Biogenic Amines in Normal and Supralethally X-irradiated Rats, *Rad. Res.*, 82:81-92, 1980.
- 238. Timmermans, R., and G.B. Gerber, The Effects of Beta Blockade on the Reaction of Pressure and Mesenteric Flow to Biogenic Amines in Normal and X-irradiated Rats, *Strahlentherapie*, 157:208-212, 1981.
- 239. Timmermans, R., and G.B. Gerber, The Effect of X-irradiation on Cardiac Beta-adrenergic Receptors in the Rabbit, *Rad. Res.*, 100:510-518, 1984.
- 240. Travis, E.L., H. Hargrove, C.J. Klobukowski, J.O. Fenn, and G.D. Frey, Alterations in Vascular Permeability Following Irradiation, *Rad. Res.*, 67:539, 1976.
- 241. Ullrich, R.L., and G.W. Casarett, Interrelationship Between the Early Inflammatory Response and Subsequent Fibrosis After Radiation Exposure, *Rad. Res.*, 72:107-121, 1977.
- 242. Turbyfill, C.L., J.W. Thorp, and D. Wise, Cardiovascular Response of Beagles to a Supralethal Dose of Mixed Gamma-Neutron Radiation, *AFFRI Scientific Report for Defense Nuclear Agency*, *SR70-4*, 1970.
- 243. van den Brenk, H.A.S., The Effect of Ionizing Radiation on Capillary Sprouting and Vascular Remodeling in the Regenerating Repair Blastema Observed in the Rabbit Ear Chamber, *Am. J. Roentgenol.*, 81:859-884, 1959.
- 244. van den Brenk, H.A.S., Radiation Effects on the Pulmonary System, in Berdjis, C.C. (ed), *Pathology of Irradiation*, Williams and Wilkins Co., Baltimore, MD, pp. 569-591, 1971.
- 245. van den Brenk, H.A.S., Macro-colony Assay for Measurement of Reparative Angiogenesis After X-irradiation, *Int. J. Radiat. Biol.*, 21:607-611, 1977.
- 246. van den Brenk, H.A.S., M.C. Crowe, and M.G. Stone, Functional Integrity and Inflammatory Reactions of Exchange Vessels and Lymphatics in X-irradiated Tissues, *Br. J. Exp. Path.*, 58:484-499, 1977.
- 247. Wachholz, B.W., and G.W. Casarett, Radiation Hypertension and Nephrosclerosis, *Rad. Res*, 41:39-56, 1970.

- 248. Wang, J., D.A.A. Galil, and B.P. Setchell, Changes in Testicular Blood Flow and Testosterone Production During Aspermatogenesis After Irradiation, *J. Endocrinol.*, 98:35-46, 1983.
- 249. Warren, S., Effects of Radiation on Normal Tissue, VI. Effects of Radiation on the Cardiovascular System, *Arch. Path.*, 34:1070-1079, 1942.
- 250. Watters, C., and G.B. Gerber, Regional Blood Flow in Rats Exposed to Supralethal Doses of Whole-body X-irradiation, *Rad. Environ. Biophys.*, 12:303-313, 1975.
- 251. Watters, C., and G.B. Gerber, Renal Function and Intra/extravascular Distribution Spaces in the Rat After Supralethal Whole-body X-irradiation, Rad. Environ. Biophys., 12:291-302, 1975.
- 252. Weber, R.P., and F.R. Steggerda, Histamine in Rat Plasma; Correlation With Blood Pressure Changes Following X-irradiation, *Proc. Soc. Exp. Biol. Med.*, 70:261-263, 1949.
- 253. Williams, M.V., and J. Denekamp, Sequential Functional Testing of Radiation-induced Renal Damage in the Mouse, *Rad. Res.*, 94:305-317, 1983.
- 254. Willoughby, D.A., The Vascular Permeability Changes in the Rat's Intestine Following Abdominal Radiation, *J. Physiol.*, 148:42P-43P, 1959.
- 255. Willoughby, D.A., Pharmacological Aspects of the Vascular Permeability Changes in the Rat's Intestine Following Abdominal Radiation, *Br. J. Radiol.*, 33:515-519, 1960.
- 256. Willoughby, D.A., Evidence for a Possible Role of Endogenous Catecholamines in the Vascular Changes Produced in Rat Intestine by X-rays, J. Path. Bact., 83:389-397, 1962.
- 257. Wilson, C., J.M. Ledingham, and M. Cohen, Hypertension Following X-irradiation of the Kidneys, *Lancet*, 1:9-16, 1958.
- 258. Winther, F.O., X-ray Irradiation of the Inner Ear of the Guinea Pig. An Electron Microscopic Study of the Capillary Permeability With the Aid of Tracer Particles, *Microvasc. Res.*, 7:190-200, 1974.
- 259. Withers, H.R., L.J. Peters, and H.D. Kogelnik, The Pathobiology of Late Effects of Irradiation, in Meyn, R.E., and H.R. Withers (eds), *Radiation Biology in Cancer Research*, Raven Press, NY, pp. 439-448, 1980.
- 260. Wykoff, M.H., and C.E. Short, Effects of Neutron Irradiation on Blood and Cerebrospinal Fluid Pressures in the Burro (Equus asinus), *Am. J. Vet. Res.*, 30:73-76, 1969.
- 261. Wykoff, M.H., The Effects of Fast Neutron Irradiation on Blood Pressure and the Response to Epinephrine and Acetylcholine in the Rat, *Rad. Res.*, 49:624-630, 1972.

- 262. Yang, V.V., Stearner, S.P., and S.A. Tyler, Radiation-induced Changes in the Fine Structure of the Heart: Comparison of Fission Neutrons and 60-Co Gamma Rays in the Mouse, *Rad. Res.*, 67:344-360, 1976.
- 263. Yoshii, G., Studies on the Effects of X-ray Irradiation Upon the Blood Pressure of Rats, *Nippon Acta Radiol.*, 21:499-501, 1961.
- 264. Zweifach, B.W., and E. Kivy-Rosenberg, Microcirculatory Effects of Wholebody X-irradiation and Radiomimetic Procedures, *Am. J. Physiol.*, 208:492-498, 1965.

A.5 READING LIST: GASTROINTESTINAL SYSTEM.

- 1. Allen, J.R., and L.A. Carstens, Response of Saimiri Sciureus Monkeys to Total Body X-irradiation: Clinical Signs and Pathologic Changes, *Am. J. Vet. Res.*, 11:2179-2188, 1968.
- 2. Allen, R.G., F.A. Brown, L.C. Logie, D.R. Rovner, S.G. Wilson, and R.W. Zellmer, Acute Effects of Gamma Radiation in Primates, *School of Aviation Medicine*, USAF Report No. 59-41, 1959.
- 3. Altmann, G.G., Changes in the Mucosa of the Small Intestine Following Methotrexate Administration or Abdominal X-irradiation, *Am. J. Anatomy*, 140:263-280, 1974.
- 4. Anderson, J.H., and R.H. Withers, Scanning Electron Microscope Studies of Irradiated Rat Intestinal Mucosa, in *Scanning Electron Microscopy*, pp. 566-572, 1973.
- 5. Bacq, Z.M., and P. Alexander, Fundamentals of Radiobiology, Butterworths Scientific Publications, London, 1955.
- 6. Baer, A.R., C.I. Cheeseman, and A.B.R. Thomson, In Vivo Assessment of the Effect of Abdominal Radiation on Glucose and Leucine Transport in the Rat Small Intestine, *Clin. Invest. Med.*, 6:49, 1983.
- 7. Baer, A.R., C.I. Cheeseman, and A.B.R. Thomson, The Assessment of Recovery of the Intestine After Acute Radiation Injury, *Rad. Res.*, 109:319-329, 1987.
- 8. Baker, D.G., and C.G. Hunter, The Early Gastrointestinal Response in the Rat Exposed to Whole-body X-irradiation, *Rad. Res.*, 9:660-666, 1958.
- 9. Barrow, J., and J. L. Tullis, Sequence of Cellular Responses to Injury in Mice Exposed to 1000 R Total-body X-radiation, *Arch. Path.*, 53:391-407, 1952.
- 10. Becciolini, A., and A. Revina, Effect of Ionizing Radiations on Intestinal Disaccharidases in Rats, *Br. J. Radiol.*, 43:150-151, 1970.
- 11. Becciolini, A., P., Cariaggi, and A. Gori, Behavior of Intestinal Lactase After Irradiation, *Strahlenterapie*, 150:145-148, 1975.
- 12. Becciolini, A., G.B. Gerber, and J. Deroo, In Vivo Absorption of Carbohydrates in Rats With Gastro-intestinal Radiation Syndrome, *Acta Radiol. Ther. Physics Biol.*, 16:87-96, 1977.
- 13. Becciolini, A., L. Arganini, P. Castagnoli, and G. De Guili, Post-irradiation Enzyme Activities of Rat Small Intestine: Effects of Dose Fractionation, *Rad. Res.*, 55:291-303, 1973.

- 14. Becciolini, A., L. Arganini, G. de Giuli, and A. Ravina, Effect of Ionizing Radiation on the Enzymes of the Intestinal Mucosa of Rats at Different Time Intervals After Abdominal Irradiation, Rad. Res., 49:213-225, 1972.
- 15. Becciolini, A., M. Balzi, D. Cremonini, and D. Fabbrica, Modifications of S-phase Cell Distribution in the Intestinal Crypts After Multiple Daily Fractionation, *Acta Radiol. Oncol.*, 22:441-448, 1983.
- 16. Becciolini, A., M. Balzi, D. Cremonini, and D. Fabbrica, S-Phase Cell Distribution in the Small Intestine Irradiated At Different Times of the Day. I. Acute Irradiation Injury, *Acta Radiol. Oncol.*, 22:305-313, 1983.
- 17. Becciolini, A., M. Balzi, D. Cremonini, and D. Fabbrica, S-Phase Cell Distribution in the Small Intestine Irradiated At Different Times of the Day. II. Recovery Phase, *Acta Radiol. Oncol.*, 22:337-344, 1983.
- 18. Becciolini, A., M. Balzi, D. Cremonini, and D. Fabbrica, Qualitative and Quantitative Effects on the Morphology of the Small Intestine After Multiple Daily Fractionation, *Acta Radiol. Oncol.*, 23:353-359, 1984.
- 19. Becciolini, A., M. Balzi, D. Cremonini, and D. Fabbrica, Quantitative Changes in the Goblet Cells of the Rat Small Intestine After Irradiation, *Acta Radiol. Oncol.*, 24:291-299, 1985.
- 20. Becciolini, A., M. Balzi, D. Cremonini, and D. Fabbrica, Cell Proliferation and Differentiation in the Small Intestine After Irradiation With Multiple Fractions, *Acta Radiol. Oncol.*, 25:51-56, 1986.
- 21. Becciolini, A., M. Balzi, V. Giache, and A. Morrone, Behaviour of Lysosomal Enzymes in the Small Intestine After Multiple Daily Fractionation, *Strahlentherapie*, 159:508-512, 1983.
- 22. Becciolini, A., L. Arganini, P. Castagnoli, P. Cariaggi, G. de Giuli, Effect of 200, 650, and 1200 R on the Intestinal Disaccharases and Dipeptidases, *Acta Radiol. Ther. Phys. Biol.*, 13:141-152, 1974.
- 23. Becciolini, A., L. Arganini, P. Cariaggi, G. Tedde, and G. Vannelli, Biochemical and Morphological Changes in the Epithelial Cells of the Small Intestine After Irradiation, *Int. J. Radiat. Oncol. Biol. Phys.*, 1:915-925, 1976.
- 24. Becciolini, A., M. Balzi, R. Bini, V. Giache, and A. Lanini, Modifications in the Brush Border Enzymes of the Small Intestine After Irradiation at Different Times of the Day, *Acta Radiol. Oncol.*, 21:273-279, 1982.
- 25. Becciolini, A., M. Balzi, S. Cinotti, D. Cremonini, and D. Fabbrica, Irradiation at Different Times of the Day. Morphology and Kinetics of the Small Intestine, Acta Radiol. Oncol., 21:169-175, 1982.
- 26. Becciolini, A., D. Cremonini, E. Drighi, V. Giache, and A. Lanini, Modifications of Small Intestine Lysosomal Enzymes After Irradiation at Different Times of the Day, *Acta Radiol. Oncol.*, 21:61-66, 1982.

- 27. Becciolini, A., A. Benucci, V. Casati, A. Nardino, S. Prociani, and M. Rizzi, Post-irradiation Enzyme Activities of the Rat Small Intestine: Effects on Circadian Fluctuations, *Strahlenterapie*, 155:869-874, 1979.
- 28. Bennett, L.R., V.C. Bennett, T. Grachus, and A. Shaver, Absorption and Distribution of Vitamin A in X-irradiated Rats, *Proc. Soc. Exp. Biol. Med.*, 74:439-443, 1950.
- 29. Bennett, L.R., S.M. Chastain, A.B. Decker, and J.F. Mead, Effect of Roentgen Irradiation Upon Protein Absorption in the Mouse, *Proc. Soc. Exp. Biol. Med.*, 77:715-718, 1951.
- 30. Berdjis, C.C., Protracted Effects of Repeated Doses of X-ray Irradiation in Rats, *Exp. Mol. Path.*, 2:157-172, 1963.
- 31. Berthrong, M., and L.F. Fajardo, Radiation Injury in Surgical Pathology. Part II, Alimentary Tract, Am. J. Surg. Path., 5:153-178, 1981.
- 32. Black, W.C., L.S. Gomez, M.M. Klingerman, and J.M. Yuhas, Quantitation of the Late Effects of X-radiation on the Large Intestine, *Cancer*, 45:444-451, 1980.
- 33. Bond, V.P., Effects of Radiation on Intestinal Absorption, *Am. J. Clin. Nutr.*, 12:194-204, 1963.
- 34. Bond, V.P., T.M. Fliedner, and J.O. Archambeau, *Mammalian Radiation Lethality, A Disturbance in Cellular Kinetics*, Academic Press, NY, 1965.
- 35. Bond, V.P., A.C. Allen, M.C. Fisher, and M.N. Swift, Sensitivity of Abdomen of Rat X-irradiation, Am. J. Physiology, 161:323-330, 1950.
- 36. Bond, V.P., S. Hornsey, S. Lesher, C.C. Lushbaugh, and J.W. Osborne, Panel Discussion, In *Symposium on Gastrointestinal Radiation Injury, Session V, M.F.* Sullivan (ed.), *Monographs on Nuclear Medicine and Biology, Excerpts Medica*, 1:353-373, 1968.
- 37. Borgstrom, S., K.F. Aronsen, N.E. Augustsson, G. Bjelkengren, C. Linstrom, and G. Nylander, The Protective Effect of Intra-arterial Vasopressin Injections on the Small Intestine During Fractionated Abdominal Irradiation. A Study in Pigs, *Acta Radiol. Oncol.*, 24:401-405, 1985.
- 38. Borison, H.L., Site of Emetic Action of X-irradiation in the Cat, *J. Comp. Neurol.*, 107:439-453, 1957.
- Borowska, A., J. Mackowiak, S. Sierakowski, and K. Wisniewski, A Prostaglandin-like Activity in Small Intestine and Postirradiation Gastrointestinal Syndrome, *Experientia*, 35:1368-1370,1979.
- 40. Bosniak, M.A., N.A. Ghossein, M.A. Hardy, and J. Quint, Demonstration of the Effect of Irradiation on Canine Bowel Using In Vivo Photographic Magnification Angiography, *Radiology*, 93:1361-1368, 1969.

- 41. Bouckaert, A., Tracer Study of Gastro-intestinal Transit in Abdomen-irradiated Rats, *Rad. Biol. Ther.*, 9:567-578, 1968.
- 42. Boyer, N.H., and A.D. Conger, Low-dose X-radiation Damage to Capillaries of Mouse Small Intestine, *Investigative Radiology*, 7:418-426, 1972.
- 43. Brecher, G., and E.P. Cronkite, Lesions of the Alimentary Tract of Dogs Exposed to Whole Body X-radiation of 300 to 3000 R., *Am. J. Path.*, 27:676-677, 1951.
- 44. Brecher, G., E.P. Cronkite, and J.H. Peers, Neoplasms in Rats Protected Against Lethal Doses of Irradiation by Parabiosis or Paraamino-propriophenone, *J.N.C.I.*, 14:159-175, 1953.
- 45. Brecher, G., R.A. Conrad, E.P. Cronkite, and W.W. Smith, Gastric Lesions in Experimental Animals Following Single Exposures to Ionizing Radiations, *Am. J. Path.*, 34:105-119, 1958.
- 46. Brieter, N., and K.R. Trott, Chronic Radiation Damage in the Rectum of the Rat After Protracted Fractionated Irradiation, *Radiother. Oncol.*, 7:155-163, 1986.
- 47. Brizzee, K.R., Effect of Localized Brain Stem Lesions and Supradiaphragmatic Vagotomy on X-irradiation Emesis in the Monkey, *Am. J. Physiol.*, 187:567-570, 1956.
- 48. Broerse, J.J., Dose-mortality Studies for Mice Irradiated With X-rays, Gamma-rays and 15 MeV Neutrons, *Int. J. Radiat. Biol.*, 15:115-124, 1969.
- 49. Broerse, J.J., and H. Roelse, Survival of Intestinal Crypt Cells After Fractionated Exposure to X-rays and 15 Mev Neutrons, *Int. J. Radiat. Biol.*, 20:391-395, 1971.
- 50. Bromfield, A.R., and P.W. Dykes, Radiation-induced Protein Leakage Into the Small Intestine, *Nature*, 201:633-634, 1964.
- 51. Brown, D.G., and F.F. Haywood, 14 MeV Neutron Irradiation of Swine: Dosimetry and Clinical Response, *Health Physics*, 24:627-636, 1973.
- 52. Carr, K.E., Scanning Electron Microscopy of Tissue Response to Irradiation, *Scanning Electron Microsc.*, 4:35-46, 1981.
- 53. Carr, K.E., and P.G. Toner, Surface Studies of Acute Padiation Injury in the Mouse Intestine, *Virchows Arch. Abt. B Zellpath*, 11:201-210, 1972.
- 54. Carr, K.E., R. Hamlet, and C. Watt, Scanning Electron Microscopy, Autolysis, and Irradiation as Techniques for Studying Small Intestinal Morphology, *J. Microscopy*, 123:161-168, 1981.
- 55. Carr, K.E., R. Hamlet, A.H.W. Nias, and C. Watt, Lack of Correlation Between Villus and Crypt Damage in Irradiated Mouse Intestine, *Br. J. Radiol.*, 52:485-493, 1979.

- 56. Carr, K.E., R. Hamlet, A.H.W. Nias, and C. Watt, Damage to the Surface of the Small Intestinal Villus: An Objective Scale of Assessment of the Effects of Single and Fractionated Radiation Doses, *Br. J. Radiol.*, 56:467-475, 1983.
- 57. Cheeseman, C.I., A.B.R. Thomson, and K. Walker, Functional Changes in the Irradiated Intestine, *Clin. Invest. Med.*, 4:25B, 1981.
- 58. Cheeseman, C.I., A.B.R. Thomson, and K. Walker, The Effects of Abdominal Irradiation on Intestinal Transport in the Rat as Assessed with Isolated Epithelial Cells, *Rad. Res.*, 101:131-143, 1985.
- 59. Chinn, H.I., and G.L. Sheldon, Effect of Chlorpromazine on Emesis After Radiation, *Proc. Soc. Exp. Biol. Med.*, 86:293-295, 1954.
- 60. Chinn, H.I., and S.C. Wang, Locus of Emetic Action Following Irradiation, *Proc. Exp. Biol. Med.*, 85:472-474, 1954.
- 61. Chmelar, V., F. Deml, V. Grossmann, and I.M. Hais, Gastric Retention and Its Changes in Mice and Rats During the First Six Days Following X-irradiation, *Rad. Res.*, 37:627-635, 1969.
- 62. Chwalinskin, S., and C.S. Potten, Radiation-induced Mitotic Delay: Duration, Dose and Cell Position Dependence in the Crypts of the Small Intestine in the Mouse, *Int. J. Radiat. Biol.*, 49:809-819, 1986.
- 63. Cieciura, L., H. Bartel, J. Harazna, and B. Kaczmarek, Radiation-induced Histochemical and Ultrastructural Changes in the Enterocytes in the Rabbit, Folia Histochem. Cytochem., 14:83-90, 1976.
- 64. Cockerham, L.G., and B.J. Kelman, Summary of Symposium on Acute Radiation-induced Injury, Fundam. Appl. Toxicol., 11:571-579, 1988.
- 65. Cockerham, L.G., M.A. Donlon, T.F. Doyle, and C.J. Gossett-Hagerman, Antihistamines Block Radiation-induced Increased Intestinal Blood Flow in Canines, Fundam. Appl. Toxicol., 5:597-604, 1985.
- 66. Cockerham, L.G., M.A. Donlon, T.F. Doyle, and E.A. Helgeson, Canine Postradiation Histamine Levels and Subsequent Response to Compound 48/80, Aviat. Space Environ. Med., AFRRI Scientific Report, SR84-27, 55:1041-1045, 1984.
- 67. Cockerham, L.G., T.F. Doyle, J.B. Nold, and T.B. Trumbo, Acute Post-irradiation Canine Intestinal Blood Flow, *Int. J. Radiat. Biol.*, 45:65-72, 1984.
- 68. Conard, R.A., Some Effects of Ionizing Radiation on the Physiology of the Gastrointestinal Tract: A Review, *Rad. Res.*, 5:167-188, 1956.
- 69. Conrad, R.A., Effect of X-irradiation in Intestinal Motility of the Rat, Am. J. Physiol., 165:375-385, 1951.

- 70. Conrad, R.A., Effect of X-irradiation on Weight and Contents of Rat Stomach, Small and Large Intestine, *Proc. Soc. Exp. Biol. Med.*, 82:333-337, 1953.
- 71. Conrad, R.A., Dose Dependence and Sequential Changes in Mouse Small Intestinal Weight Induced by Ionizing Radiation, *Proc. Soc. Exp. Biol. Med.*, 86:664-668, 1954.
- 72. Conrad, R.A., G. Brecher, E.P. Cronkite, and C.P. Stone, Experimental Therapy of the Gastrointestinal Syndrome Produced by Lethal Doses of Ionizing Radiation, *J. Appl. Physiol.*, 9:227-239, 1956.
- 73. Conte, F.P., G.S. Melville, and A.C. Upton, Effects of Graded Doses of Whole-body X-irradiation on Mast Cells in the Rat Mesentery, *Am. J. Physiol*, 187:160-162, 1956.
- 74. Cooper, J.W., Relative and Absolute Goblet Cell Numbers in Intestinal Crypts Following Irradiation or Actinomycin D., *Experientia*, 30:549-550, 1974.
- 75. Cooper, J.R., and J.L. Mattsson, Control of Radiation-induced Emesis With Promethazine, Cimetidine, Thiethylperazine, or Naloxone, *Am. J. Vet. Res.*, 40(8):1057-1061, 1979.
- 76. Cordts, R.E., Animal-model Studies of Radiation-induced Emesis and Its Control, *SAM-TR-82-26*, 1982.
- 77. Cordts, R.E., K.P. Ferllic, J.L. Mattsson, and M.G. Yochmowitz, Emesis ED50 of Neutron Irradiation and Prophylactic Effectiveness, *U.S. Air Force School of Aerospace Medicine*, USAFAM-TR-85-46, 1985.
- 78. Curran, P.F., J.A. Hovsepian, and E.W. Webster, The Effect of X-irradiation on Sodium and Water Transport in Rat Ileum, *Rad. Res.*, 13:369-380, 1960.
- 79. Dalrymple, G.V., J.J. Ghidoni, I.R. Lindsay, J.C. Mitchell, and I.L. Morgan, Some Effects of 400-MeV Protons on Primates, *Rad. Res.*, 28:507-528, 1966.
- 80. Davies, R.W., and J. Gamble, Changes in the Rate of Transudation of Vascular Fluid in the Isolated Rat Mesentery Following Irradiation, *J. Physiol.*, 266:71P-72P, 1977.
- 81. De, A.K., A.S. Aiyar, and S. Chipalkatti, Effects of Chronic Irradiation on Age-related Biochemical Changes in Mice, *Rad. Res.*, 95:637-645, 1983.
- 82. DeCosse, J.J., H.J. Dworken, W.D. Holden, J.W. Reagan, R.S. Rhodes, and W.B. Wentz, The Natural History and Management of Radiation Induced Injury of the Gastrointestinal Tract, *Ann. Surg.*, 170:369-383, 1969.
- 83. Denman, D.L., F.R. Kirchner, and J.W. Osborne, Induction of Colonic Adenocarcinoma in the Rat by X-irradiation, *Cancer Res.*, 38:1899-1905, 1978.

- 84. Dethlefsen, L.A., C.M. Lehman, and R.M. Riley, Delayed Enhanced Effects of Adriamycin on the X-irradiation-induced Gastrointestinal Toxicity in Mice, Rad. Res., 100:157-170, 1984.
- 85. Detrick, L.E., V. Debley, T.J. Haley, D. Highby, and H.C. Upham, Influence of X-ray Irradiation on Glucose Transport in the Rat Intestine, *Rad. Res.* 2:483-489, 1955.
- 86. Detrick, L.E., H. Latta, H. Upham, and R. McCandless, Electron Microscopic Changes Across Irradiated Rat Intestinal Villi, *Rad. Res.*, 19:447-461, 1963.
- 87. Devik, F., Intestinal Cell Kinetics in Irradiated Mice, *Acta Radiol. Ther. Physics Biol.*, 10:129-149, 1971.
- 88. Dewitt, L., and Y. Oussoren, Late Effects in the Mouse Small Intestine After Clinically Relevant Multifractionated Radiation Treatment, *Rad. Res.*, 110:372-384, 1987.
- 89. Dewitt, L., H. Bartelink, Y. Oussoren, and F.A. Stewart, Differences in the Acute Intestinal Syndrome After Partial and Total Abdominal Irradiation in Mice, *Int. J. Radiat. Biol.*, 48:745-752, 1985.
- 90. Dickson, H.M., Effect of X-irradiation on Glucose Absorption, *Am. J. Physiol.*, 182:477-478, 1955.
- 91. Divy-Rosenberg, E., Response of Rat Gastrointestinal Tract Pentose Cycle Dehydrogenase Systems to Whole-body Icnizing Irradiation, *Int. J. Radiat. Biol.*, 20:315-324, 1971.
- 92. Dobbon, J., and E. Hamilton, Diurnal Variations in Proliferation and Crypt Survival Suggest a Small Target Cell Population in Mouse Colon, *Br. J. Cancer*, 53:26-28, 1986.
- 93. Dorval, E.D., J.J. Conklin, A. Dubois, A. Durakovic, R.R. Eng, and G.P. Mueller, Effect of Ionizing Radiation on Gastric Secretion and Gastric Motility in Monkeys, *Gastroenterology*, 89:374-380, 1985.
- 94. Dubois, A., J.J. Conklin, E.D. Dorval, N.P. Fiala, and L. Steel, Effect of lonizing Radiation on Prostaglandins and Gastric Secretion in Rhesus Monkeys, *Rad. Res.*, 110:289-293, 1987.
- 95. Dubois, A., J.J. Conklin, R.R. Eng, M.P. Grissom, and J.P. Jacobus, Altered Gastric Emptying and Prevention of Radiation-induced Vomiting in Dogs, *AFRRI Scientific Report* SR84-11, 1989. Also in *Gastroenterology* 1984 86:444-448, 1984.
- 96. Dubois, A., J.J. Conklin, E.D. Dorval, A. Durakovic, L. O'Connell, J.E. Rogers, and L.R. Wood, Effect of Gamma Irradiation on the Healing of Gastric Biopsy Sites in Monkeys, *Gastroenterology*, 88:375-381, 1985.
- 97. Duncan, A.M.V., D.H. Blakey, and A. Ronen, Diurnal Variation in the Response of Gamma-ray-induced Apoptosis in the Mouse Intestinal Epithelium, *Cancer Letters*, 21:163-166, 1983.

- 98. Eddy, H.A., and G.W. Casarett, Intestinal Vascular Changes in the Acute Radiation Intestinal Syndrome, In *Symposium on Gastrointestinal Radiation Injury, Session VI, M.F. Sullivan (ed.), Monographs on Nuclear Medicine and Biology, Excerpta Medica*, 1:385-395, 1968.
- 99. Edelman, A., Effect of X-radiation on Water and Metabolism in the Rat, Fed. Proc., 8:39-48, 1949.
- 100. Edwards, J.C., D. Chapman, W.A. Cramp, and M.D. Yatvin, The Effects of Ionizing Radiation on Biomembrane Structure and Function, *Prog. Biophys. Mol. Biol.*, 43:71-92, 1984.
- 101. Egawa, J., and K. Ishioka, Radiation Effects on the Fine Blood Vessels in Abdominal Organs of Mice, *Acta Radiol. Oncol.*, 17:414-422, 1978.
- 102. Eiser, V., and D.I. Walker, Effect of Ionizing Radiation on Prostaglandin 15-OH-dehydrogenase (PGDH), *Br. J. Pharmacol.*, 62:461P, 1978.
- 103. Eldred, E., and W.V. Trowbridge, Radiation Sickness in the Monkey, *Radiology*, 62:65-73, 1954.
- 104. Engelstad, R.B., The Effect of Roentgen Rays on the Stomach in Rabbits, Am. J. Roentgenol., 40:243-263, 1938.
- 105. Eriksson, B., Microangiographic Pattern in the Small Intestine of the Cat After Irradiation, Scand. J. Gastroenterol., 17:887-895, 1982.
- Eriksson, B., and L. Johnson, Capillary Filtration in the Small Intestine After Irradiation. An Experimental Study in the Cat, Scand. J. Gastroenterol., 18:209-215, 1983.
- 107. Erikkson, B., L. Johnson, and P.G. Lundquist, Ultrastructural Aspects of Capillary Function in Irradiated Bowel. An Experimental Study in the Cat, Scand. J. Gastroenterol., 18:473-480, 1983.
- 108. Eriksson, B., L. Johnson, and C. Rubio, A Semiquantitative Histological Method to Estimate Acute and Chronic Radiation Injury in the Small Intestine of the Cat, *Scand. J. Gastroenterol.*, 17:1017-1024, 1982.
- 109. Falk, P., The Effect of Radiation Alone and of Radiation Followed by Hyperthermia on the Vasculature of Mouse Intestine, *Br. J. Radiol.*, 57:709-715, 1984.
- 110. Farrar, J.T., D. Bullard, F.J. Ingelfinger, and M.D. Small, Effect of Total Body Irradiation on Absorption of Sugars From the Small Intestine, *Am. J. Physiol.*, 186:549-553, 1956.
- 111. Fenton, P.F., and H.M. Dickson, Changes in Some Gastrointestinal Functions Following X-irradiation, *Am. J. Physiol.*, 177:528-530, 1954.
- 112. Forkey, D.J., G.M. Christensen, and K.L. Jackson, Contribution of Bile to Radiation-induced Sodium Loss Via the Rat Small Intestine, *Int. J. Radiat. Biol.*, 14:49-57, 1967.

- 113. Frankendal, B., Gastric Emptying and Small Intestinal Propulsion in Mice Following Irradiation of the Abdomen, *Acta Radiol. Ther. Physiol. Biol.*, 12:529-540, 1973.
- 114. Friedman, N.B., Cellular Dynamics in the Intestinal Mucosa: The Effect of Irradiation on Epithelial Maturation and Migration, *J. Exper. Med.*, 81:553-557, 1945.
- 115. Fritz, T.E., P.C. Brennan, R.J. Flynn, and J.A. Giolitto, Interrelations Between X-irradiation and the Intestinal Flora of Mice, In *Gastrointestinal Radiation Injury, M.F. Sullivan (ed), Excerpta Medica Foundation*, 1:279-291, 1968.
- 116. Geraci, J.P., K.L. Jackson, and M.S. Mariano, The Intestinal Radiation Syndrome: Sepsis and Endotoxin, *Rad. Res.*, 101:442-450, 1985.
- 117. Geraci, J.P., G.M. Christensen, K.L. Jackson, P.D. Thrower, and B.J. Weyer, Acute and Late Damage in the Mouse Small Intestine Following Multiple Fractionatations of Neutrons or X-rays, *Int. J. Radiat. Oncol. Biol. Phys.*, 2:693-696, 1977.
- 118. Geraci, J.P., G.M. Christensen, M.S. Fox, K.L. Jackson, R.G. Parker, and P.D. Thrower, The Relative Biological Effectiveness of Cyclotron Fast Neutrons for Early and Late Damage to the Small Intestine of the Mouse, *Eur. J. Cancer*, 10:99-102, 1974.
- 119. Gits, J., and G.B. Gerber, Electrolyte Loss, the Main Cause of Death From the Gastrointestinal Syndrome, *Rad. Res.*, 55:18-28, 1973.
- 120. Gleiser, C.A., The Sequence of Pathological Events in Dogs Exposed to a Lethal Dose 100/30 of Total Body X-radiation, *Am. J. Vet. Res.*, 14:287-297, 1953.
- 121. Goldgraber, M.B., R.L. Dobson, B.W. Massey, W.L. Palmer, and C.E. Rubin, The Early Gastric Response to Irradiation, a Serial Biopsy Study, *Gastroenterology*, 27:1-20, 1954.
- 122. Goodman, R.d., A.E. Lewis, and E.A. Schuck, Effects of X-irradiation on Gastrointestinal Transit and Absorption Availability, *Am. J. Physiol.*, 169:242-247, 1952.
- 123. Goodner, C.J., W.D. Armstrong, J.Z. Bowers, and T.E. Moore, Effects of Acute Whole-body X-irradiation on the Absorption and Distribution of Na₂₂ and H₃OH From the Gastrointestinal Tract of the Fasted Rat, *Am. J. Physiol.*, 183:475-484, 1955.
- 124. Griffin, C.S., and S. Hornsey, The Effect of Neutron Dose Rate on Jejunal Crypt Survival, *Int. J. Radiat. Biol.*, 49:589-595, 1986.
- 125. Gunter-Smith, P.J., Gamma Radiation Affects Active Electrolyte Transport by Rabbit Ileum: Basal Na and Cl Transport, *Am. J. Physiol.*, 250:G540-G545, 1986.

- 126. Gunter-Smith, P.J., Effect of Ionizing Radiation on Gastrointestinal Physiology, In Conklin, J.J., and R.I. Walker (eds), *Military Radiobiology*, pp. 135-151, 1987.
- 127. Hagemann, R.F., Intestinal Cell Proliferation During Fractionated Abdominal Irradiation, *Br. J. Radiol.*, 49:56-61, 1976.
- 128. Hagemann, R.F., Compensatory Proliferative Response of the Colonic Epithelium to Multi-fraction Irradiation, *Int. J. Radiat. Oncol. Biol. Phys.*, 5:69-71, 1979.
- 129. Hagemann, R.F., and J.P. Concannon, Time/dose Relationships in Abdominal Irradiation: A Definition of Principles and Experimental Evaluation, *Br. J. Radiol.*, 48:545-555, 1975.
- 130. Hagemann, R.F., and S. Lesher, Intestinal Crypt Survival and Total and Per Crypt Levels of Proliferative Cellularity Following Irradiation: Age Response and Animal Lethality, *Rad. Res.*, 47:159-167, 1971.
- 131. Hagemann, R.F., and S. Lesher, Irradiation of the G.I. Tract: Compensatory Response of Stomach, Jejunum and Colon, *Br. J. Radiol.*, 44:599-602, 1971.
- 132. Hagemann, R.F., S. Lesher, and C.P. Sigdestad, Intestinal Crypt Survival and Total and Per Crypt Levels of Proliferative Cellularity Following Irradiation: Fractionated X-ray Exposures, *Rad. Res.*, 47:149-158, 1971.
- 133. Hagemann, R.F., S. Lesher, and C.P. Sigdestad, Intestinal Crypt Survival and Total and Per Crypt Levels of Proliferative Cellularity Following Irradiation: Single X-ray Exposure, *Rad. Res.*, 46:533-546, 1971.
- 134. Hager, E.B., J.W. Ferrebee, and E.D. Thomas, Damage and Repair of the Gastrointestinal Tract After Supralethal Radiation, *Radiobiol. Radiother.*, 4:1-11, 1963.
- 135. Hamilton, E., Cell Proliferation and Aging in Mouse Colon. I. Repopulation After Repeated X-ray Injury in Young and Old Mice, *Cell Tissue Kinet.*, 11:423-431, 1978.
- 136. Hamilton, E., Induction of Radioresistance in Mouse Colon Crypts by X-rays, *Int. J. Radiat. Biol.*, 36:537-545, 1979.
- Hamilton, E., and L.M. Franks, Cell Proliferation and Aging in Mouse Colon.
 II. Late Effects of Repeated X-irradiation in Young and Old Mice, Eur. J. Cancer, 16:663-669, 1980.
- 138. Hamlet, R., K.E. Carr, A.H.W. Nias, and R.G. Toner, Scanning Electron Microscopy of Mouse Intestinal Mucosa After Cobalt 60 and D-T Neutron Irradiation, *Br. J. Radiol.*, 49:624-629, 1976.
- 139. Hamlet, R., K.E. Carr, A.H.W. Nias, and C. Watt, Surface Damage in the Small Intestine of the Mouse After X- or Neutron Irradiation, *Scanning Electron Microsc.*, 4:73-78, 1981.

- 140. Hampton, J.C., A Comparison of the Effects of X-irradiation and Colchicine on the Intestinal Mucosa of the Mouse, *Rad. Res.*, 28:37-59, 1966.
- 141. Hampton, J.C., Effects of Ionizing Radiation on the Fine Structure of Paneth Cells of the Mouse, *Rad. Res.*, 28:71-83, 1966.
- 142. Hampton, J.C., Fine Structure of the intestinal Epithelium After 3 Krads of X-rays, In Sullivan, M.F. (ed), Gastrointestinal Radiation Injury, Excerpta Medica Foundation, Amsterdam, p. 13, 1968.
- 143. Hampton, J.C., and B. Rosario, The Distribution of Exogenous Peroxidase in Irradiated Mouse Intestine, *Rad. Res.*, 34:209-227, 1968.
- 144. Hauer Jensen, M., T. Berstad, K. Nygaard, and T. Sauer, Influence of Pancreatic Secretion on Late Radiation Enteropathy in the Rat, *Acta Radiol. Oncol.*, 24:555-560, 1985.
- 145. Hauer Jensen, M., F. Devik, K. Nygaard, and T. Sauer, Late Changes Following Single Dose Roentgen Irradiation of Rat Small Intestine, *Acta Radiol. Oncol.*, 22:299-303, 1983.
- 146. Hauer Jensen, M., F. Devik, K. Nygaard, and T. Sauer, Effects of Dose Fractionation on Late Roentgen Radiation Damage of Rat Small Intestine, *Acta Radiol. Oncol.*, 22:381-384, 1983.
- 147. Hauer Jensen, M., K. Nygaard, J.B. Reitan, T. Sauer, Later Radiation Enteropathy Following Split-dose Irradiation of Rat Small Intestine, *Acta Radiol. Oncol.*, 25:203-206, 1986.
- 148. Hauer Jensen, M., K. Nygaard, J.B. Reitan, T. Sauer, and K. Sletten, Value of Hydroxyproline Measurements in the Assessment of Late Radiation Enteropathy, *Acta Radiol. Oncol.*, 25:137-142, 1986.
- 149. Helander, H.F., Early Effects of X-irradiation on the Ultrastructure of Gastric Fundus Glands, *Rad. Res.*, 26:244-262, 1965.
- 150. Hempelmann, L.H., J.G. Hoffman, and H. Lisco, The Acute Radiation Syndrome: A Study of Nine Cases and a Review of the Problem, *Ann. Intern. Med.*, 36:279-510, 1956.
- 151. Hendry, J.H., Diurnal Variations in Radiosensitivity of Mouse Intestine, *Br. J. Radiol.*, 48:312-314, 1975.
- 152. Hendry, J.H., M. Bianchi, C. Chadwick, and C.S. Potten, Cell Death (Apoptosis) in the Mouse Small Intestine After Low Doses: Effects of Dose-rate, 14.7 MeV Neutrons, and 600 MeV (Maximum Energy) Neutrons, Int. J. Radiat. Biol., 42:611-620, 1982.
- 153. Hendry, J.H., C.S. Potten, and N.P. Roberts, The Gastrointestinal Syndrome and Mucosal Clonogenic Cells: Relationships Between Target Cell Sensitivities, LD50 and Cell Survival, and Their Modification by Antibiotics, *Rad. Res.*, 96:100-112, 1983.

- 154. Hiatt, N., and N.E. Warner, Influence of Intestinal Content on Radiation Lesions of the Small Intestine, *Proc. Soc. Exp. Biol. Med.*, 124:937-939, 1967.
- 155. Hirose, F., Early Effects of 14.1 MeV Neutron Irradiation on Intestinal Mucosa, In Gastrointestinal Radiation Injury, M.F. Sullivan (ed), Excerpta Medica Foundation, 1:331-341, 1968.
- 156. Hirose, F., Experimental Induction of Carcinoma in the Glandular Stomach by Localized X-irradiation of Gastric Region, *GANN*, Monograph 8:75-113, 1969.
- 157. Hirose, F., Induction of Gastric Adenocarcinoma in Mice by Localized X-irradiation, *GANN*, 60:253-260, 1969.
- 158. Hirose, R., I. Fujii, K. Fukazawa, S. Otsuka, Y. Terada, and H. Watanabe, Induction of Rectal Carcinoma in Mice by Local X-irradiation, *GANN*, 68:669-680, 1977.
- 159. Hirst, D.G., and B. Hobson, Repair of Radiation Damage in the Blood Vessels of the Mouse Mesentery and Small Intestine, *Int. J. Radiat. Biol.*, 34:566-567, 1978.
- 160. Hornsey, S., The Relative Biological Effectiveness of Fast Neutrons for Intestinal Damage, *Radiology*, 97:649-652, 1970.
- 161. Hornsey, S., Effect of Cyclotron Neutrons on the Small Intestine of Mice, Assayed by Clonal Techniques and Animal Survival, *Br. J. Radiol.*, 44:652, 1971.
- 162. Hornsey, S., The Effectiveness of Fast Neutrons Compared With Low LET Radiation on Cell Survival Measured in the Mouse Jejunum, *Rad. Res.*, 55:58-68, 1973.
- 163. Hornsey, S., and S. Vatistas, Some Characteristics of the Survival Curve of Crypt Cells of the Small Intestine of the Mouse Deduced After Whole Body X-irradiation, *Br. J. Radiol.*, 36:795-800, 1963.
- 164. Hubmann, F.H., Proctitis Cystica Profunda and Radiation Fibrosis in the Rectum of the Female Wistar Rat After X-irradiation: A Histopathological Study, *J. Pathology*, 138:193-204, 1982.
- Hugon, J., and M. Borgers, Fine Structure of the Nuclei of the Duodenal Crypt Cells After X-irradiation, *Am. J. Pathology*, 52:701-710, 1968.
- 166. Hugon, J., and M. Borgers, Ultrastructural and Cytochemical Studies on Karyolytic Bodies in the Epithelium of the Duodenal Crypts of Whole-body X-irradiated Mice, *Lab. Invest.*, 15;1528-1543, 1966.
- 167. Hugon, J., and M. Borgers, Fine Structural Changes and Localization of Phosphatases in the Epithelium of the Duodenal Crypt by X-irradiated Mice, *Histochemie*, 6:209-225, 1966.

- 168. Hugon, J., J.R. Maisin, and M. Borgers, Changes in Ultrastructure of Duodenal Crypts in X-irradiated mice, *Rad. Res.*, 25:489-502, 1965.
- 169. Hugon, J., J.R. Maisin, and M. Borgers, Delayed Ultrastructural Changes in Duodenal Crypts of X-irradiated Mice, *In. J. Rad. Biol.*, 10:113-122, 1966.
- 170. Hulse, E.V., and L.G. Mizon, Radiation-conditioned Aversion in Rats After Part-body X-irradiation and Its Relationship to Gastric Emptying, *Int. J. Radiat. Biol.*, 12:515-522, 1967.
- 171. Hulse, E.V., Gastric Emptying in Rats After Part-body Irradiation, Int. J. Rad. Biol., 10:521-532, 1966.
- 172. Ichiki, A.T., and G.L. Lemmon, Effects of Pulsed Fission-spectrum Radiation and 250-KVP X-rays on the Free Amino Acid Levels in Sheep Plasma, *Air Force Weapons Laboratory*, AFWL-TR-65-133, 1967.
- 173. Ijiri, K, and C.S. Potten, Response of Intestinal Cells of Differing Topographical and Hierarchical Status to Ten Cytotoxic Drugs and Five Sources of Radiation, *Br. J. Cancer*, 47:175-185, 1983.
- 174. Ijiri, K., and C.S. Potten, The Re-establishment of Hypersensitive Cells in the Crypts of Irradiated Mouse Intestine, *Int. J. Radiat. Biol.*, 46:609-623, 1984.
- 175. Ijiri, K., and C.S. Potten, Radiation-hypersensitive Cells in Small Intestinal Crypts; Their Relationships to Clonogenic Cells, *Br. J. Cancer*, 53:20-22, 1986.
- 176. Ijiri, K., and C.S. Potten, Further Studies on the Response of Intestinal Crypt Cells of Different Hierarchical Status to Eighteen Different Cytotoxic Agents, *Br. J. Cancer*, 55:113-123, 1987.
- 177. Ivy, A.C., A. Jacoby, B.H. Orndorff, and J.E. Whitlow, Studies of the Effect of X-rays on Glandular Activity. III. The Effect of X-rays on Gastric Secretion, *Radiology*, 1:39-46, 1923.
- 178. Jackson, K.L., and C. Entenman, The Role of Bile Secretion in the Gastrointestinal Radiation Syndrome, *Rad. Res.*, 10:67-79, 1959.
- 179. Jackson, K.L., and J.P. Geraci, Physiological Mechanisms of Acute Intestinal Radiation Death, *Technical Report by Univ. of Washington Radiological Sciences, Dept. of Environmental Health*, Seattle, WA for Defense Nuclear Agency, DNA-TR-86-241, 1986.
- 180. Jackson, K.L., C. Entenman, and R. Rhodes, Electrolyte Excretion in the Rat After Severe Intestinal Damage by X-irradiation, *Rad. Res.*, 8:361-373, 1958.
- 181. Janossy, G., Cardiac Output and its Distribution in the Terminal Stage of the Gastrointestinal Irradiation Syndrome ("radiation shock"), *Acta Media Academiae Scientiarum Hungaricae*, 26:23-29, 1969.

- 182. Janossy, G., Intestinal Blood Flow in Gastrointestinal Irradiation Syndrome in the Rat, *Acta Media Academiae Scientiarum Hungaricae*, 26:13-21, 1969.
- 183. Jervis, H.R., M.M. McLaughlin, and M.C. Johnson, Effect of Neutron-Gamma Radiation on the Morphology of the Mucosa of the Small Intestine of Germfree and Conventional Mice, *Rad. Res.*, 45:613-628, 1971.
- 184. Johanson, K.J., Retention of 125-I Given as 125-I-5-iodo-2'-deoxyuridine to Mice After 180 MeV Proton or 60-Co Gamma Irradiation, *Acta Radiol. Ther. Physics Biol.*, 11:465-471, 1972.
- 185. Johanson, K.J., and B. Larsson, Effect of 180 MeV Proton or 60-Co Gamma Radiation on the Incorporation of 125-iodo-2'-deoxyuridine Into Intestinal and Splenic Deoxyridonucleic Acid of Mice, *Acta Radiol. Ther. Physics Biol.*, 11:452-464, 1972.
- 186. Jones, D.C., and D.J. Kimeldorf, Gastrointestinal Function During Exposure to X-rays, *Rad. Res.*, 11:832-843, 1959.
- 187. Jones, S.R., R.E. George, D.M. Verrelli, and J.E. West, The Relative Effectiveness of Fission Neutrons for Gastrointestinal Death in Miniature Pigs, *AFRRI Scientific Report*, SR71-17, 1971.
- 188. Jones, S.R., R.E. George, D.M. Verrelli, and J.E. West, The Relative Effectiveness of Fission Neutrons for Gastrointestinal Death in Miniature Pigs, *Rad. Res.*, 50:504-518, 1972.
- 189. Kabal, J., S.J. Baum, and L.J. Parkhurst, Alterations of Intestinal Vasoactivity During the Development of the Gastrointestinal Radiation Syndrome, *AFRRI Scientific Report*, SR71-11, 1971.
- 190. Kabal, J., S.J. Baum, and L.J. Parkhurst, Canine Cardiovascular Homeostasis in the Gastroin estinal Radiation Syndrome, *AFRRI Scientific Report*, SR72-4, *Rad. Rec.* 50:528-538 (1972), 1972.
- 191. Kabal, J., S.J. Baum, and L.J. Parkhurst, Canine Intestinal Vasoactivity During the Development of the Gastrointestinal Radiation Syndrome, *Rad. Res.*, 50:528-538, 1972.
- 192. Kagnoff, M.F., Motor Activity In Vitro of Rat Small Intestine Following Whole-body X-irradiation, *Rad. Res.*, 42:565-576, 1970.
- 193. Kagnoff, M.F., and E. Kivy-Rosenberg, *In vitro* Contractions of Rat Jejunum Following Whole-body X-irradiation or Drugs, *Am. J. Physiol.*, 216:1057-1063, 1969.
- 194. Keelan, M., C. Cheeseman, A.B.R. Thomson, and K. Walker, Effect of External Abdominal Irradiation on Intestinal Morphology and Brush Border Membrane Enzyme and Lipid Composition, Rad. Res., 105:84-96, 1986.
- 195. Kinsella, T.J., and W.D. Bloomer, Tolerance of the Intestine to Radiation Therapy, *Surg. Gynecol. Obstet.*, 151:273-284, 1980.

- 196. Kivy-Rosenberg, E., and B.W. Zweifach, Microcirculatory Effect of Serotonin on Hemostasis Following Whole-body X-irradiation, *Am. J. Physiol.*, 211:730-734, 1966.
- 197. Kivy-Rosenberg, E., Response of Rat Gastrointestinal Tract Dehydrogenase Systems to Whole-body Ionizing Irradiation, AFRRI Scientific Report, SR69-16, 1969.
- 198. Knowlton, N.P., and L.H. Hempelmann, The Effect of X-rays on the Mitotic Activity of the Adrenal Gland, Jejunum, Lymph Node and Epidermis of the Mouse, *J. Cell Comp. Physiol.*, 33:73-91, 1949.
- 199. Kurtsin, I.T., Effects of Ionizing Radiation on the Digestive Tract, Elsevier Publishing Company, NY, 1963.
- 200. Laporte, J.L., J.J. Conklin, A. Dubois, A. Durakovic, L. O'Connell, and R. Sjogren, Cross Correlation Analysis of Gastric Motility Following Exposure to Ionizing Radiation in Primates, *Dig. Dis. Sci.*, 29:565A, 1984.
- 201. Lebedinsky, A.V., The Influence of Ionizing Radiations on Animal Organisms, *Proc. Int. Conf. on the Peaceful Uses of Atomic Energy*, 11:7-26, 1955.
- 202. Lebreuil, G., R. Masse, P. Nizza, and G. Thiery, The Effects of Ionizing Radiation on the Enterochromaffin Cells of the Rat, Guinea Pig, and Swine GI Tract, In *Gastrointestinal Radiation Injury, M.F. Sullivan (ed)*, Excerpta Medica Foundation, 1:444-451, 1968.
- 203. Lesher, S., Compensatory Reactions in Intestinal Tract Crypt Cells After 300 Roentgens of Cobalt-60 Gamma Irradiation, *Rad. Res.*, 32:510-519, 1967.
- 204. Lesher, S., R.J.M. Fry, and G.A. Sacher, Effects of Chronic Gamma Irradiation on the Generation Cycle of the Mouse Duodenum, *Exp. Cell. Res.*, 25:398-408, 1961.
- 205. Lesher, S., M. Jones, and A. Sallese, Effects of 1000R Whole-body X-irradiation on DNA Synthesis and Mitosis in the Duodenal Crypts of the BCF1 Mouse, *Zeitschrift fur Zellforschung*, 77:144-146, 1967.
- 206. Lesher, S., L.F. Lamerton, G.A. Sacher, and R.J.M. Fry, Effect of Continuous Gamma Irradiation on the Generation Cycle of the Duodenal Crypt Cells of the Mouse and Rat, Rad. Res., 29:57-63, 1966.
- 207. Lieb, R.J., T.F. McDonald, and J.R. McKenney, Fine-structural Effects of 1200-R Abdominal X-irradiation on Rat Intestinal Epithelium, *Rad. Res.*, 70:575-584, 1977.
- 208. Lipkin, M., F. Muggia, and H. Quastler, Protein Synthesis in the Irradiated Intestine of the Mouse, *Rad. Res.*, 19:277-285, 1963.
- 209. Localio, S.A., T.H. Gouge, and H.L. Pachter, The Radiation-injured Bowel, Surg. Annu., 11:181-205, 1979.

- 210. Lushbaugh, C.C., Mechanism of Intestinal Death, Panel Discussion, In Sullivan, M.F. (ed), *Gastrointestinal Radiation Injury*, Excerpta Medica Foundation, Amsterdam, p. 356, 1968.
- 211. Lushbaugh, C.C., Theoretical and Practical Aspects of Models Explaining "Gastrointestinal Death" and other Lethal Radiation Syndromes, In *Comp. Cellular and Species Radiosensitivity*, pp. 288-297, 1968.
- Lushbaugh, C.C., C.R. Richmond, and J. Sutton, The Question of Electrolyte Loss in the Intestinal Death Syndrome of Radiation Damage, Rad. Res., 13:814-824, 1960.
- 213. Maisin, J.R., and M. Lambiet-Collier, Influence of Radioprotectors on the Regeneration of the Mucosa of the Small Intestine of Mice Exposed to a Low Dose of X-irradiation, *Int. J., Radiat. Biol.*, 21:57-63, 1972.
- 214. Maisin, J.R., and R.A. Popp, Effect of AET on Sodium, Potassium, and Esterases of the Alimentary Tract of Irradiated Mice, *Am. J. Physiol.*, 199:251-259, 1960.
- 215. Maisin, J.R., J. Deroo, and J. Dulcino, In Vivo Fat Absorption by the Small Intestine of X-irradiated Mice, In *Gastrointestinal Radiation Injury*, M.F. Sullivan (ed), Excerpta Medica Foundation, 1:251-260, 1968.
- 216. Maisin, J., A. Dunjic, and J.R. Maisin, The Gastrointestinal Tract, In *Pathology of Irradiation*, C.C. Berdjis (ed), Williams and Wilkins Co., Baltimore, MD, pp. 569-591, 1971.
- 217. Maisin, J.R., G.D. Novelli, D.G. Doherty, and C.C. Congdon, Chemical Protection of the Alimentary Tract of Whole-Body X-irradiated Mice. I. Changes in Weight. Histology and Cell Division in Relation to Nucleic Acid and Protein Synthesis, *Int. J. Radiat. Biol.*, 2:281-295, 1960.
- Man, W.K., J. Barr, J. Burgin, A. Michalowski, and S.K. Li, Gastrointestinal Histamine after Gastric Irradiation in the Mouse, *Agents Actions*, 18:20-27, 1986.
- 219. Mastromarino, A., and R. Wilson, Antibiotic Radioprotection of Mice Exposed to Supralethal Whole-body Irradiation Independent of Antibacterial Activity, *Rad. Res.*, 68:329-338, 1976.
- 220. Mastromarino, A.J., and R. Wilson, Increased Intestinal Mucosal Turnover and Radiosensitivity to Supralethal Whole-body Irradiation Resulting From Cholic Acid-induced Alterations of the Intestinal Microecology of Germfree CFW Mice, Rad. Res., 66:393-400, 1976.
- 221. Matsuoka, O., H. Eto, M. Kashima, and T. Tsuchiya, Serotonin and Radiation Effects on Intestine, In *Gastrointestinal Radiation Injury*, M.F. Sullivan (ed), Excerpta Medica Foundation, 1:313-326, 1968.
- 222. Matsuzawa, T., Survival Time in Germfree Mice After Lethal Whole Body X-irradiation, *Tohoku J. Exp. Med.*, 85:257-263, 1965.

- 223. Matsuzawa, T., and R. Wilson, The Intestinal Mucosa of Germfree Mice After Whole-body X-irradiation with 3 Kiloroentgens, *Rad. Res.*, 25:15-24, 1965.
- 224. Mattsson, J.L., and M.G. Yochmowitz, Radiation-induced Emesis in Monkeys, *Rad. Res.*, 82:191-199, 1980.
- 225. McFadyen, D.M., and D.G. Baker, Lysosome Activity in Radiation Induced Intestinal Injury, In *Gastrointestinal Radiation Injury*, M.F. Sullivan (ed), Excerpta Medica Foundation, 1:401-412, 1968.
- 226. McGrath, R.A., Cell Migration and Abnormal Crypt-Cell Enlargement in the Small Intestine of X-irradiated Mice, *Int. J. Radiat. Biol.*, 2:177-182, 1960.
- 227. McGrath, R.A., and C.C. Congdon, X-ray Induced Abdominal Differentiation of the Epithelium of the Small Intestine of the Mouse, *Int. J. Radiat. Biol.*, 1:80-88, 1959.
- 228. Mead, J.F., L.R. Bennett, and A.B. Decker, The Effect of X-irradiation Upon Fat Absorption in the Mouse, *J. Nutrition*, 43:485-499, 1951.
- Middleton, G.R., and R.W. Young, Emesis in Monkeys Following Exposure to Ionizing Radiation, Aviat., Space Environ. Med., 46:170-172, 1975.
- 230. Miller, C.P., C.W. Hammond, and M. Tompkins, The Role of Infection in Radiation Injury, *J. Lab. Clin. Med.*, 38:331-344, 1951.
- 231. Mohiuddin, M., P. DeMare, and K. Tamura, Changes in Absorption of Glucose and Proline Following Irradiation to the Exteriorized Ileum, *Rad. Res.*, 74:186-190, 1978.
- 232. Montagna, W., and J.W. Wilson, A Cytologic Study of the Intestinal Epithelium of the Mouse After Total-body X Irradiation, *JNC1*, 15:1703-1755, 1955.
- 233. Morgenstern, L., N. Hiatt, H.L. Krohn, and C.S. Patin, Prolongation of Survival in Lethally Irradiated Dogs by Pancreatic Duct Ligation, *Arch. Surg.*, 101:586-589, 1970.
- 234. Moss, W.T., The Effect of Irradiating the Exteriorized Small Bowel on Sugar Absorption, *Am. J. Roentgenol. Radium Ther. Nucl. Med.*, 78:850-854, 1957.
- 235. Munday, B.M., and W.F.R. Pover, Sodium Loss and the Gastrointestinal Syndrome, In Ebert, M, and A. Howard (eds), *Radiation Effects in Physics, Chemistry, and Biology*, North Holland Publishing Co., Amsterdam, p. 452, 1963.
- 236. Murray, D., and R.E. Meyn, Differential Repair of Gamma-ray-induced DNA Strand Breaks by Various Cellular Subpopulations of Mouse Jejunal Epithelium and Bone Marrow In Vivo, *Rad. Res.*, 109:153-164, 1987.

- 237. Nelson, J.M., Influence of Intestinal Mucosal Renewal Rate on Development of Gastrointestinal Injury and Survival Time of Irradiated Gerbils, *Rad. Res.*, 49:367-380, 1972.
- 238. Nims, L.F., and E. Sutton, Adrenal Cholesterol, Liver Glycogen and Water Consumption of Fasting and X-irradiated Rats, *Am. J. Physiol.*, 177:51-54.
- 239. Norris, W.P., T.E. Fritz, C.M. Poole, and C.E. Rehfeld, The Response of the Beagle Dog to Cobalt-60 Gamma Radiation: Determination of the LD50(30) and Description of Associated Changes, *Rad. Res.*, 35:681-708, 1968.
- 240. Nowell, P.C., and L.J. Cole, Late Effects of Fast Neutrons Versus X-rays in Mice: Nephrosclerosis, Tumors, Longevity, *Rad. Res.*, 11:545-556, 1959.
- 241. Nowell, P.C., L.J. Cole, and M.E. Ellis, Induction of Intestinal Carcinoma in the Mouse by Whole-body Fast-neutron Irradiation, *Cancer Res.*, 16:873-876, 1956.
- 242. Nygaard, O.F., and R.L. Potter, Effect of X-radiation on DNA Metabolism in Various Tissues of the Rat, *Rad. Res.*, 10:462-476, 1959.
- 243. Okuda, K., and M. Fujii, Effects of Radiation and Diarrhea on Intestinal Absorption of Vitamin B12, In *Gastrointestinal Radiation Injury*, M.F. Sullivan (ed), Excerpta Medica Foundation, 1:228-241, 1968.
- 244. Onoue, M., M. Mutai, T. Takahashi, K. Uchida, and T. Yokokura, Effect of Intestinal Microflora on the Survival Time of Mice Exposed to Lethal Whole-body Gamma Irradiation, *Rad. Res.*, 88:533-541, 1981.
- 245. Osborne, J.W., Prevention of Intestinal Radiation Death by Removal of the Irradiated Intestine, *Rad. Res.*, 4:541-546, 1956.
- 246. Osborne, J.W., D.P. Nicholson, and K.N. Prasad, Induction of Intestinal Carcinoma in the Rat by X-irradiation of the Small Intestine, *Rad. Res.*, 18:76-85, 1963.
- 247. Osborne, J.W., K.N. Prasad, and G.R. Zimmerman, Changes in the Rat Intestine After X-irradiation of Exteriorized Short Segments of Ileum, *Rad. Res.*, 43:131-142, 1970.
- 248. Otto, F.J., and U. Pfeiffer, Mortality Response of Mice After Whole-body Exposure to 1.7-5 MeV Neutrons and X-rays, *Rad. Res.*, 50:125-135, 1972.
- 249. Pausescu, E., C. Paun, M. Popescu, T. Teodosiu, Dynamics of the Changes in the Tissular Levels of Cyclic AMP After Cobalt-60 Gammairradiation, *Strahlentherapie*, 151:165-171, 1976.
- 250. Perris, A.D., E.L. Jervis, and D.H. Smyth, Effects of Whole-body Irradiation on the Transfer Capacity of Rat Small Intestine, *Rad. Res.*, 28:13-29, 1966.

- 251. Perris, A.D., Intestinal Transport and Metabolism Following Whole-body Irradiation, *Rad. Res.*, 34:523-531, 1968.
- 252. Phillips, T.L., J. Ainsworth, E. Alpen, L. S. Goldstein, and G.Y. Ross, In Vivo Radiobiology of Heavy Ions, *Int. J. Radiat. Oncol.*, 8:2121-2125, 1982.
- 253. Pierce, M. The Gastrointestinal Tract, In *Histopathology of Irradiation from External and Internal Sources*, W. Bloom (ed.), McGraw-Hill Book Co., NY, pp. 502-540, 1948.
- 254. Porvaznik, M., J.D. Gillmore, and R.I. Walker, Reduction of the Indigenous Filamentous Microorganisms in the Rat Ilea Following Gamma-radiation, *Scan. Electron Microsc.*, 3:15-22, 1979.
- 255. Porvaznik, M., Tight Junction Disruption and Recovery After Sublethal Gamma Irradiation, *Rad. Res.*, 78:233-250, 1979.
- 256. Potten, C.S., Extreme Sensitivity of Some Intestinal Crypt Cells to X- and Gamma Irradiation, *Nature*, 269:518-521, 1977.
- 257. Potten, C.S., and J.H. Hendry, Differential Regeneration of Intestinal Proliferative Cells and Cryptogenic Cells After Irradiation, *Int. J. Radiat. Biol.*, 27:413-424, 1975.
- 258. Potten, C.S., S.E. Al-Barwari, and J. Searle, Differential Radiation Response Amongst Proliferating Epithelial Cells, *Cell Tissue Kinet.*, 11:149-160, 1978.
- 259. Potten, C.S., J.H. Hendry, and J.V. Moore, Estimates of the Number of Clonogenic Cells in Crypts of Murine Small Intestine, *Virchows Archiv B*, 53:227-234, 1987.
- 260. Potten, C.S., C. Chadwick, W.R. Hanson, K. Ijiri, and S. Tsudouchi, The Recruitability and Cell-cycle State of Intestinal Stem Cells, *Int. J. Cell Cloning*, 2:126-140, 1984.
- Poulakos, L., K. Fleming, B. Geierhaas, and J.W. Osborne, Radiation-induced Intestinal Damage and the Second Corticosteroid Increase, Int. J. Radiat. Biol., 21:153-157, 1972.
- Prosser, C.L., A.M. Brues, L.O. Jacobson, H. Lisco, E.E. Painter, and M.N. Swift, The Clinical Sequence of Physiological Effects of Ionizing Radiation in Animals, *Radiology*, 49:299-313, 1947.
- 263. Quastel, M.R., Effect of Whole-body Irradiation on Spontaneous Motility of Rat Isolated Duodenum and Its Contractile Response to Acetylcholine and 5-hydroxytryptamine, *Br. J. Radiol.*, 41:142-146, 1968.
- 264. Quastler, H., The Nature of Intestinal Radiation Death, Rad. Res., 4:303-320, 1956.
- 265. Quastler, H., Effects of Irradiation on Intestinal Mucosal Cell Population, Fed. Proc., 22:1330-1333, 1963.

- 266. Quastler, H., and J.C. Hampton, Effects of Ionizing Radiation on the Fine Structure and Function of the Intestinal Epithelium of the Mouse, I. Villus Epithelium, *Rad. Res.*, 17:914-931, 1962.
- 267. Quastler, H., and M. Zucker, The Hierarchy of Modes of Radiation Death in Specifically Protected Mice, *Rad. Res.*, 10:402-409, 1959.
- 268. Quastler, H., M.E. Keller, E.F. Lanzl, and J.W. Osborne, Acute Intestinal Radiation Death. Studies on Roentgen Death in Mice, III., *Am. J. Physiol.*, 164:546-556, 1951.
- 269. Quastler, M.R., Effect of Whole Body Irradiation on Spontaneous Motility of Rat Isolated Duodenum and its Contractile Response to Acetylcholine and 5-hydroxytryptamine, *Br. J. Radiol.*, 41:142-146, 1968.
- 270. Reynaud, A., and E.L. Travis, Late Effects of Irradiation in Mouse Jejunum, *Int. J. Radiat. Biol.*, 46:125-134, 1984.
- 271. Ricketts, W.E., E.M. Humphreys, J.B. Kirsner, and W.L. Palmer, Effect of Roentgen Irradiation on the Gastric Mucosa, *Gastroenterology*, 11:818-831, 1948.
- 272. Rijke, R.P.C., H. Galjaard, A.T. Hoogeveen, L.F. Lamerton, and H. Plaisier, The Effect of Continuous Irradiation on Cell Proliferation and Maturation in Small Intestinal Epithelium, *Cell Tissue Kinet.*, 8:441-453, 1975.
- 273. Roswit, B., S.J. Malsky, and C.B. Reid, Radiation Tolerance of the Gastrointestinal Tract, *Front. Radiation Ther. Oncol.*, 6:160-181, 1972.
- 274. Roswit, B., S.J. Malsky, and C.B. Reid, Severe Radiation Injuries of the Stomach, Small Intestine, Colon, and Rectum, *Am. J. Roentgen.*, 114:460-475, 1972.
- 275. Rubin, P., Radiation Toxicology: Quantitative Radiation Pathology for Predicting Effects, *Cancer.* 39:729-736, 1977.
- 276. Rubio, C.A., B. Eriksson, and L. Johnsson, Ectopic Intestinal Glands After Segmental Bowel Irradiation in the Cat, *Acta Radiol. Oncol.*, 22:473-475, 1983.
- 277. Sato, F., T. Hiraoka, T. Inada, K. Kawashima, H. Matsuzawa, S. Muramatsu, W. Nakamura, G.A. Sacher, A. Shiragai, E. Trucco, and S. Tsuchihashi, Radiation Effects on Cell Populations in the Intestinal Epithelium of Mice and Its Theory, Cell Tissue Kinet., 5:227-235, 1972.
- 278. Selye, H., The Physiology and Pathology of Exposure to Stress, *Acta Endocrinologica, Inc.*, Montreal Canada, 1950.
- Shea-Donohue, T., J.J. Conklin, E. Danquechin-Dorval, A. Dubois, A. Durakovic, and E. Montcalm, Alterations in Gastric Mucus Secretion in Rhesus Monkeys After Exposure to Ionizing Radiation, Gastroenterology, 88(3):685-690, 1983.

- 280. Shea-Donohue, T., J.J. Conklin, E. Danquechin-Dorval, A. Dubois, A. Durakovic, H. El-Bayar, and E. Montcalm, Alteration in Gastric Mucus Secretion in Rhesus Monkeys After Exposure to Ionizing Radiation, *Gastroenterology*, 88:685-690, 1985.
- 281. Sherman, F.G., J.C. Hampton, L.F. Lamerton, and H. Quastler, Cell Migration in Normal and Irradiated Intestine, *Federation Proc.*, 18:143, 1959.
- 282. Shively, J.N., J.W. Howland, and S.M. Michaelson, The Response of Dogs to Bilateral Whole-body 60-Co Irradiation, *Rad. Res.*, 15:319-328, 1961.
- 283. Sigdestad, C.P., E.B. Darden, R.F. Hagemann, and R.M. Scott, Intestinal Crypt Survival: The Effect of Cobalt-60, 250 kVcp X-rays and Fission Neutrons, *Rad. Res.*, 52:166-178, 1972.
- 264. Silverman, M.S., V. Greenman, P.H. Chin, and V.P. Bond, Bacteriological Studies on Mice Exposed to Supralethal Doses of Ionizing Radiations. I. Fast Neutron and X-irradiation from Laboratory Sources, *Rad. Res.*, 8:123-130, 1958.
- 285. Smith, W.W., E.B. Ackermann, and F. Smith, Body Weight, Fasting and Forced Feeding After Whole Body X-irradiation, *Am. J. Physiol.*, 168:382-390, 1952.
- 286. Smith, W.W., I.M. Alderman, and R.E. Gillespie, Increased Survival in Irradiated Animals Treated with Bacterial Endotoxins., *Am. J. Physiol.*, 191:124-130, 1957.
- 287. Spratt, J.S., P. Heinbecker, and S.L. Saltzstein, The Influence of Succinylsulfathiazole (Sulfasuxidine) Upon the Response of Canine Small Intestine to Irradiation, *Cancer*, 14:862-874, 1961.
- 288. Sprugel, W., E. Schubert, P. Mitznegg, F. Heim, G. Hasl, and H. Panly, Immediate X-irradiation Induced Contracts of the Isolated Guinea Pig Terminal Ileum: The Localization of the Effect of Drugs, *Radiat. Environ. Biophys.*, 14:31-37, 1977.
- 289. Stone, H.B., and H.R. Withers, Metronidazole: Effect on Radiosensitivity of Tumor and Normal Tissues in Mice, *JNCI*, 55:1189-1194, 1975.
- 290. Strike, T.A., and L.J. Seigneur, Acute Mortality of Chinchillas Exposed to Mixed Gamma-neutron Radiations or 250 KVP X-rays, *AFRRI Scientific Report*, SR68-7, 1968.
- 291. Sullivan, M.F., Absorption From Gastrointestinal Tract of the Rat After X-irradiation, Am. J. Physiol., 201:1013-1016, 1961.
- 292. Sullivan, M.F., Dependence of Radiation Diarrhea on the Presence of Bile in the Intestine, *Nature*, 195:1217-1218, 1962.
- 293. Sullivan, M.F., Bile Salt Absorption in the Irradiated Rat, *Am. J. Physiol.*, 209:158-164, 1965.

- 294. Sullivan, M.F., Sodium, Water, and B12 Absorption in Irradiated Rats: Influence of Bile, In *Gastrointestinal Radiation Injury*, M.F. Sullivan (ed), Excerpta Medica Foundation, 1:216-227, 1968.
- 295. Sullivan, M.F., R.H. Mole, and E.V. Hulse, The Mucus-depleting Active of Bile in the Small Intestine of the Irradiated Rat, *Br. J. Exp. Path.*, 46:235-244, 1965.
- 296. Sullivan, M.F., P.L. Hackett, S. Marks, and R.C. Thompson, X-irradiation of the Exteriorized or In Situ Intestine of the Rat, *Rad. Res.*, 11:653-666, 1959.
- 297. Summers, R.W., T.H. Kent, and J.W. Osborne, Effects of Drugs, Ileal Obstruction, and Irradiation on Rat Gastroenterology Propulsion, *Gastroenterology*, 59:731-739, 1970.
- 298. Summers, R.W., A.J. Flatt, F.A. Mitros, and M.J. Prihoda, Effect of Irradiation on Morphology and Motility of Canine Small Intestine, *Dig. Dis. Sci.*, 32:1402-1410, 1987.
- 299. Swift, M.N., and S.T. Taketa, Modification of Acute Intestinal Radiation Syndrome Through Shielding, *Am. J. Physiol.*, 185:85-91, 1956.
- 300. Swift, M.N., V.P. Bond, and S.T. Taketa, Delayed Gastric Emptying in Rats After Whole and Partial Body X-irradiation, *Am. J. Physiol.*, 182:479-486, 1955.
- 301. Takamura, W., H. Eto, and T. Kankura, Occult Blood Appearance in Feces and Tissue Hemorrhages in Mice After Whole Body X-irradiation, *Rad. Res.*, 48:169-178, 1971.
- 302. Takayama, H., K. Nishioka, and T. Sunada, Observation on the Effect of Protection of the Intestine on the Lethality Produced by Total Body Gamma-irradiation in Rats,. *Med. J. Osaka Univ.*, 10:535-541, 1960.
- 303. Taketa, S.T., The Effectiveness of Water-electrolyte Replacement Therapy and of Antibiotic Treatment Against Acute (3-5 Day) Intestinal Radiation Deaths in the Rat, Report for U.S. Naval Radiological Defense Laboratory, USNRDL-TR-516, also in: Rad. Res., 16:312-326, 1961.
- Taketa, S.T., Water-electrolyte and Antibiotic Therapy Against Acute (3- to 5-Day) Intestinal Radiation Death in the Rat, *Rad. Res.*, 16:312-326, 1962.
- 305. Terry, N.H.A., J. Denekamp, and R.L. Maughan, RBE Values for Colorectal Injury After Cesium 137 Gamma-ray and Neutron Irradiation, I. Single Doses, *Br. J. Radiol.*, 56:257-265, 1983.
- 306. Thomson, A.B.R., C.I. Cheeseman, and K. Walker, Effects of Irradiation on the Dimensions and Characteristics of the Barriers to Passive Transport in the Rat Intestine, *Clin. Invest. Med.*, 5:22B, 1982.
- 307. Thomson, A.B.R., C.I. Cheeseman, and K. Walker, Effect of Abdominal Irradiation of the Kinetic Parameters of Intestinal Uptake of Glucose,

- Galactose, Leucine, and Gly-leucine in the Rat, J. Lab. Clin. Med., 102:813-827, 1983.
- 308. Thomson, A.B.R., C.I. Cheeseman, and K. Walker, Intestinal Uptake of Bile Acids: Effects of Abdominal Irradiation, *Clin. Invest. Med.*, 6:52, 1983.
- 309. Thomson, A.B.R., C.I. Cheeseman, and K. Walker, Effect of External Abdominal Irradiation on the Dimensions and Characteristics of the Barriers to Passive Transport in the Rat Intestine, *Lipids*, 19:405-418, 1984.
- 310. Thomson, A.B.R., C.I. Cheeseman, and K. Walker, Intestinal Uptake of Bile Acids: Effect of External Abdominal Irradiation, *Int. J. Radiat. Oncol. Biol. Phys.*, 10:671-685, 1984.
- 311. Thomson, A.B.R., C.I. Cheeseman, and K. Walker, Late Effects of Abdominal Radiation on Intestinal Uptake of Nutrients, *Rad. Res.*, 107:344-353, 1986.
- 312. Timmermans, R., and G.B. Gerber, Reaction of Blood Pressure and Mesenteric Blood Flow to Infusion of Biogenic Amines in Normal and Supralethally X-irradiated Rats, *Rad. Res.*, 82:81-92, 1980.
- 313. Trott, K.R, and Z. Kiszel, Dependence of Radiation-induced Bowel Stenosis on Dose Fractionation, *Rad. Res.*, 87:459, 1981.
- 314. Tsubouchi, S., and T. Matsuzawa, Recovery of Function and Cell Population in the Intestinal Epithelium of X-irradiated Mice, *Rad. Res.*, 56:345-353, 1973.
- 315. Tsubouchi, S., and T. Matsuzawa, Rapid Radiation Cell Death and Cell Proliferation in Intestinal Epithelium After 1000-rad Irradiation, *Rad. Res.*, 57:451-458, 1974.
- 316. Tsubouchi, S., and C.S. Potten, Recruitment of Cells in the Small Intestine into Rapid Cell Cycle by Small Doses of External Gamma or Internal Beta Radiation, *Int. J. Radiat. Biol.*, 48:361-369, 1985.
- 317. Tullis, J.L., Radioresistant Cells in Certain Radiosensitive Tissues of Swine Exposed to Atomic Bomb Radiation, *Arch. Pathol.*, 48:171-177, 1949.
- 318. Turner, B.A., and J.F. Fowler, The RBE of Fast Neutrons in Producing Intestinal and Skin Injury in Rats, *Br. J. Radiol.*, 36:101-106, 1963.
- 319. Uribe, A., J. Arndt, C. Johansson, C. Rubio, Effects of 16, 16 Dimethyl Prostaglandin E2 on Irradiation Damage of the Small Intestine, *Acta Radiol. Oncol.*, 23:349-352, 1984.
- 320. van Dongen, J.M., J. Kooyman, and W.J. Visser, The Influence of 400 R X-irradiation on the Number and the Localization of Mature and Immature Goblet Cells and Paneth Cells in the Intestinal Crypt and Villus, *Cell Tissue Kinet.*, 9:65-75, 1976.

- 321. Vatistas, S., and S. Hornsey, Radiation-induced Protein Loss Into the Gastrointestinal Tract, *Br. J. Radiol.*, 39:547-550, 1966.
- 322. Vatistas, S., R.E. Ellis, and A. Herdan, The Role of the Intestine in Acute Postirradiation Mortality of Mice, In *Gastrointestinal Radiation Injury*, M.F. Sullivan (ed), Excerpta Medica Foundation, 1:433-443, 1968.
- 323. Vaughan, B.E., and R.L. Pessotti, Electrical Conductivity and Cholinergic Activity of the Rat Gastric Mucosa, at 4 and 170 Hours After 600 R X-irradiation, *Rad. Res.*, 48:116-127, 1971.
- 324. Vaughan, B.E., J.T. Cumins and H.A. Ridley, Differential Effects of Irradiation on Gastric Acid and Bioelectric Potential in the Rat, In Gastrointestinal Radiation Injury, M.F. Sullivan (ed), Excerpta Medica Foundation, 1:242-250, 1968.
- 325. Venho, V.M.K., Drug Absorption From the Irradiated Rat Small Intestine In Situ, Arzneim. Forsch. (Drug Res.), 26:1870-1875, 1976.
- 326. Visek, W.J., and H.C. Dang, Urease Immunity in Irradiation Injury with Consideration of Growth and Liver Insufficiency, In *Symposium on Gastrointestinal Radiation Injury, Session VI, M.F.* Sullivan (ed.), Monographs on Nuclear Medicine and Biology, Excerpts Medica, 1:292-302, 1968.
- 327. Vogel, H.H., and D.L. Jordan, A Comparison of Damage to the Small Intestine by Fission Neutrons or Gamma Rays From 60-Co, In Gastrointestinal Radiation Injury, M.F. Sullivan (ed), Excerpta Medica Foundation, 1:327-330, 1968.
- 328. Walker, R.I., The Contribution of Intestinal Endotoxin to Mortality in Hosts With Compromised Resistance: A Review, Exp. Hemat., 6:172-184, 1978.
- 329. Walker, D.I., and V. Eisen, Effect of Ionizing Radiation on 15-hydroxy Prostaglandin Dehydrogenase (PGDH) Activity in Tissues, *Int. J. Radiat. Biol.*, 36:399-407, 1979.
- 330. Walker, R.L., and M. Porvaznik, Association of Leukopenia and Intestinal Permeability With Radiation-induced Sensitivity to Endotoxin, *Life Sciences*, 23:2315-2322, 1978.
- 331. Wang, S.C., H.I. Chinn, and A.A. Renzi, Mechanisms of Emesis Following X-irradiation, *Am. J. Physiol.*, 193:335-339, 1958.
- 332. Wiernik, G., B. Creamer, and R.G. Shorter, Recovery of the Intestinal Mucosa in the Rat after X-irradiation of the Exteriorized Intestine, *Rad. Res.*, 27:264, 1966.
- 333. Willhoit, D.G., Acute Intestinal Radiation Death in the Guinea Pig, In Gastrointestinal Radiation Injury, M.F. Sullivan (ed), Excerpta Medica Foundation, 1:342-350, 1968.

- 334. Williams, R.B., H.M. Carpenter, J.N. Toal, and J. White, Effect of Total-body X-Radiation From Near-threshold to Tissue-lethal Doses on Small-bowel Epithelium of the Rat. I. Changes in Morphology and Rate of Cell Division in Relation to Time and Dose, *JNCI*, 21:17-44, 1958.
- 335. Willoughby, D.A., Pharmacological Aspects of the Vascular Permeability Changes in the Rat's Intestine Following Abdominal Radiation, *Br. J. Radiol.*, 33:515-519, 1960.
- 336. Willoughby, D.A., Evidence for a Possible Role of Endogenous Catecholamines in the Vascular Changes Produced in Rat Intestine by X-rays, J. Path. Bact., 83:389-397, 1962.
- 337. Wilson, B.R., Survival Studies of Whole-body X-irradiated Germ-free (Axenic) Mice, *Rad. Res.*, 20:477-483, 1963.
- 338. Wilson, R., P. Bealmear, and T. Matsuzawa, Acute Intestinal Radiation Death in Germfree and Conventional Mice, In *Gastrointestinai Radiation Injury*, M.F. Sullivan (ed.), Excerpta Medica Foundation, 1:148-158, 1968.
- 339. Wilson, S.G., Radiation-induced Gastrointestinal Death in the Monkey, School of Aviation Medicine, USAF Report No. 59-77, 1959.
- 340. Withers, H.R., and M.M. Elkind, Radiosensitivity and Fractionation Response of Crypt Cells of Mouse Jejunum, *Rad. Res.*, 38:598-613, 1969.
- 341. Withers, H.R., and M.M. Elkind, Microcolony Survival Assay for Cells of Mouse Intestinal Mucosa Exposed to Radiation, *Int. J. Radiat. Biol.*, 17:261-267, 1970.
- 342. Withers, H.R., and K.A. Mason, The Kinetics of Recovery in Irradiated Colonic Mucosa of the Mouse, *Cancer*, 34:896-903, 1974.
- 343. Withers, H.R., D.H. Hussey, and B.O. Reid, Response of Mouse Jejunum to Multifraction Radiation, *Int. J. Radiat. Oncol. Bio. Physics*, 1:41-52, 1975.
- 344. Withers, H.R., D.W. Glenn, and G.D. Oliver, Response of Mouse Jejunal Crypt Cells to Low Dose Rate Irradiation with Californium Neutrons or Radium Gamma Rays, *Rad. Res.*, 48:484-494, 1971.
- 345. Withers, H.R., H.D. Kogelnik, and L.J. Peter, The Pathobiology of Late Effects of Irradiation, *Radiation Biology in Cancer Research*, R.E. Meyn and H.R. Withers (eds), Raven Press, NY, pp. 439-448, 1980.
- 346. Woodward, K.T., and S.M. Rothermel, Observations on Gastrointestinal Function After X-ray and Thermal Column Exposures, *Rad. Res.*, 5:441-449, 1956.
- 347. Zaldivar, R., Sequence of Histopathologic Events in the Rat Bowel After Localized X-irradiation and Urethan, *Strahlentherapie*, 135:241-249, 1968.
- 348. Zeman, G.H., R.E. George, S.R. Jones, and S.G. Levin, The Relative Effectiveness of Fission Neutrons for Gastrointestinal Damage: Lethality

- and Jejunal Crypt Response, AFRRI Scientific Report for Defense Nuclear Agency, SR72-15, 1972.
- 349. Zeman, G.H., R.E. George, S.R. Jones, and S.G. Levin, The Relative Effectiveness of Fission Neutrons for Gastrointestinal Damage in Mice: Jejunal Crypt Stem Cell Survival, AFRRI Scientific Report for Defense Nuclear Agency, SR73-3, 1973.
- 350. Zirkle, R.E., Relationships Between Chemical and Biological Effects of lonizing Radiations, *Radiology*, 52:846-855, 1949.
- 351. Zsebok, Z., and G. Petranyi, Changes In Electrolyte Balance in the Gastrointestinal Syndrome, *Acta Radiol. Ther. Phys. Biol.*, 2:377-383, 1964.
- 352. Zywietz, F., H.D. Franke, A. Hess, and H. Jung, Response of Mouse Intestine to 14 MeV Neutrons, *Int. J. Radiat. Biol.*, 35:63-72, 1979.

A.6 READING LIST: ENDOCRINE SYSTEM.

- 1. Abbott, C.R., The Effect of X-irradiation on the Secretory Capacity of the Testes, *J. Endocrin.*, 19:33-43, 1959.
- 2. Archambeau, J., M. Griem, and P. Harper, The Effects of 250-Kv- X-rays on the Dog's Pancreas: Morphological and Functional Changes, *Rad. Res.*, 28:243-256, 1966.
- 3. Affili, A.K., J.W. Osborne, and C.L. Mitchell, Changes in Neurosecretory Material, Water Intake and Urine Output in X-irradiated Rats, *Rad. Res.*, 23:1-11, 1964.
- 4. Arnold, A., Effects of X-irradiation on the Hypothalamus, *J. Clin. Endocr.*, 14:859-862, 1954.
- 5. Bacq, Z.M., and P. Fischer, The Action of Various Drugs on the Suprarenal Response of the Rat to Total-body X-irradiation, *Rad. Res.*, 7:365-372, 1957.
- 6. Bacq, Z.M., P.G. Smelid, M. Goutier-Pirotte, Effect of the Destruction of the Hypothalamus on the Suprarenal Response of the Rat to Total Body Irradiation, *Brit. J. Radiol.*, 33:618-623, 1960.
- 7. Bagramyan, E.R., Reaction of the Adrenal Glands of Hypophysectomized Rats to Unilateral Adrenalectomy, Administration of Epinephrine, and Irradiation, *Fed. Proc.* (Transl. Supp.), 23:189-193, 1964.
- 8. Bain, J., and J. Keene, Further Evidence for Inhibin: Change in Serum Lutenizing Hormone and Follicle-stimulating Hormone Levels After X-irradiation of Rat Testis, *J. Endocrinol.*, 66:279-280, 1975.
- 9. Baker, T.G., and P. Neal, Action of Ionizing Radiations on the Mammalian Ovary, In Zuckerman, S. (ed), *The Ovary*, Academic Press, NY, pp. 1-58, 1977.
- 10. Bender, A.E., Experimental X-irradiation of the Rat Thyroid, *Br. J. Radiol.*, 21:244-248, 1948.
- 1 i. Berdjis, C.C., Protracted Effects of Repeated Doses of X-Ray Irradiation in Rats, Exp. Mol. Path., 2:157-172, 1963.
- 12. Berdjis, C.C., Pathogenesis of Radiation-Induced Endocrine Tumors, *Oncology*, 21:49-60, 1967.
- 13. Berdjis, C.C., Parathyroid Diseases and Irradiation, *Strahlentherapie*, 143:48-62, 1972.
- 14. Berdjis, C.C., Pluriglandular Syndrome. I. Multiple Endocrine Adenomas in Irradiated Rats, *Oncologica*, 13:441-454, 1960.

- 15. Berliner, D.L., L.C. Ellis, and G.N. Taylor, The Effects of lonizing Radiations on Endocrine Cells. II. Restoration of Androgen Production with a Reduced Nicotinamide Adenine Dinucleotide Phosphage-generating System After Irradiation of Rat Testes, Rad. Res., 22:345-356, 1964.
- 16. Bertok, L., and S.U. Nagy, Effect of Irradiation on Serum T4 Level and Response of Thyroid Gland to Exogenous TSH in Rats, *J. Radiat. Res.*, 27:225-229, 1986.
- 17. Binhammer, R.T., and I. Herman, Pituitary Follicle-stimulating Hormone and Lutenizing Hormone After Total-body X-irradiation in the Rat, *Rad. Res.*, 18:277-285, 1963.
- 18. Binhammer, R.T., and J.R. Crocker, Effect of X-irradiation on the Pituitary-adrenal Axis of the Rat, *Rad. Res.*, 18:429-436, 1963.
- 19. Blount, H.C., and W.W. Smith, The Influence of Thyroid and Thiouracil on Mice Exposed to Roentgen Radiation, *Science*, 109:83-84, 1949.
- 20. Borowicz, J.W., and W. Bicz, Morphological and Some Biochemical Changes in the Adrenal Glands in Acute Radiation Sickness in Rats, *Pat. Pol.*, 14:227-232, 1963.
- 21. Boschetti, A.E., and W.C. Moloney, Observations on Pancreatic Islet Cell and Other Radiation-induced Tumors in the Rat, *Lab. Invest.*, 15:565-575, 1966.
- 22. Brayer, F.T., S.R. Glasser, and B.J. Duffy, Effect of X-irradiation on the Adrenal Cortical Steroid Excretion in Urine, *Science*, 120:112, 1954.
- 23. Casterna, T.J., D.C. Jones, D.J. Kimeldorf, and V.J. Rosen, The Influence of Whole-body Exposure to X-rays or Neutrons on the Life Span Distribution of Tumors Among Male Rats, *Cancer Res.*, 28:170-182, 1968.
- 24. Chrousos, G.P., D. Poplack, T. Brown, D. O'Neill, J. Schwade, and B.B. Bercu, Effects of Cranial Radiation on Hypothalamic-adenophypophyseal Function: Abnormal Growth Hormone Secretory Dynamics, *J. Clin. Endocrinol. Metab.*, 54:1135-1139, 1982.
- 25. Comsa, J., The Endocrine Glands in Experimental Radiation Syndrome, *Strahlentherapie*, 126:541-548, 1965.
- 26. Corp, M.J., A.W. Law, and R.H. Mole, Abdominal Irradiation and the Thymus of the Adult Rat: The Relative Importance of the Adrenal Glands and Scattered Radiation, *Amer. J. Roentgen.*, 85:556-558, 1961.
- 27. Craig, A.W., B.W. Fox, and H. Jackson, Effect of Radiation on Male Mouse and Rat Fertility, *J. Reprod. Fertil.*, 2:466-472, 1961.
- 28. Crooks, J., W.R. Greig, and A.G. Macgregor, A Quantitative Method of Measuring the Effects of X-irradiation on the Growth and Function of the Rat Thyroid Gland, *Brit. J. Radiol.*, 37:380-384, 1964.

- 29. Cunningham, G.R., and C. Huckins, Serum FSH, LH, and Testosterone in 60-Co Gamma-irradiated Male Rats, *Rad. Res.*, 76:331-338, 1978.
- 30. David, G., L. Faradi, and D. Tanka, On Functional Changes of the Adrenals in Acute Radiation Injury. II. Radiation Protection of the Adrenal Glands, Radiobiol. Radiother., 4:711-718, 1963.
- 31. Delic, J.I., J.H. Hendry, I.D. Morris, and S.M. Shalet, Dose and Time Relationships in the Endocrine Response of the Irradiated Adult Rat Testis, *J. Androl.*, 7:32-41, 1986.
- 32. Doniach, I., Comparison of the Carcinogenic Effect of X-irradiation With Radioactive Iodine on the Rat's Thyroid, *Brit. J. Cancer*, 11:67-76, 1957.
- 33. Doniach, I., Experimental Thyroid Tumors, *Monogr. Neopl. Dis. Var. Sites*, 6:73-99, 1970.
- 34. Doniach, I., and K.V. Swettenham, Goitrogenic Response at Sequential Time Intervals After 250 and 500 Rads X-rays to the Rat Thyroid, *Br. J. Cancer*, 23:833-839, 1969.
- 35. Dougherty, T.F., and A. White, Pituitary-Adrenal Cortical Control of Lymphocyte Structure and Function as Revealed by Experimental X-irradiation, *Endocrinology*, 39:370-385, 1946.
- 36. Du Toit, D.F., J.J. Heydenrych, B. Smit, G. Louw, T. Zuurmond, L. Laker, D. Els, A. Weideman, S. Wolfe-Coote, L.B. Du Toit, and H. Davids, Endocrine Function After Immunosuppression of Pancreatic Allograft by Ionizing Irradiation in the Primate, J. Surg. Oncology, 32:1-7, 1986.
- 37. Du Toit, D.F., J.J. Heydenrych, B. Smit, T. Zuurmond, G. Louw, L. Laker, D. Els, A. Weideman, S. Wolfe-Coote, L.B. Du Toit, H. Davids, W.A. Groenewald, E. Van der Merwe, and S. Pistorius, The Effect of Ionizing Radiation on the Primate Pancreas: An Endocrine and Morphologic Study, J. Surg. Oncol., 34:43-52, 1987.
- 38. Edelmann, A., Adrenal Shielding and Survival of Rats After X-irradiation, *Am. J. Physiol.*, 165:57-60, 1951.
- 39. Einhorn, J., and N. Einhorn, Effects of Irradiation of the Endocrine Glands, *Front. Radiat. Ther. Oncol.*, 6:386-400, 1972.
- 40. Ellis, L.G.C., and D.L. Berliner, The Effects of Ionizing Radiations on Endocrine Cells. I. Steroid Biotransformations and Androgen Production by Testes from Irradiated Mice, *Rad. Res.* 20:549-563, 1963.
- 41. Ellis, L.G.C., and D.L. Berliner, The Effects of Ionizing Radiations on Endocrine Cells. III. Restoration of Testosterone Production With a Reduced Nicotinamide Adenine Dinucleotide Phosphate-generating System After Localized Irradiation to Heads of Rats, Rad. Res., 23:156-164, 1964.

- 42. Engeset, A., and J.C. Schooley, Morphological Changes Following Irradiation of a Segment of the Rat Thymus, *Proc. Soc. Exp. Biol. Med.*, 128:26-31, 1968.
- 43. Engelstad, R.B., and O. Torgersen, Experimental Investigations on Effects of Roentgen Rays on Suprarenal Glands in Rabbits, *Acta Radiol, Stockh.*, 18:671-687, 1946.
- 44. Erickson, B.H., Effects of Ionizing Radiation and Chemicals on Mammalian Reproduction, *Vet. Hum. Toxicol.*, 27:407-416, 1985.
- 45. Flaks, B., and P. Bresloff, Some Observations on the Fine Structure of the Lutein Cells of X-irradiated Rat Ovary, *J. Cell Biol.*, 30:227-236, 1966.
- 46. Flemming, K., and B. Geierhaas, Radiation Effects and Adrenal Cortex. III. Inhibition of Corticosteroid Increase by Cysteamine After Whole-body Irradiation, *Int. J. Radiat. Biol.*, 13:13-19, 1967.
- 47. Frantz. V.K., M.N. Klingerman, W.A. Harland, M.E. Phillips, and E.H. Quimby, A Comparison of the Carcinogenic Effect of Internal and External Irradiation of the Thyroid Gland of the Male Long-Evans Rat, Endocrinology, 61:574-581, 1957.
- 48. Fritz, T.E., W.P. Norris, J.A. Taylor, and N.D. Kretz, Effect of X-irradiation on the Thyroid Gland of Beagles Fed a Restricted Iodide Diet, *Rad. Res.*, 51:333-360, 1972.
- 49. Furth, J., R.F. Buffett, and N. Haran-Ghera, Pathogenesis and Character of Radiation-induced Pituitary Tumors, *Acta Union Int. Contre Cancer*, 16:138-142, 1960.
- 50. Furth, J., N. Haran-Ghera, H.J. Curtis, and R.F. Buffett, Studies on the Pathogenesis of Neoplasms by Ionizing Radiation. I. Pituitary Tumors, *Cancer Res.*, 19:550-556, 1959.
- 51. Furth, J., Radiation Neoplasia and Endocrine Systems, *Radiation Biology and Cancer*. (A Collection of Papers Presented at the Twelfth Annual Symposium on Fundamental Cancer Research, 1958), pp. 7-25, 1959.
- 52. Gibson, J. M., and I. Doniach, Correlation of Dose of X-radiation to the Rat Thyroid Gland With Degree of Subsequent Impairment of Response to Goitrogenic Stimulus, *Br. J. Cancer*, 21:524-530, 1967.
- 53. Gibson, J.M., and I. Doniach, Correlation of Dose of X-radiation to the Rat Thyroid Gland With Degree of Subsequent Impairment of Response to Goiterogenic Stimulus, *Brit. J. Cancer*, 21:324-530, 1967.
- 54. Goodall, M., and M. Long, Effect of Whole-body X-irradiation on the Adrenal Medulla and the Hormones Adrenaline and Noradrenaline, *Am. J. Physiol.*, 197:1265-1270, 1959.
- 55. Gorbman, A., and A. Edelmann, Role of Ionizing Radiation in Eliciting Tumors of the Pituitary Gland in Mice, *Proc. Soc. Exp. Biol. Med.*, 81:348-350, 1952.

- 56. Gray, W.M., J.S. Orr, and W.A. Ratcliffe, The Effects of Whole-body Irradiation on the Serum Levels and Kinetics of Thyroid Hormones in Rats, *Int. J. Radiat. Biol.*, 37:653-666, 1980.
- 57. Greig, W.R., J.F.B. Smith, J.S. Orr, and C.J. Foster, Comparative Survivals of Rat Thyroid Cells In Vivo After 131-I, 125-I and X-irradiations, *Br. J. Radiol.*, 43:542-548, 1970.
- 58. Greig, W.R., J.A. Boyle, W.W. Buchanan, and S. Fulton, Clinical and Radiobiological Observations on Latent Effects of X-irradiation on the Thyroid Gland, *J. Clin. Endocrinol.*, 2S:1009-1014, 1965.
- 59. Griesbach, W.E., Basophil Adenomata in the Pituitary Glands of 2-Year-Old Male Long-Evans Rats, *Cancer Res.*, 27:1813-1818, 1967.
- 60. Griesbach, W.E., C.W. Nichols, and I.L. Chaikoff, Adenoma in Rat Pituitary Glands After X-irradiation of Thyroid Gland, *Arch. Path.*, 82:356-362, 1966.
- 61. Griesbach, W.E., C.W. Nichols, and I.L. Chaikoff, Adenoma in Rat Pituitary Glands After X-irradiation of Thyroid Gland, *Arch. Path.*, 82:356-362, 1966.
- 62. Griffith, M.G., J.Q. Griffith, M.B. Hermel, and J. Gershon-Cohen, Effect of Irradiation to Adrenal Upon Circulating Adrenal Cortical Hormone in the Rat, *Radiology*, 76:110-112, 1961.
- 63. Gunn, S.A., T.C. Gould, and W.A.D. Anderson, The Effect of X-irradiation on the Morphology and Function of the Rat Testis, *Am. J. Pathol.*, 37:203-213, 1960.
- 64. Gupta, G.S., Adenohypophysis and the Male Gonadal Axis Following Partial Body Gamma-irradiation, In Vassileva-Popova, J.G. (ed), *Physical and Chemical Bases of Biological Information Transfer*, Plenum Press, NY, pp. 361-369, 1974.
- 65. Haley, T.J., S. Mann, and A.H. Dowdy, The Effect of Roentgen Ray Irradiation on Normal, Hypothyroid and Hyperthyroid Rats, *Endocrinology*, 48:365-370, 1951.
- 66. Hameed, J.M.A., and T.J. Haley, Plasma and Adrenal Gland Corticosterone Levels After X-ray Exposure in Rats, *Rad. Res.*, 23:620-620 1964.
- 67. Hasan, S.S., V. Misra, G.C. Prasad, and K.N. Udupa, Effect of 60-Co Whole-body Irradiation on Thyroid of Albino Rats, *Indian J. Exp. Biol.*, 15:517-520, 1977.
- 68. Haymaker, W., G. Laqueur, W.J.H. Nauta, J.E. Pickering, J.C. Sloper, and F.S. Vogel, The Effects of Barium-140-lanthanum-140 (gamma) Radiation on the Central Nervous System and Pituitary Gland of Macaque Monkeys, *J. Neuropath. Exp. Neurol.*, 17:12-57, 1958.

- 69. Heinkel, K., and B. Bergethal, Blood Amylase and Lipase Content Following Roentgen Irradiation of the Pancreas Region (Animal Experiment Studies), *Strahlentherapie*, 121:154-163, 1963.
- 70. Hobson, B.M., and T.G. Baker, Reproductive Capacity of Rhesus Monkeys Following Bilateral Ovarian X-irradiation, *J. Reprod. Fert.*, 55:471-480, 1979.
- 71. Hochman, A., and L. Bloch-Frankenthal, The Effect of Low and High X-ray Dosage on the Ascorbic Acid Content of the Suprarenal, *Br. J. Radiol.*, 26:599-600, 1953.
- 72. Hopkinson, C.R.N., B. Dulisch, G. Gauss, W. Hilscher, and C. Hirschhauser, The Effect of Local Testicular Irradiation on Testicular Histology and Plasma Hormone Levels in the Male Rat, *Acta Endocrinol.*, 87:413-423, 1978.
- 73. Hursh, J.B., P.A. Van Valkenburg, and J.B. Mohney, Effect of Roentgen Radiation on Thyroid Function in Rats, *Radiology*, 57:411-418, 1951.
- 74. Jones, T., Blood Flow and Volume Measurements in the Radiation Depopulated Testis of the Rat, *Br. J. Radiology*, 44:841-849, 1971.
- 75. Key, M., Radiobiology of Endocrine Organs, in K.K.N. Charyulu, and A. Sudarsanam (eds), *Hormones and Cancer*, Stratton Intercontinental Medical Book Corp., NY, pp. 21-33, 1976.
- 76. Knowlton, N.P., and L.H. Hempelmann, The Effect of X-rays on the Mitotic Activity of the Adrenal Gland, Jejunum, Lymph Node and Epidermis of the Mouse, *J. Cell Comp. Physiol.*, 33:73-91, 1949.
- 77. Kovacsh, L., On the Morphologic and Functional Changes in the Adrenal Cortex by Ionizing Radiation in Supralethal Doses, *Strahlentherapie*, 129:238-243, 1966.
- 78. Lawrence, G.H., The Effect of Total Body X-irradiation on 17-ketosteroid Excretion in Dogs, *Endocrinology*, 45:383-388, 1949.
- 79. Lindsay, S., and I.L. Chaikoff, The Effects of Irradiation on the Thyroid Gland With Particular Reference to the Induction of Thyroid Neoplasms: A Review, Cancer Res., 24:1099-1107, 1964.
- 80. Lindsay, S., G.E. Sheline, G.D. Potter, and I.L. Chaikoff, Induction of Neoplasms in the Thyroid Gland of the Rat by X-irradiation of the Gland, *Cancer Res.*, 21:9-17, 1961.
- 81. Lipkin, M., H. Quaster, and F. Muggia, Protein Synthesis in the Irradiated Intestine of the Mouse, *Rad. Res.*, 19:277-285, 1963.
- 82. Lu, S.T., S.M. Michaelson, and W.J. Quinlan, Sequential Pathophysiologic Effects of Ionizing Radiation on the Beagle Thyroid Gland, *JNCI*, 51:419-441, 1973.

- 83. MacDonald, G.J., R.L. Keyes, and R.O. Greep, Steroid Secreting Capacity of X-irradiated Rat Ovaries, *Endocrinology*, 84:1004-1008, 1969.
- 84. Malone, J.F., and W.R. Greig, Effect of Pituitary Irradiation on the Response of Rat Thyroid to Goitrogenic Stimulation, *Br. J. Radiology*, 48:410-411, 1975.
- 85. Malone, J.F., The Radiation Biology of the Thyroid, *Curr. Top. Radiat. Res. Q.*, 10:263-368, 1975.
- 86. Malone, J.F., J.H. Hendry, D. Porter, W.R. Greig, and K.E. Halnan, The Response of Rat Thyroid, A Highly Differentiated Tissue, To Single and Multiple Doses of Gamma or Fast Neutron Irradiation, *Br. J. Radiol.*, 47:608-615, 1974.
- 87. Malone, J.F., L.A. Hooper, J.S. Orr, and W.R. Greig, Repair of Radiation Damage to Rat Thyroid Cells In Vivo: A Highly Differentiated System, *Int. J. Radiat. Biol.*, 21:503-510, 1972.
- 88. Mateyko, G.M., and H.A. Charipper, Histological Effects Upon the Pars Anterior of the Rat Following Hypophyseal Cathode-ray Irradiation and Whole-body X-irradiation, *J. Morphol.*, 93:533-559, 1953.
- 89. Mateyko, G.M., and A. Edelmann, The Effects of Localized Cathode-ray Particle Irradiation σ the Hypophysis and Whole-body X-irradiation on Gonadotrophin, Thyrotrophin, and Adrenocorticotrophin of the Rat Pituitary, Rad. Res., 1:470-482, 1954.
- 90. McCombs, R.K., Proton Irradiation of the Pituitary and Its Metabolic Effects, Radiology, 68:797-811, 1957.
- 91. Meistrich, M.L., Quantitative Correlation Between Testicular Stem Cell Survival, Sperm Production, and Fertility in the Mouse After Treatment With Different Cytotoxic Agents, *J. Androl.*, 3:58-68, 1982.
- 92. Michaelson, S.M., and W.J. Quinlan, Radiation Induced Thyroid Dysfunction in the Dog, Fed. Proc., 23:108, 1964.
- 93. Michaelson, S.M., W. Quinlan, G.W. Casarett, and W.B. Mason, Radiation-induced Thyroid Dysfunction in the Dog, *Rad. Res.*, 30:38-47, 1967.
- 94. Mirand, E.A., and J.G. Hoffman, Pituitary-adrenal Axis Response to Head Irradiation in DBA Mice, *Exp. Med. Surg.*, 14:174-181, 1956.
- 95. Morgenstern, L., C.S. Patin, H.L. Krohn, and N. Hiatt, Prolongation of Survival in Lethally Irradiated Dogs by Pancreatic Duct Ligation, *Arch. Surg.*, 101:586-589, 1970.
- 96. Nakamura, M., Effects of Pertussis Sensitization and Roentgen Irradiation on the Adrenal Glands of Rats and Mice, *J. Osaka City Med. Center*, 11:295-310, 1962.

- 97. Nakasone, K., Influence of X-irradiation on the Adrenal Gland on Corticoid Secretory Activity in Dogs, *Tohoku J. Exp. Med.*, 106:83-87, 1972.
- 98. Nichols, C.W., S. Lindsay, G.E. Sheline, and I.L. Chaikoff, Induction of Neoplasms in Rat Thyroid Glands by X-irradiation of a Single Lobe, *Arch. Path.*, 80:177-183, 1965.
- 99. Nims, L.F., and E. Sutton, Adrenal Cholesterol, Liver Glycogen and Water Consumption of Fasting and X-irradiated Rats, *Am. J. Physiol.*, 177:51-54, 1954.
- 100. Norris, W.P., T.E. Fritz, C.E. Rehfeld, and C.M. Poole, The Response of the Beagle Dog to Cobalt-60 Gamma Radiation: Determination of the LD50(30) and Description of Associated Changes, *Rad. Res.*, 35:681-708, 1968.
- 101. Panke, T.W., and S.M. Michaelson, Effect of External X-irradiation on Serum Protein in the Beagle, *Am. J. Physiol.*, 220:174-178, 1971.
- 102. Pantic, V.R., The Cytophysiology of Thyroid Cells. X. Thyroid Cells Sensitivity to Irradiation, *Int. Rev. Cytol.*, 38:216-219, 1974.
- 103. Patt, H.M., M.N. Swift, E.B. Tyree, and E.S. John, Adrenal Response to Total Body X-radiation, *Am. J. Physiol.*, 150:480-487, 1947.
- 104. Penhale, W.J., A. Farmer, R.P. McKenna, and W.J. Irvine, Spontaneous Thyroiditis in Thymectomized and Irradiated Wistar Rats, *Clin. Exp. Immunol.*, 15:225-236, 1973.
- 105. Philip, J.R., J. Crooks, A.G. Macgregor, and J.A.R. McIntosh, The Short Term Effects of X-radiation on Goitrogen Induced Growth of The Rat Thyroid, *Br. J. Cancer*, 23:524-535, 1969.
- 106. Raab, W., and A.B. Soule, Effect of Roentgen Irradiation on the Hormone Content and Secretion of the Adrenal Medulla, *Radiology*, 41:56-60, 1943.
- 107. Raush, R.F., and K.W. Stenstrom, Effects of X-ray Radiation on Pancreatic Function in Dogs, *Gastroenterology*, 20:595-603, 1952.
- 108. Rhoades, R.P., The Adrenal, In *Histopathology of Irradiation from External Sources*, W. Bloom(ed), McGraw-Hill Book Co., NY, pp. 736-739, 1948.
- 109. Rosen, V.J., T.J. Castanera, D.J. Kimeldorf, and D.C. Jones, Pancreatic Islet Cell Tumors and Renal Tumors in the Male Rat Following Neutron Exposure, *Lab. Invest.*, 11:204-210, 1962.
- 110. Rosenfeld, G., The Function and Capacity of the Adrenal Cortex Immediately Before Radiation Sickness Death, *J. Lab. Clin. Med.*, 51:198-204, 1958.
- 111. Selye, H., On the Experimental Morphology of the Adrenal Cortex, Charles C. Thomas, Springfield, MO, 1950.

- 112. Selye, H., The Physiology and Pathology of Exposure to Stress, Acta Endocrinologica, Inc., Montreal, Canada, 1950.
- 113. Shimizu, T., M. Mieno, and K. Yamashita, Responses of the Hypothalamic-pituitary-adrenal and -gonadal Systems to Head X-irradiation, *Tohoku J. Exp. Med.*, 109:155-161, 1973.
- 114. Shively, J.N., and G.P. Epling, Early Changes in the Fine Structure of the Thyroid of Midlethally Irradiated Dogs, *Rad. Res.*, 37:71-82, 1969.
- 115. Simpson, M.E., G. Van Wagenen, D.C. Van Dyke, A.A. Koneff, and C.A. Tobias, Deuteron Irradiation of the Monkey Pituitary, *Endocrinology*, 65:831-857, 1959.
- 116. Sivachenko, R.P., Functional Status of the Thyroid Gland Following Irradiation with Fast Neutrons, *Med. Radiol. (Moskva)*, 9:28-36, 1964.
- 117. Soberman, R.J., R.P. Keating, and R.D. Maxwell, Effect of Acute Wholebody X-irradiation upon Water and Electrolyte Balance, *Am. J. Physiol.*, 164:450-456, 1951.
- 118. Sommers, S.C., Effects of Ionizing Radiation Upon Endocrine Glands, in Berdjis, C.C. (ed), *Pathology of Irradiation*, Williams and Wilkins Co., Baltimore, MD, Chapter 18, pp. 408-446, 1971.
- 119. Sommers, S.C., Endocrine Changes After Hemiadrenalectomy and Total Body Irradiation in Parabiotic Rats, *J. Lab. Clin. Med.*, 24:396-407, 1953.
- 120. Song, C.W., and T.C. Evans, Effect of Whole-body X-irradiation on Thyroid Function in the Mouse, *Rad. Res.*, 33:480-489, 1968.
- 121. Spalding, J.F., and C.C. Lushbaugh, Radiopathology of the Islets of Langerhans in Rats, *Fed. Proc.*, 14:420-431, 1955.
- 122. Szczurek, Z., Pathomorphology of Pancreas in Experimental Radiation Sickness in Rabbits, *Polish Med. J.*, 5:1307-1314, 1966.
- 123. Tobias, C.A., J.H. Lawrence, J.T. Lyman, Progress Report on Pituitary Irradiation, In Haley, T.J., and Snider, R.S. (eds), *The Pituitary*, Little, Brown and Co., Boston, 1964.
- 124. Tsuchiya, T., J.I. Hayakawa, S. Muramatsu, H. Eto, and T. Sugahara, Radiosensitivity and Thyroid Function in Mice, *Rad. Res.*, 19:316-323, 1963.
- 125. Uma Devi, P., and M. Surana, Chemical Modification of Adrenal Response to External Whole Body Irradiation in Mice, *Acta Radiol. Oncol.*, 24:427-431, 1985.
- 126. Ungar, F., G. Rosenfeld, R.I. Dorfman, and G. Pincus, Irradiation and Adrenal Steroidogenesis. Influence of Irradiation of Isolated ACTH-stimulated Calf Adrenals on Their Cortical Output, *Endocrinology*, 56:30-36, 1955.

- 127. Van Dyke, D.C., M.E. Simpson, A.A. Koneff, and C.A. Tobias, Long Term Effects of Deuteron Irradiation of the Rat Pituitary, *Endocrinology*, 64:240-257, 1959.
- 128. Verjans, H.L., and K.B. Eik-Nes, Hypothalamic-pituitary-testicular System Following Testicular X-irradiation, *Acta Endocrinol.*, 83:190-200, 1976.
- 129. Vijayan, E., and A.G. Sathyanesan, Effect of Varied Doses of X-irradiation on the Thyroid Histopathology of the Indian Palm Squirrel Funambulus Pennanti (Wroughton), *Strahlentherapie*, 141:235-243, 1971.
- 130. Vickwey, A.L., Thyroid Alterations Due to Irradiation, In Hazard, and Smith (eds.), *The Thyroid*, Williams and Wilkins, Baltimore, MD, pp. 186-188, 1964.
- 131. Vittorio, P.V., M.J.Johnston, and H. Mars, Effect of X-irradiation on Normal, Hypothyroid, and Hyperthyroid Rabbits, *Can. J. Biochem. Physiol.*, 37:1271-1275, 1959.
- 132. Volk, B.W., K.F. Wellmann, and A. Lewitan, The Effect of Irradiation on the Fine Structure and Enzymes of the Dog Pancreas, *Am. J. Pathol.*, 48:721-753-1966.
- 133. Volk, B.W., and K.F. Wellman, The Effect of Radiation on Ultrastructure and Enzymes of the Canine Pancreas, In: Sullivan M.F., (ed), *Gastrointestinal Radiation Injury*, Excerpta Medica, 1:73-93, 1968.
- 134. Walinder, G., and A. M. Sjoden, Late Effects of Irradiation on the Thyroid Gland in Mice. III. Comparison Between Irradiation of Fetuses and Adults, *Acta. Radiol. Ther. Phys. Biol.*, 12:201-208, 1973.
- 135. Walinder, G., Late Effects of Irradiation on the Thyroid Gland in Mice.
 I. Irradiation on Adult Mice, Acta. Radiol. Ther. Phys. Biol., 11:433-451, 1972.
- 136. Wall, P.G., Effects of X-irradiation on the Adrenal Glands of Immature Rats, *J. Endocrinol.*, 34:69-80, 1966.
- 137. Wang, J., D.A.A. Galil, and B.P. Setchell, Changes in Testicular Blood Flow and Testosterone Production During Aspermatogenesis After Irradiation, *J. Endocrinol.*, 98:35-46, 1983.
- 138. Wellmann, K.F., B.W. Volk, and A. Lewitan, The Effect of Radiation on the Fine Structure and Enzyme Content of the Dog Pancreas. II. Long Term Studies, *Lab. Invest.*, 15:1007-1023, 1966.
- 139. Wellman, K.F., S.S. Lazarus, and B.W. Volk, Protection of Canine Pancreatic Ultrastructure Against Radiation Damage by Past Treatment with Alloxan, *Nature*, 216:86-87, 1967.
- 140. Wexler, B.C., R. Pencharz, and S.F. Thomas, Adrenal Ascorbic Acid in Male and Female Rats After Total Body X-ray Irradiation, *Proc. Soc. Exp. Biol. Med.*, 79:183-184, 1952.

- 141. Withers, H.R., N. Hunter, H.T. Barkley, and B.O. Reid, Radiation Survival and Regeneration Characteristics of Spermatogenic Stem Cells of Mouse Testis, *Rad. Res.*, 57:88-103, 1974.
- 142. Wolf, R.C., and R.E. Bowman, Adrenal Function in the Rhesus Monkey After Total-body X-irradiation, *Rad. Res.*, 23:232-238, 1964.
- 143. Yago, N., Y. Iwai, H. Kurokawa, F. Sato, S. Sekiyama, and A. Shiragai, A Stereological Study on Size and Number of Mitochondria in Zona Fasciculata of Rat Adrenal Cortex After Whole-body X-irradiation, *Int. J. Radiat. Biol.*, 21:1-10, 1972.
- 144. Yamashita, K., and T. Shimizu, Responsiveness of the X-irradiated Adrenal Cortex to Adrenocorticotropin in Dogs, *J. Endocrinol.*, 52:199-200, 1972.
- 145. Yamashita, K., K. Kawao, M. Mieno, and T. Shimizu, The Susceptibility of the Hypothalamic-pituitary-adenocortical Axis to Histamine After Head X-irradiation, *Tohoku J. Exp. Med.*, 110:161-166, 1973.
- 146. Yamashita, K., M. Mieno, and T. Shimizu, Response of the Adrenal Medulla to Exogenous Insulin in Head X-irradiated Dogs, *J. Endocrinol.*, 71:447-448, 1976.
- 147. Yamashita, K., M. Mieno, T. Shimizu, and E. Yamashita, Effects of Exogenous Acetylcholine Upon Adrenal 17-hydroxycorticosteroid Secretion of Intact and Head X-irradiated Dogs, *Neuroendocrinology*, 27:39-45, 1978.

A.7 READING LIST: HEMATOPOIETIC SYSTEM.

- 1. Aceto, H., R. Springsteen, W. Gee, H.S. Winchell, and C.A. Tobias, Erythropoietic Response in Dogs Given Sublethal Whole-body Proton Irradiation Followed by Hypoxic Hypoxia, *Radiat. Res.*, 39:101-111, 1969.
- 2. Adams, D., American Association of Anatomists, Seventy-Sixth Annual Session, *Anat. Rec.*, 145(2):197-376, 1963.
- 3. Adams, G.E., and D.G. Jameson, Time Effects in Molecular Radiation Biology, 14th Ann. Meeting of Europ. Soc. of Radiat. Biol., pp. 95-112, 1978.
- 4. Adler, S.S., F.E. Trobaugh, and W.H. Knospe, Hematopoietic Stem Cell Dynamics in 89Sr Marrow-ablated Mice, *J. Lab. Clin. Med.*, 89(3):592-602, 1977.
- 5. Ahmed, S.A., and W.J. Penhale, Pathological Changes in Inbred Strains of Mice Following Early Thymectomy and Irradiation, *Experientia*, 37(12):1341-1343, 1981.
- 6. Ainsworth, E.J., G.F. Leong, K. Kendall, and E.L. Alpen, The Lethal Effects of Pulsed Neutron or Gamma Irradiation in Mice, *Radiat. Res.*, 21:75-85, 1964.
- 7. Alexanian, R., D.D. Porteous, and L.G. Lajtha, Stem-cell Kinetics After Irradiation, *Int. J. Rad. Biol.*, 7(1):87-94, 1963.
- 8. Allen, J.R., and L.A. Carstens, Response of Saimiri Sciureus Monkeys to Total Body X-irradiation: Clinical Signs and Pathologic Changes, *Am. J. Vet. Res.*, 11:2179-2188, 1968.
- 9. Allen, J.G., P.V. Moulder, and D.M. Emerson, Pathogenesis and Treatment of the Postirradiation Syndrome, *JAMA*, 145:704-711, 1951.
- 10. Allen, R.G., F.A. Brown, L.C. Logie, D.R. Rovner, S.G. Wilson, and R.W. Zellmer, Acute Effects of Gamma Radiation in Primates, School of Aviation Medicine, *USAF Report No. 59-41*, 1959.
- 11. Alpen, E.L., O.S. Shill, and E. Tochilin, The Effects of Total-body Irradiation in Dogs with Stimulated Fission Neutrons, *Radiat. Res.*, 12:237-250, 1960.
- 12. Alpen, E.L., D.M. Jones, H.H. Hechter, and V.P. Bond, The Comparative Biological Response to Dogs to 250-kvp and 100-kvp X-rays, *Radiology*, 70:541-550, 1958.
- 13. Amsel, S., and E.S. Dell, Response of the Preosteoblast and Stem Cell of Rat Bone Marrow to a Lethal Dose of X-irradiation or Cyclophosphamide, *Cell Tissue Kinet.*, 4:255-261, 1971.

- 14. Anderson, R.E., J.L. Howarth, and G.M. Troup, Effects of Whole-Body Irradiation on Neonatally Thymectomized Mice, *Am. J. Pathol.*, 91(2):217-228, 1978.
- 15. Antoku, S., RBE of Pulsed Radiations by Lethality in Mice: Cultured Mammalian Cells and Bacteria, *Radiat. Res.*, 51:696-704, 1972.
- 16. Aoyama, T., Y. Kawamoto, I. Furuta, and T. Kondo, Early Morphological Changes in Cortical Medullary Thymocytes of the Rat After Whole-body Irradiation, *Int. J. Radiat. Biol.*, 21(6):545-558, 1972.
- 17. Barnes, D.W.H., and J.F. Loutit, Effects of Irradiation and Antigenic Stimulation of Circulating Haematopoietic Stem Cells of the Mouse, *Nature*, 213:1142-1143, 1967.
- 18. Barrow, J., and J.L. Tullis, Sequence of Cellular Responses to Injury in Mice Exposed to 1000 R Total-body X-irradiation, *Arch. Path.*, 53:391-407, 1952.
- 19. Baum, S.J., Erythrocyte Stem Cell Kinetics in the Postirradiation Rat, Radiat. Res., 30:316-324, 1967.
- 20. Baum, S.J., A Measure of Nonreparable Injury to Hematopoietic Stem Cells in Rats Exposed Repeatedly to X-rays, *Radiat. Res.*, 32:651-657, 1967.
- 21. Baum, S.J., Erythrocyte Stem Cell Kinetics in the Postradiation Rat, *AFRRI Scientific Report SR66-4*, 1966.
- 22. Baum, S.J., A Model for Postradiation Stem Cell Kinetics, *AFRRI Special Publication SP66-16*, 1966.
- Baum, S.J., Erythropoietic Recovery and Residual Injury in Rats Exposed Repeatedly to X-rays, *Am. J. Physiol.*, 200:155-158, 1961.
- 24. Baum, S.J., and E.L. Alpen, Residual Injury Induced in the Erythropoietic System of the Rat by Periodic Exposures to X-radiation, *Radiat. Res.*, 11:844-860, 1959.
- 25. Baum, S.J., and D.E. Wyant, Erythropoietic Stem Cell Recovery in Irradiated Polycythemic Dogs, AFRRI Scientific Reports SR71-9, 1971.
- 26. Baum, S.J., and D.E. Wyant, Hematopoietic Recovery in Irradiated Dogs, *AFRRI SR70-2*, 1970.
- 27. Baum, S.J., and D.E. Wyant, Hematopoietic Recovery in Irradiated Dogs, *Radiat. Res.*, 44:531-544, 1970.
- 28. Baum, S.J., A.K. Davis, and E.L. Alpen, Effect of Repeated Roentgen or Neutron Irradiation on the Hematopoietic System, *Radiat. Res.*, 15:97-108, 1961.

- 29. Baum, S.J., D.J. Kimeldorf, and E.M. Jacobsen, Effect of Repetitive Exposures to Gamma Rays on the Hematopoietic System of the Rat, *Gastroenterol.*, 58:926-932, 1970.
- 30. Baum, S.J., M.I. Varon, and D.E. Wyant, The Effect of Exogenous Erythropoietin upon Erythropoiesis in Radiation-induced Anemic Rats, AFRRI Scientific Report SR69-3, 1969.
- 31. Baum, S.J., M.I. Varon, D.E. Wyant, Radiation Induced Anemia in Rats Exposed to Mixed Gamma-Neutron Radiation, *Radiat. Res.*, 41:492-499, 1970.
- 32. Baum, S.J., D.E. Wyant, and J.P. Vagher, Comparative-Hematopoietic Cytokinetics in X-ray or Gamma-neutron Irradiated Rats, *Am. J. Physiol.*, 216(3):582-588, 1969.
- 33. Baxter, C.F., E.H. Belcher, E.B. Harriss, and L.F. Lamerton, Anaemia and Erythropoiesis in the Irradiated Rat: An Experimental Study with Particular Reference to Techniques Involving Radioactive Iron, *Br. J. Haematol.*, pp. 87-103, 1965.
- 34. Becker, A.J., E.A. McCulloch, L. Siminovitch, and J.E. Till, The Effect of Differing Demands for Blood Cell Production on DNA Synthesis by Hemopoietic Colony-forming Cells of Mice, *Blood*, 26:296-308, 1965.
- 35. Benninghoff, D.L., R. Girardet, and L. Stackhouse, Radiation Recovery of Long-lived Lymphocytes in the Rat, *Radiat. Res.*, 48:589-598, 1971.
- 36. Berman, I., and H.S. Kaplan, The Differential Action of Irradiated and Chemically Treated Marrow on Survival and on Thymic Regeneration in Irradiated Mice, *Radiat. Res.*, 11:24-29, 1959.
- 37. Bernard, C.C.A., J. Leydon, and I.R. Mackay, T Cell Necessity in the Pathogenesis of Experimental Autoimmune Encepthalomyelitis in Mice, Eur. J. Immunol., 6:655-660, 1976.
- 38. Betz, E.H., Chronic Radiation Effects: Damage of Hematopoiesis, *Nuclear Hematol.*, pp. 357-377, 1965.
- 39. Bicher, H.I., G.V. Dalrymple, D. Ashbrook, R. Smith, and D. Harris, Effect of lonizing Radiation on Liver Microcirculation and Oxygenation, *Adv. Exper. Med. Biol., Oxygen Transport to Tissue-II*, 75:497-503, 1976.
- 40. Blackett, N.M., Erythropoiesis in the Rat Under Continuous y-irradiation at 45 Rads/day, *Brit. J. Haemat.*, 13:915-923, 1967.
- 41. Blackett, N.M, and M. Aguado, The Enhancement of Haematopoietic Stem Cell Recovery in Irradiated Mice by Prior Treatment with Cyclophosphamide, Cell Tissue Kinet., 12:291-298, 1979.
- 42. Blomgren, H., and L. Revesz, The Effect of Bone Marrow Protection on the Cellular Composition of Irradiated Mouse Thymus, *Exper. Cell Res.*, 53:261-271, 1968.

- 43. Blomgren, H., The Role of Bone Marrow of X-irradiated Mice in Thymic Recovery, *Cell Tissue Kinet.*, 4:443-461, 1971.
- 44. Blomgren, J., and L. Revesz, Cellular Composition of Mouse Thymus After X-Ray Exposure, *Exper. Cell Res.*, 51:92-104, 1968.
- 45. Bloom, M.A., and W. Bloom, The Radiosensitivity of Erythroblasts, *J. Lab. Clin. Med.*, 32:654-659, 1947.
- 46. Bloom, W., Histological Changes Following Radiation Exposures, *Radiology*, 49:344-347, 1947.
- 47. Bodenberger, U., H.J. Kolb, I. Rieder, B. Netzel, E. Schaffer, H. Kolb, and S. Thierfelder, Fractionated Total Body Irradiation and Autologous Bone Marrow Transplantation in Dogs: Hemopoietic Recovery After Various Marrow Cell Doses, *Exp. Hemat.*, 8(4):384-394, 1980.
- 48. Bogg, C., and C. Proukakis, The Haemopoietic Activity of the Mouse Spleen, at Different Ages, and Its Response to External and Internal Irradiation, *Brit. J. Radiol.*, 45(538):801, 1972.
- 49. Boggs, D.R., and S.S. Boggs, Lack of Correlation Between Splenic and Marrow Hematopoiesis Following Irradiation or Irradiation and Transplantation in Mice, *Transplantation*, 25(6):328-331, 1978.
- 50. Boggs, D.R., J. C. Marsh, P.A. Chervenick, G.E. Cartwright, and M.M. Wintrobe, Factors Influencing Hematopoietic Spleen Colony Formation in Irradiated Mice. VI: The Different Effects of Foreign Plasma, Endotoxin, and Bleeding on Colony-Forming Cell Kinetics, *Radiat. Res.*, 35:68-77, 1968.
- 51. Boggs, D.R., J.C. Marsh, P.A. Chervenick, G.E. Cartwright, and M.M. Wintrobe, Factors Influencing Hematopoietic Spleen Colony Formation in Irradiated Mice, *J.Cell Physiol.*, 71:227-238, 1968.
- 52. Boggs, S.S., D.R. Boggs, and M.J. Walter, Differing Patterns of Erythropoiesis Following Whole-Body Irradiation in W/W and SL/SL Mice, Radiat. Res., 74:312-322, 1978.
- 53. Boggs, S.S., P.A. Chervenick, and D.R. Boggs, The Effect of Postirradiation Bleeding or Endotoxin on Proliferation and Differentiation of Hematopoietic Stem Cells, *Blood*, 30(3):375-389, 1972.
- 54. Bogman, M.J.J.T., I.M.H.A. Cornelissen, J.H.M. Berden, J. De Jong, and R.A.P. Koene, A Comparative Study of Total Body Irradiation as a Method of Inducing Granulocyte Depletion in Mice, *J. Immunol. Meth.*, 70:31-38, 1984.
- 55. Bond, V.P., Radiation Mortality in Different Mammalian Species, *Comp. Cell & Species Radiosens.*, pp. 5-19, 1968.
- 56. Bond, V.P., T.M. Fliedner, and J.O. Archambeau, *Mammalian Radiation Lethality*, Acad. Press, NY, 1965.

- 57. Bond, V.P., T.M. Fliedner, E. Usenik, and L.I. Upton, Early Bone Marrow Hemorrhage in the Irradiated Dog, *Arch. Pathol.*, 73:25-41, 1962.
- 58. Bond, V.P., R.E. Carter, J.S. Robertson, P.H. Seymour, and H.H. Hechter, The Effects of Total-body Fast Neutron Irradiation in Dogs, *Radiat. Res.*, 4:139-153, 1956.
- 59. Bowser, R.T., D.B. Spence, and E.D. Exum, The Effect of X Irradiation on Delayed Hypersensitivity and Circulating Antibody, *AFRRI SR69-7*, pp. 1-11, 1969.
- 60. Brambel, C.E., Chronic Effects of Ionizing Radiation on the Hematopoietic System, *Progress Report*, *USAMRDC*, 1961.
- 61. Brambel, C.E., F.D. Brambel, and G. Brecher, Erythropoietic Recovery of Chronically Radiated Rats. II. Response to Phenylhydrazine, *Proc. Soc. Exp. Bio. Med.*, 125:558-562, 1967.
- 62. Brecher, G., C.E. Brambel, and F.D. Brambel, Patterns of Hemopoietic Response to Continuous Whole-body Irradiation, *Ann. NY Acad. Sci.*, 114:549-556, 1964.
- 63. Brecher, G., K.M. Endicott, H. Gump, and H.P. Brawner, Effects of X-ray on Lymphoid and Hematopoietic Tissues of Albino Mice, *Blood*, 3:1259-1274, 1948.
- 64. Brecher, G., W.W. Smith, S. Wilson, and S. Fred, Kenetics of Colchicine-Induced Hemopoietic Recovery in Irradiated Mice, *Radiat. Res.*, 30:600-610, 1967.
- 65. Broerse, J.J., Dose-mortality Studies for Mice Irradiated with X-rays, Gamma-rays and 15 MeV Neutrons, *Int. J. Radiat. Biol.*, 15:115-124, 1969.
- 66. Broerse, J.J., A.C. Engels, P. Lelieveld, L.M. van Putten, W. Duncan, D. Greene, J.B. Massey, C.W. Gilbert, J.H. Hendry, and A. Howard, The Survival of Colony-forming Units in Mouse Bone-marrow After *In vivo* Irradiation with D-T Neutrons, X- and Gamma-radiation, *Int. J. Radiat. Biol.*, 19(2):101-110, 1971.
- 67. Brooks, B.O., E.L. Newman, and N.D. Reed, Differential Recovery of Antibody Production Potential After Sublethal Whole-body Irradiation of Mice, *J. Leukoc. Biol.*, 40:335-345, 1986.
- 68. Brown, M.B., H.S. Kaplan, P.P. Weymouth, and J. Paull, Effect of Intravenously Injected Bone Marrow Cell Suspensions on Thymic Regeneration in Irradiated C57 Black Mice, *Science*, 117:693-695, 1953.
- 69. Brown, M.B., B.B. Hirsch, C.S. Nagareda, S.K. Hochstetler, W.G. Faraghan, P. Toch, and H.S. Kaplan, Some Biological Aspects of the Factor in Bone Marrow Responsible for Hematopoietic Recovery Following Systemic Irradiation, *Nat. Cancer Inst.*, 15(4):949-973, 1955.

- 70. Broyles, A.A., Sensitivity to Radiation and Recovery of Hematopoietic Stem Cells, *Radiat. Res.*, 109:12-18, 1987.
- 71. Bruyn, P.P.H., The Effect of X-Rays on the Lymphatic Nodule, With Reference to the Dose and Relative Sensitivities of Different Species, *Anat. Rec.*, 101:373-405, 1948.
- 72. Buch, F.G., H.A. Charipper, and A. Edelmann, The Effects of Whole-body X-irradiation on Peritoneal Fluid Cells and Peripheral Blood Leukocytes in Pollen-sensitized Rats, *Radiat. Res.*, 7:129-138, 1957.
- 73. Caffrey Tyler, R.W., and N.B. Everett, A Radioautographic Study of Hemopoietic Repopulation Using Irradiated Parabiotic Rats, *Blood*, 28(6):873-890, 1966.
- 74. Calvo, W., T.M. Fliedner, E. Herbst, E. Hugl, and C. Bruch, Regeneration of Blood-forming Organs After Autologous Leukocyte Transfusion in Lethally Irradiated Dogs. II. Distribution and Cellularity of the Marrow in Irradiated and Transfused Animals, *Blood*, 47:593-601, 1976.
- 75. Carlson, D.E., and N. Gengozian, The Effect of Acute Radiation Exposure Rates on Formation of Hemagglutinating Antibody in Mice, *J. Immunol.*, 106(5):1353-1362, 1971.
- 76. Carsten, A.L., and T.R. Noonan, Hematological Effects of Partial-body and Whole-body X-irradiation in the Rat, *Radiat. Res.*, 22:136-143, 1964.
- 77. Carsten, A.L., and V.P. Bond, Colony Forming Units in the Bone Marrow of Partial Body Irradiated Mice, *Recent Results Cam. Res.*, 17:21-27, 1969.
- 78. Castanera, T.J., D.C. Jones, and D.J. Kimeldorf, The Effect of X-irradiation on the Diffuse Activity Performance of Rats, Guinea Pigs, and Hamsters, *Brit. J. Radiol.*, 32:386-389, 1959.
- 79. Castellanos, R.C., R. Leizerovitz, N. Kaiser, N. Galili, A. Polliack, A. Korkesh, and U. Galili, Prothymocytes in Postirradiation Regenerating Rat Thymuses: A Model for Studying Early Stages in T Cell Differentiation, *Immunology*, 130(1):121-129, 1983.
- 80. Ceredig, R., and H. R. MacDonald, Phenotypic and Functional Properties of Murine Thymocytes II. Quantitation of Host- and Donor-Derived Cytolytic T Lymphocyte Precursors in Regenerating Radiation Bone Marrow Chimeras, *Immunol.*, 128(2):614-620, 1982.
- 81. Chaffey, J.T., and S. Hellman, Radiation Fractionation as Applied to Murine Colony-forming Cells in Differing Proliferative States, *Radiology*, 93:1167-1172, 1969.
- 82. Chaffey, J.T., and S. Hellman, Studies on Dose Fractionation as Measured by Endogenous Spleen Colonies in the Mouse, *Radiology*, 90:363-365, 1968.

- 83. Chamberlin, W., J. Barone, A. Kedo, and W. Fried, Lack of Recovery of Murine Hematopoietic Stromal Cells After Irradiation-induced Damage, *Blood*, 44(3):385-392, 1974.
- 84. Chan, S.H., and D. Metcalf, Local and Systemic Control of Granulocytic and Macrophage Progenitor Cell Regeneration After Irradiation, *Cell Tissue Kinet.*, 6:85-97, 1973.
- 85. Chaudhuri, J.P., E. Metzger, and O. Messerschmidt, Peripheral Reticulocyte Count as Biologic Dosimetry of Ionizing Radiation, *Acta Radiologica Oncol.*, 18:155-160, 1979.
- 86. Chertkov, I.L., A.S. Maximenko, M.N. Novikova, and M.O. Raushenback, Bone Marrow Allografts in Thymectomized X-irradiated Dogs, *Nature*, 5008:399-400, 1965.
- 87. Chertkov, J.L., M.N. Novikova, N.M. Nemenova, and V.N. Malanina, Hematopoiesis in Long-term Survival Following Supralethal Irradiation and Bone Marrow Transplantation in Dogs, *Blood*, 32(6):895-907, 1968.
- 88. Chertkov, J.L., G.V. Sukyasyan, M.N Novikova, N.M. Nemenova, A.M. Kotylyarov, V.N. Malanina, N.L. Samoylina, G.A. Udalov and L.F. Semenov, Autologous Bone Marrow Transplantation in Irradiated Baboons, *Radiat. Res.*, 46:129-143, 1971.
- 89. Chertkov, J.L., N.M. Nemenova, N.L. Samoylina, M.N. Novikova, A.M. Kotlyarov, V.N. Malanina, E.II Terentyeva, G.V. Sukyasyan, G.A. Udalov, L.S. Rogacheva, S.II. Shereshkov, L.L. Shepshelevich, and L.F. Semenov, Allogenic Bone Marrow Transplantation in Irradiated Baboons and Monkeys, *Radiat. Res.*, 46:144-164, 1971.
- 90. Chervenick, A., and D.R. Boggs, Patterns of Proliferation and Differentiation of Hematopoietic Stem Cells after Compartment Depletion, *Blood*, 37:568-580, 1971.
- 91. Chu-Tse, W., and L.G. Lajtha, Haemopoietic Stem-cell Kinetics During Continuous Irradiation, *Int. J. Radiat. Biol.*, 27:41-50, 1975.
- 92. Clarke, J.A., C. Proukakis, and A.J. Salsbury, An Effect of Radiation on Rat Erythrocytes, *Int. J. Radiat. Biol.*, 15(4):389-392, 1969.
- 93. Cockerham, L.G., T.F. Doyle, M.A. Donlon, and E.A. Helgeson, Canine Postradiation Histamine Levels and Subsequent Response to Compound 48/80, *Aviati. Space Environmental Med., AFRRI Scientific Report SR84-27*, 55:1041-1045, 1984.
- 94. Cohn, S.H., Effects of Total Body X-Irradiation on Blood Coagulation in the Rat, *Blood*, 7:225-234, 1952.
- 95. Cole, L.J., Hemopoietic Restoration in Lethally X-irradiated Mice Injected with Peritoneal Cells, *Am. J. Physiol.*, 204:265-267, 1963.

- 96. Cole, L.J., P.C. Nowell, and J.S. Arnold, Late Effects of X-Radiation. The Influence of Dose Fractionation on Life Span, Leukemia, and Nephrosclerosis Incidence in Mice, *Radiat. Res.*, 12:173-185, 1960.
- 97. Comas, F.V., The Radiosensitivity of Rat Bone-Marrow Cells, *Int. J. Radiat. Biol.*, 17(6):549-557, 1970.
- 98. Conard, R.A., Acute Myelogenous Leukemia Following Fallout Radiation Exposure, *JAMA*, 232:1356-1357, 1975.
- 99. Congdon, C.C., and I.S. Urso, Homologous Bone Marrow in the Treatment of Radiation Injury in Mice, *Am. J. Path.*, 33:749-763, 1957.
- 100. Constant, M.A., and P.H. Phillips, Effect of Multiple Low-Dose Irradiation and Splenectomy on the Stability of Dog Erythrocytes, *Am. J. Physiol.*, 178:367-370, 1951.
- 101. Cosgrove, G.E., A.C. Upton, C.C. Congdon, D.G. Doherty, K.W. Christenberry, and D.G. Gosslee, Late Somatic Effects of X-radiation in Mice Treated with AET and Isologuous Bone Marrow, *Radiat. Res.*, 21:550-574, 1964.
- 102. Cottier, H., E.P. Cronkite, C.R. Jansen, K.R. Rai, S. Singer, and C.R. Sipe, Studies on Lymphocytes. III. Effects of Extracorporeal Irradiation of the Circulating Blood Upon the Lymphoreticular Organs in the Calf, *Blood*, 24(3):241-253, 1964.
- 103. Courtenay, V.D., Studies on the Protective Effect of Allogeneic Marrow Grafts in the Rat Following Whole-body Irradiation at Different Dose-rates, *Br. J. Radiol.*, 36(426):440-447, 1962.
- 104. Covelli, V., and P. Metalli, A Late Effect of Radiation on the Haemopoietic Stem Cells of the Mouse, *Int. J. Radiat. Biol.*, 23(1):83-89, 1973.
- 105. Craddock, C.S., S. Perry, L.E. Ventske, and J.S. Lawrence, Evaluation of Marrow Reserved in Normal and Disease States, *Blood*, 15:840, 1960.
- 106. Croizat, H., E. Frindel, and M. Tubiana, Long Term Radiation Effects on the Bone Marrow Stem Cells of C3H Mice, *Int. J. Radiat. Biol.*, 36(1):91-99, 1979.
- 107. Croizat, H., E. Frindel, and M. Tubiana, Proliferative Activity of the Stem Cells in the Bone-marrow of Mice after Single and Multiple Irradiations (Total or Partial-body Exposure), *Int. J. Radiat. Biol.*, 18(4):347-359, 1970.
- 108. Cronkite, E.P., The Hemorrhagic Syndrome of Acute Ionizing Radiation Illness Produced in Goats and Swine by Exposure to the Atomic Bomb at Bikini, 1946, *Blood*, 5:32-45, 1950.
- 109. Cronkite, E.P., A.L. Carsten, and G. Brecher, Hemopoietic Stem Cell Niches, Recovery from Radiation and Bone Marrow Transfusions, *Proc. 6th Int. Cong. Radiat. Res.*, pp. 648-656, 1949.

- 110. Cronkite, E.P., G.J. Jacobs, and P.K. Schork, The Comparative Effect of Platelets on Prothrombin Utilization from Dogs in the Degenerative and Regenerative Phase of Irradiation Bone Marrow Aplasia, *Radiat. Res.*, 2:439-446, 1955.
- Cross, A.M., E. Leuchars, and J.F.A.P. Miller, Studies on the Recovery of the Immune Response in Irradiated Mice Thymectomized in Adult Life, J. Exp. Med., 119:837-850, 1964.
- 112. Crouch, B.G., L.M. van Putten, D.W. van Bekkum, and M.J. De Vries, Treatment of Total-Body X-Irradiated Monkeys with Autologous and Homologous Bone Marrow, *J. Nat. Cancer Inst.*, 27:53-65, 1961.
- 113. Cudkowicz, G., and M. Bennett, Peculiar Immunobiology of Bone Marrow Allografts. I. Graft Rejection by Irradiated Responder Mice, *J. Exp. Med.*, 134:83-102, 1971.
- 114. Dalrymple, G.V., I.R. Lindsay, and J.J. Ghidoni, The Effect of 2-Mev Whole-Body X-Irradiation on Primates, *Radiat. Res.*, 25:377-400, 1965.
- 115. Dalrymple, G.V., I.R. Lindsay, J.J. Ghidoni, J.C. Mitchell, and I.L. Morgan, Some Effects of 400-Mev Protons on Primates, *Radiat. Res.*, 28:507-528, 1966.
- 116. Dalrymple, G.V., I.R. Lindsay, J.J. Ghidoni, J.D. Hall, J.C. Mitchell, H.L. Kundel, and I.L. Morgan, Some Effects of 138-Mev Protons on Primates, *Radiat. Res.*, 28:471-488, 1966.
- 117. Davids, J.A.G., Bone Marrow Syndrome in CBA Mice Exposed to Fast Neutrons of 1.0 MeV Mean Energy Effect of Syngeneic Bone-Marrow Transplantation, *Int. J. Radiat. Biol.*, 17(2):173-185, 1970.
- 118. de Franciscis, P., and E. Scanziani, Total-body X-Irradiation and Splenectomy in Guinea Pigs, *Radiology*, 424-429, 1959.
- 119. De Vries, F.A.J., and O. Vos, Prevention of the Bone-marrow Syndrome in Irradiated Mice. A Comparison of the Results After Bone-marrow Shielding and Bone-marrow Inoculation, *Int. J. Rad. Biol.*, 11(3):235-243, 1966.
- 120. De Vries, M.J., and O. Vos, Treatment of Mouse Lymphcsarcoma by Total-Body X Irradiation and by Injection of Bone Marrow and Lymph-Node Cells, *J. Nat. Canc. Inst.*, 21:1117-1129, 1958.
- 121. Decleve, A., G.B. Gerber, A. Leonard, M. Lambiet-Collier, A. Sassen, and J. R. Maisin, Regeneration of Thymus, Spleen, and Bone Marrow in X-irradiated AKR Mice, *Radiat. Res.*, 51:318-332, 1972.
- 122. Deeg, H.J., R. Storb, H.M. Shulman, P.L. Weiden, T.C. Graham, and E.D. Thomas, Engraftment of DLA-Nonidentical Unrelated Canine Marrow After High-dose Fractionated Total Body Irradiation, *Transplantation*, 33(4):443-446, 1982.

- 123. Douglass, C.D., and P.L. Day, Effect of Various Doses of Total Body X-irradiation on Total Amount of Deoxyribonuclease II in Rat Spleen, *Proc. Soc. Expt. Biol. Med.*, 89:616-621, 1955.
- 124. Drasil, V., V. Juraskova, and B. Koukalova, The Influence of Continuous Irradiation on the Colony-Forming Activity of Mouse Bone-Marrow, *Int. J. Rad. Biol.*, 11(6):613-614, 1966.
- 125. Drummond, J.A., J. Kaufmann, R.G. Randall, K.K. Kapur, and H. Baxter, Some Observations on Hematological Responses in Swine to X-Radiation and Thermal Injury, *Plast. & Reconstruct. Surg.*, 13:431-439, 1954.
- 126. Du Toit, D.F., J.J. Heyenrych, B. Smit, T. Zuurmond, G. Louw, L. Laker, D. Els, S. Wolfe-Coote, J.A. van der Merwe, and A.W. Groenewald, Segmental Pancreatic Allograft Survival in Primates Treated with Total-Body or Lymphoid Irradiation and Preoperative Blood Transfusions, *Nature*, 37(3):325-326, 1984.
- 127. Duncan, W., D. Greene, A. Howard, and J.B. Massey, The RBE of 14 MeV Neutrons, Observations on Colony-forming Units in Mouse Bonemarrow, *Int. J. Radiat. Biol.*, 15(5):397-403, 1969.
- 128. Dungworth, D.L., M. Goldman, J.W. Switzer, and D.H. McKelvie, Development of a Myeloproliferative Disorder in Beagles Continuously Exposed to 90Sr, *Blood*, 34(5):610-632, 1969.
- 129. Duplan, J.F., and R. Latarjet, Studies on the Mechanism of Radiation-induced Leukemogenesis in C57BL Mice, Cancer Res., 26(1):395-399, 1966.
- 130. Duplan, J.F., E. Legrand, C. Castaignos, and E. de Calignon, Therapeutic Efficiency of Spleen and Bone Marrow CFU in X-irradiated 89Sr Marrowablated Mice, *Int. J. Radiat. Bici.*, 36(6):595-600, 1979.
- 131. Ebbe, S., and F. Stohlman, Stimulation of Thrombocytopoiesis in Irradiated Mice, *Blood*, 35(6):783-792, 1970.
- 132. Ebbe, S., E. Phalen, and T. Yee, Postirradiation Thrombocytopoiesis: Suppression, Recovery, Compensatory States, and Macromegakaryocytosis, In Levine, R. (ed), *Megakaryocyte Development and Function*, Liss, NY, pp. 71-89, 1986.
- 133. Edmondson, P.W., and A. L. Batchelor, The Clinical and Pathological Response of Goats to Whole-body Irradiation by Gamma-rays and Fission Neutrons, *Int. J. Rad. Biol.*, 10:451-478, 1966.
- 134. Eldred, E., The Response of Eosinophils to Total-body X-radiation of the Monkey, *Blood.*, 14:187-193, 1959.
- 135. Eldred, E., and B. Eldred, Effects of Total Body X-Irradiation on the Peripheral Blood of the Monkey, *Blood*, 15:145-149, 1958.
- 136. Ellinger, F., Protection of Guinea Pigs Against Radiation Death by Cell-Free Mouse Spleen Extract, *Science*, 126:1179-1180, 1957.

- 137. Ellinger, F., Effect of Cell-free Aqueous Extracts from Normal and Irradiated Spleen on X-ray Induced Mortality in Mice, *Radiol. Clin.*, 23:229-239, 1954.
- 138. Ellinger, F., and T.A. Strike, Effects of Cell-Free Spleen Extract Treatment on Hematopoietic Tissues of Irradiated Guinea-Pigs, *Acta. Haemat.*, 26:117-127, 1961.
- 139. Ellinger, F., and T. Strike, Pharmacological Studies on Irradiated Animals X. Effects of Cell Free Spleen Extract Treatment on Hematopoietic Tissues of Irradiated Guinea Pigs, Research Report, Naval Medical Res. Inst., 18:473-512, 1960.
- 140. Engeset, A., and J.C. Schooley, Thoracic Duct Lymphocyte Output in Rats after Local Thymus Irradiation, *Scand. J. Clin. Lab. Invest. Suppl.*, 106:119-123, 1968.
- 141. Epp, E.R., H.Q. Woodard, and H. Weiss, Energy Absorption by the Bone Marrow of the Mouse Receiving Whole-body Irradiation with 250-Kv X-rays or Cobalt-60 Gamma Rays, *Radiat. Res.*, 11:184-197, 1959.
- 142. Evans, A.S., Effect of Ionizing Radiations on Distribution of Plasma Proteinbound Neutral Hexoses in Mice and Dogs, *AFRRI SR69-24*, 1969.
- 143. Everett, N.B., and R.W. Tyler, Radioautographic Studies of the Stem Cell in the Thymus of the Irradiated Rat, *Cell Tissue Kinet.*, 2:347-362, 1969.
- 144. Everett, N.B., R.W. Caffrey, and W.O. Rieke, Radioautographic Studies of the Effect of Irradiation on the Long-lived Lymphocyte of the Rat, *Radiat. Res.*, 21:383-393, 1964.
- 145. Fisher, J.W., B.L. Roh, and K. Shenep, Influence of X-irradiation of the Dog Kidney on Erythropoietin Production, *Acta Haemat.*, 31:90-102, 1964.
- 146. Fleck, D.G., Impairment of Erythropoiesis by Irradiation, *Nature*, 190:1017-1018, 1961.
- 147. Fliedner, T.M., G.A. Andrews, E.P. Cronkite, and V.P. Bond, Early and Late Cytologic Effects of Whole Body Irradiation on Human Marrow, *Blood*, 23(4):471-487, 1964.
- 148. Ford, C.E., H.S. Micklem, E.P. Evans, J.G. Gray, and D.A. Ogden, The Inflow of Bone Marrow Cells to the Thymus: Studies with Part-body Irradiated Mice Injected with Chromosome-Marked Bone Marrow and Subjected to Antigenic Stimulation, Ann. NY Acad. Sci., 87:382-396, 1960.
- 149. Fred, S.S., and W.W. Smith, Radiation Sensitivity and Proliferative Recovery of Hemopoietic Stem Cells in Weanling as Compared to Adult Mice, Radiat. Res., 32:314-326, 1967.
- 150. French, A.B., C.J. Migeon, L.T. Samuels, and J.Z. Bowers, Effects of Whole Body X-irradiation on 17-hydroxycorticosteroid Levels, Leucocytes

- and Volume of Packed Red Cells in the Rhesus Monkey, Am. J. Physiol., 182:469-476, 1955.
- 151. Fried, W., W. Chamberlin, A. Kedo, and J. Barone, Effects of Radiation on Hematopoietic Stroma, *Exp. Hemat.*, 4:310-314, 1976.
- 152. Frindel, E., F. Charruyer, M. Tubiana, H.S. Kaplan, and E.L. Alpen, Radiation Effects on DNA Synthesis and Cell Division in the Bone-Marrow of the Mouse, *Int. J. Rad. Biol.*, 11(5):453-443, 1966.
- 153. Fritz, T.E., W.P. Norris, and D.V. Tolle, Myelogenous Leukemia and Related Myeloproliferative Disorders in Beagles Continuously Exposed to 60Co y-Radiation, In R.M. Dutcher, and L. Chieco-Bianchi (eds), *Unifying Concepts of Leukemia*, pp. 170-188, 1973.
- 154. Fritz, T.E., W.P. Norris, D.V. Tolle, T.M. Seed, C.M. Poole, L.S. Lombard, and D.E. Doyle, Relationship of Dose Rate and Total Dose to Responses of Continuously Irradiated Beagles, *IAEA-SM-224/206*, pp. 71-82, 1978.
- 155. Fulton, G.P., D.L. Joftes, R. Kagan, and B.R. Lutz, Hematologic Findings in the Total Body X-irradiated Hamster, *Blood*, 9:622-631, 1954.
- 156. Furth, J., A.C. Upton, K.W. Christenberry, W.H. Benedict, and J. Moshman, The Late Effects in Mice of Ionizing Radiation from an Experimental Nuclear Detonation, *Radiology*, 63:562-569, 1954.
- 157. Geissler, E.N., and E.S. Russell, Analysis of the Hematopoietic Effect on New Dominant Spotting (W) Mutations of the Mouse. II. Effect on Mast Cell Development, Exp. Hematol., 11(6):461-466, 1983.
- 158. Geissler, E.N., and E.S. Russell, Analysis of the Hematopoietic Effects on New Dominant Spotting (W) Mutations of the Mouse. I. Influence Upon Hematopoietic Stem Cells, *Exp. Hematol.*, 11(6):452-460, 1983.
- 159. Gengozian, N., Transplantation of Rat Bone Marrow in Irradiated Mice: Effect of Exposure Rate, *Science*, 146:663-664, 1964.
- 160. Gengozian, N., D.E. Carlson, and E.M. Allen, Transplantation of Allogeneic and Xenogeneic (Rat) Marrow in Irradiated Mice as Affected by Radiation Exposure Rates, *Transplantation*, 7(4):259-273, 1969.
- 161. Gerhartz, H.H., W. Nothdurft, and T.M. Fliedner, Effect of Low-dose Whole-body Irradiation on Granulocytic Progenitor Cell Subpopulation: Implications for CFUc Release, *Cell Tissue Kinet.*, 15:371-379, 1982.
- 162. Gershon-Cohen, J., and M.B. Hermel, The Diagnostic Value of the Immediate Peripheral Leukocyte Response of the Rat to Whoie Body Roentgen Irradiation, *Am. J. Roentgenol.*, 71(5):846-852, 1954.
- Gesner, B.M., and J.L. Gowans, The Fate of Lethally Irradiated Mice Given Isologous and Heterologous Thoracic Duct Lymphocytes, *Br. J. Exp. Path.*, 43:431-440, 1962.

- 164. Gidali, J., and L.G. Latha, Regulation of Haemopoietic Stem Cell Turnover in Partially Irradiated Mice, *Cell Tissue Kinet.*, 5:147-157, 1972.
- 165. Gilbert, C.W., E. Paterson, M.V. Haigh, and R. Schofield, II. Red-cell and Plasma-volume Changes in the Rhesus Monkey After Whole-body Irradiation by X-rays, *Int. J. Rad. Biol.*, 5(1):9-23, 1961.
- 166. Gleiser, C.A., The Sequence of Pathological Events in Dogs Exposed to a Lethal Dose 100/30 of Total Body X-radiation, *Am. J. Vet. Res.*, 14:287-297, 1953.
- 167. Gong, J.K., T.J. MacVittie, and J.E. Vertalino, A Method for Determining Residual Injury in the Hematopoietic System of the X-irradiated Rat, *Radiat. Res.*, 37:467-477, 1969.
- 168. Goswitz, F.A., G.A. Andrews, and R.M. Kniseley, Effects of Local Irradiation (Co 60 Teletherapy) on the Peripheral Blood and Bone Marrow, *Blood*, 21(5):605-619, 1963.
- 169. Gray, B., and W. Baker, Local Leukocyte Mobilization in Irradiated or Cyclophosphamide-treated Rats, *Experientia*, 36:1221-1222, 1980.
- 170. Greenberg, M.L., A.D. Chanana, E.P. Cronkite, L. Schiffer, and P.A. Strykmans, Radiation Sensitivity of Circulating Platelets, *Radiat. Res.* (abstract), 31:595, 1967.
- 171. Gregory, S.A., W. Fried, W.H. Knospe, and F.E. Tbobaugh, Accelerated Regeneration of Transplanted Hematopoietic Stem Cells in Irradiated Mice Pretreated With Cyclophophamide, *Blood*, 37(2):196-203, 1971.
- 172. Gross, L., and D.G. Feldman, Electron Microscopic Studies of Radiation-Induced Leukemia in Mice: Virus Release Following Total-Body X-Ray Irradiation, *Cancer Res.*, 28:1677-1685, 1968.
- 173. Gurney, C.W., and N. Wackman, Impairment of Erythropoiesis by Irradiation, *Nature*, 190:1017-1018, 1961.
- 174. Guzman, E., and L.G. Lajtha, Some Comparisons of the Kinetic Properties of Femoral and Splenic Haemopoietic Stem Cells, *Cell Tissue Kinet.*, 3:91-98, 1970.
- 175. Halberstaedter, L., and M. Ickowicz, The Effects of X-rays on the Lymphatic Organs of Normal and Adrenalectomized Rats, *Radiol. Clin.*, 16:240-257, 1947.
- 176. Haley, T.J., Acute Radiation Effects: Damage of Hematopoiesis, *Nuclear Hematol.*, 265-273, 1965.
- 177. Hando, T., Electron Microscopic Studies on Bone Marrow Megakaryocytes and Thrombocytes in Normal and X-irradiated Albino Rats, *Acta Haem. Jap.*, 28:38-45, 1965.
- 178. Hanks, G.E., and E.J. Ainsworth, Repopulation of Colony-forming Units of Mice, *Nature*, 215:20-22, 1967.

- 179. Hansen, C.L., S.M. Michaelson, and J.W. Howland, Lethality of Upper Body Exposure to X-radiation in Beagles, *Public Health Reports*, 76(3):242-246, 1961.
- 180. Haot, J., and N.F. Barakina, Quantitative Study of the Hemopoietic Recovery After a Sublethal X-irradiation in the Mouse, *Acta Haemat.*, 42:347-356, 1969.
- 181. Haot, J., and N.F. Barakina, Quantitative Study of the Hemopoietic Recovery After a Sublethal X-irradiation in the Mouse, *Acta Haemat.*, 42:347-356, 1969.
- 182. Haot, J., G. Haughton, and L. Revesz, Changes in the Cellular Composition of Bone Marrow in Mice Irradiated with Different X-ray Doses, *Europ. J. Cancer*, 3:67-74, 1967.
- 183. Haran-Ghera, N., The Effects of Ionizing Radiation on Growth and Regeneration of Intrarenal Thymus Grafts in Mice, *Radiat. Res.*, 26:442-449, 1965.
- 184. Harris, P.F., Quantitative Studies on Bone-marrow in the Early Stages of Final Haemopoietic Recovery in Irradiated Guinea-pigs, *Brit. Haemat.*, 6:107-121, 1960.
- 185. Harris, P.F., Changes in Thymus and Lymph Node Activity, and Alterations in Bone Marrow Lymphocyte Levels During Recovery of the Guinea-pig from Whole Body Gamma Irradiation, *Brit. J. Exp. Pathol.*, 39(5):39+558-573, 1958.
- 186. Harris, P.F., Quantitative Examination of Bone Marrow in Guinea-pigs after Gamma Irradiation, *Brit. Med. J.*, 2:1032-1035, 1956.
- 187. Harris, P.F., G. Haigh, and J.H. Kugler, Observations on the Accumulation of Mononuclear Cells and the Activities of Reticulum Cells in Bone Marrow of Guinea-Pigs Recovering from Whole Body Gamma Irradiation, *Acta Haemat.*, 29:166-179, 1963.
- 188. Hartwig, Q.L., G.S. Melville, T.P. Leffingwell, and R.J. Young, Iron-59 Metabolism as an Index of Erythropoietic Damage and Recovery in Monkeys Exposed to Nuclear Radiations, *Am. J. Physiol.*, 196(1):156-158, 1959.
- 189. Hellman, S., X-irradiation of the Hematopoietic Stem Cell Compartment, Front. Radiat. Ther. Onc., 6:415-427, 1972.
- 190. Hellman, S., and H.E. Grate, Production of Granulocytic Progeny by Transplanted Bone Marrow in Irradiated Mice, *Blood*, 30(1):103-111, 1967.
- 191. Hellman, S., and M.E. Fink, Granulocyte Reserve Following Radiation Therapy as Studied by the Response to a Bacterial Endotoxin, *Blood*, 25(3):310-324, 1965.

- 192. Hellman, S., H.E. Grate, and J.T. Chaffey, Effects of Radiation on the Capacity of the Stem Cell Compartment to Differentiate into Granulocyte and Erythrocytic Progeny, *Blood*, 34(2):141-156, 1969.
- 193. Hendry, J.H., Considerations of Long-term Radiation Injury in Nonhemopoietic Tissues, In *Hematopoiesis*, Marcel Dekker, Inc., NY, pp. 247-272, 1988.
- 194. Hendry, J.H., Survival of Cells in Mammalian Tissues After Low Doses of Irradiation: A Short Review, *Int. J. Radiat. Biol.*, 53:89-94, 1988.
- 195. Hendry, J.H., The Cellular Basis of Long-term Marrow Injury After Irradiation, *Radiother. Oncol.*, 3:331-338, 1985.
- 196. Hendry, J.H., The Response of Haemopoietic Colony-Forming Units and Lymphoma Cells Irradiated in Soft Tissue (Spleen) or a Bone Cavity (Femur) with Single Doses of X Rays, Y Rays or D-T Neutrons, *Brit. J. Radiol.*, 45:923-932, 1972.
- 197. Hendry, J.H., A Difference in Haemopoietic Stem-Cell Repopulation After D-T Neutron or X-irradiation, *Int. J. Radiat. Biol.*, 22(3):279-283, 1972.
- 198. Hendry, J.H., and A. Howard, The Response of Haemopoietic Colony-Forming Units to Single and Split Doses of Y-Rays or D-T Neurons, *Int. J. Radiat. Biol.*, 19(1):51-64, 1971.
- 199. Hendry, J.H., and L.G. Lajtha, The Response of Hemopoietic Colonyforming Units to Repeated Doses of X-rays, *Radiat. Res.*, 52:309-315, 1972.
- 200. Hendry, J.H., N.G. Testa, and L.G. Lajtha, Effect of Repeated Doses of X-rays or 14 MeV Neutrons on Mouse Bone Marrow, *Radiat. Res.*, 59:645-652, 1974.
- 201. Hendry, J.H., S.B. Wang, and N.G. Testa, Greater Sparing of Stromal Progenitor Cells than of Haemopoietic Stem Cells in y-irradiated Mouse Marrow Using Low Dose-rats, *Biomed. Pharmacothe.*, 38:356-358, 1984.
- 202. Hendry, J.H., C.X. Xu, and N.G. Testa, A Cellular Analysis of Residual Hemopoietic Deficiencies in Mice After 4 Repeated Doses of 4.5 Gray X Rays, *Int. J. Rad. Biol. Phys.*, 9:1641-1646, 1983.
- 203. Hendry, J.H., J. Baarli, M. Bianchi, and A.H. Sullivan, The Effect of a 600 MeV Neutron Beam on Mouse Bone Marrow, *Int. J. Radiat. Biol.*, 35(4):393-397, 1979.
- Hennessy, T.G., and R.L. Huff, Depression of Tracer Ion Uptake Curve in Rat Erythrocytes Following Total-body Irradiation, *Proc. Soc. Exptl. Biol. Med.*, 73:436-439, 1950.
- 205. Hennessy, T.G., S.E. Herrick, and J.P. Okunewick, Evaluation of Erythopoietic Damage and Recuperation Following X-irradiation, *Health Physics*, 10:49-53, 1964.

- 206. Henshaw, P.S., E.F. Riley, and G.E. Stapleton, The Biologic Effects of Pile Radiations, *Radiology*, 49:349-359, 1947.
- 207. Hirsch, B.B., M.B. Brown, C.S. Nagareda, and H.S. Kaplan, Comparative Activity of Isologous vs Homologous or Heterologous Mouse Bone Marrow in Promoting Regeneration of the Irradiated Mouse Thymus, *Radiat. Res.*, 5:52-57, 1956.
- 208. Hochman, A., Y. Feige, and J.A. Stein, The Effect of X-irradiation on Peripheral Blood Leukocytes in Normal and Adrenalectomized Rats, Radiat. Res., 15:39-44, 1961.
- 209. Hodgson, G.S., Erythrocyte F259 Uptake as a Function of Bone Marrow Dose Injected in Lethally Irradiated Mice, *Blood*, 19(4):460-467, 1962.
- 210. Hubner, G.E., K.H. vonWangeheim, and L.E. Feinendegen, An Assay for the Measurement of Residual Damage of Murine Hematopoietic Stem Cells, *Exp. Hematol.*, 9(2):111-117, 1981.
- 211. Hulse, E.V., Lymphocytic Recovery After Irradiation and Its Relation to Other Aspects of Haemopoiesis, *Brit. J. Haemat.*, 9:376-384, 1963.
- 212. Hulse, E.V., Lymphocyte Depletion of the Blood Marrow of Irradiated Rat: A Quantitative Study, *Brit. J. Haemat.*, 5:278-283, 1959.
- 213. Hulse, E.V., Quantitative Studies on the Depletion of the Erythropoietic Cells in the Bone Marrow of the Irradiated Rat, *Brit. J. Haemat.*, 3:348-358, 1957.
- 214. Ingram, M., and W.B. Mason, Effects of Acute Exposure to X Radiation on the Peripheral Blood of Experimental Animals, In *Biological Effects*, Chapter 3, pp. 58-83, 1954.
- Iorio, A.M., M. Neri, P. Enrico, F. Titti, G.B. Rossi, and E. Bonmassar, Natural Resistance Against Hematopoietic Cells in Lethally-irradiated Mice Infected with Friend Leukemia Virus, Cancer Immunol. Immunother., 18:34-40, 1984.
- Jacobson, L.O., and E.K. Marks, The Hematological Effects of Ionizing Radiations in the Tolerance Range, Radiology, 49(3):286-298, 1947.
- Jacobson, L.O., E.K. Marks, J.H. Robson, E. Gaston, and R.E. Zirkle, The Effect of Spleen Protection on Mortality Following X-irradiation, J. Lab. Clin. Med., 34:1538-1543, 1949.
- 218. Jacobson, L.O., E.K. Marks, E.L. Simmons, C.W. Hagen, and R.E. Zirkle, Effects of Total Body X-irradiation on Rabbits, II. Hematological Effects Zirkle, R.E. (ed), In *Biological Effects of X and Gamma Radiation*, Part 1, McGraw-Hill Book Co., NY, pp. 265, 1954.
- 219. Jacobson, L.O., E.L. Simmons, W.F. Bethard, E.K. Marks, and M.J. Robson, The Influence of the Spleen on Hematopoietic Recovery After Irradiation Injury, *Proc. Soc. Exptl. Biol. Med.*, 73:455-459, 1950.

- 220. Jarplid, B., Radiation Induced Asymmetry and Lymphoma of Thymus in Mice, *Acta Radiologica Suppl.*, 279:1-98, 1968.
- 221. Jones, T.D., Hematologic Syndrome in Man Modeled From Mammalian Lethality, *Health Physics*, 41:83-103, 1981.
- 222. Jordan, S.W., Ultrastructural Studies of Spleen After Whole Body Irradiation of Mice, Exp. Mol. Pathol., 6:156-171, 1967.
- 223. Kahn, J.B., and J. Furth, The Pathogenesis of Postirradiation Anemia, *Blood*, 7:404-416, 1952.
- 224. Kallman, R.F., The Effect of Dose Rate on Mode of Acute Radiation Death in C57Bl and BALB/c Mice, *Radiat. Res.*, 16:796-810, 1962.
- 225. Kaplan, H.S., Influence of Thymectomy, Splenectomy, and Gonadectomy on Incidence of Radiation-Induced Lymphoid Tumors in Strain C57 Black Mice, *J. Nat. Cancer Inst.*, 11:89-90, 1950.
- 226. Kaplan, H.S., M.B. Brown, and J. Paull, Influence of Bone-Marrow Injections on Involution and Neoplasia of Mouse Thymus After Systemic Irradiation, *J. Nat. Cancer Inst.*, 14(2):303-315, 1953.
- 227. Karpfel, Z., Changes in the Mitotic Index, the Incidence of Chromosomal Aberrations and the Proportion of Mitotic Phases in the Bone Marrow of Mice Irradiated with Different Doses of X-rays, *Folia Biologica*, 7:129-136, 1961.
- 228. Kereiakes, J.G., and T.A. O'Neill, Further Studies of the Effect of Partial Shielding by Grids on Survival of X-irradiated Animals, *AMRL Report No.* 178, 1955.
- 229. Keraiskee, J.G., W.H. Parr, and A.T. Krebs, The Role of Certain Organs in Fractionated Total Body X-irradiation Studies, *USAMRL TR-273*, 1956.
- 230. Klopfenstein, K.A., The Influence of Splenectomy on the Peripheral Blood Response and Survival of Animals Subjected to Whole Body X-irradiation, *UAMRL Report No., 587*, 1963.
- 231. Knopse, W.H., Long-term Bone Marrow Damage After Irradiation, In *Hematopoiesis*, Marcel Dekker, Inc., NY, pp. 93-124, 1988.
- 232. Knospe, W.H., J. Blom, and W.H. Crosby, Regeneration of Locally Irradiated Bone Marrow. I. Dose Dependent, Long-Term Changes in the Rat, with Particular Emphasis upon Vascular and Stromal Reaction, *Blood*, 28(3):398-415, 1966.
- 233. Knospe, W.H., S.A. Gregory, W. Fried, and F.E. Trobaugh, Stimulation of Hematopoiesis by Femoral Marrow Curettage in Sublethally Irradiated Mice, *Blood*, 41(4)519-527, 1973.
- 234. Knospe, W.H., S.S. Adler, S. Husseini, T. Fritz, and F.D. Wilson, Effects of Chronic Continuous Low Level Gamma-radiation Exposure (CCLLR) on Hematopoiesis in the Mouse, *Blood*, 42(4)529-534, 1974.

- 235. Kohn, H.I., Changes in Blood Plasma of Guinea-pig During Acute Radiation Syndrome, *Am. J. Physiol.*, 162:703-708, 1950.
- 236. Kornfeld, L., and V. Greenman, Effects of Total Body X-Irradiation on Peritoneal and Circulating Leucocytes of Mice, *USNRDL-TR-966*, 1966.
- 237. Krebs, J.S., Radiobiology of Large Animals, NTIS, 1975.
- 238. Krebs, J.S., The Response of Erythropoietic Stem Cells of Mice to Irradiation with Fission Neutrons, *Radiat. Res.*, 31:796-807, 1967.
- 239. Krebs, J.S., and D.C.L. Jones, The LD50 and the Survival of Bonemarrow Colony-forming Cells in Mice: Effect of Rate of Exposure to Ionizing Radiation, *Radiat. Res.*, 51:374-380, 1972.
- 240. Kretchmar, A.L., and W.R. Conover, A Difference Between Spleenderived and Bone Marrow-derived Colony-forming Units in Ability to Protect Lethally Irradiated Mice, *Blood*, 36(6):772-776, 1970.
- Kubanek, B., N. Rencricca, A. Procellini, D. Howard, and F. Stohlman, The Pattern of Recovery of Erythropoiesis in Heavily Irradiated Mice Receiving Transplants of Fetal Liver, Proc. Soc. Exp. Biol., (NY) 131:831-834, 1969.
- 242. Kurnick, N.B., and N. Nokay, Repopulation of Bone Marrow in Mice: Number and Type of Cells Required for Post-X-Irradiation Protection, Radiat. Res., 25:53-67, 1965.
- 243. Kurnick, N.B., B.W. Massay, and G. Sandeen, Desoxyribonucleases and Desoxyribonuclease Inhibitor of Hematopoietic Tissue; The Effect of Radiation, *Ann. NY Acad. Sci.*, 75:61-70, 1958.
- 244. Lahiri, S.K., and L.M. van Putten, Distribution and Multiplication of Colony Forming Units from Bone Marrow and Spleen After Injection in Irradiated Mice, *Cell Tissue Kinet.*, 2:21-28, 1969.
- 245. Lajtha, L.G., Response of Bone Marrow Stem Cells to Ionizing Radiation In Ebert, M., and Howard, A. (eds), *Current Topics in Radiation Research*, North Holland Publishing Co., Amsterdam, Vol. 1, p. 139, 1965.
- 246. Lamerton, L.F., A.H. Pontifex, N.M. Blackett, and K. Adams, Effects of Protracted Irradiation on the Blood-Forming Organs of the Rat. Part I. Continuous Exposure, *Brit. J. Radiol.*, 33(389):287-301, 1960.
- 247. Lamerton, L.F., L.A. Elson, and E.B. Harriss, A Study of the Phases of Radiation Response in the Rat. II. The Effects of Non-uniform Irradiation, *Brit. J. Radiol.*, 26:568-576, 1953.
- 248. Langham, W., K.T. Woodard, S.M. Rothermel, P.S. Harris, C.C. Lushbaugh, and J.B. Storer, Studies of the Effect of Rapidly Delivered, Massive Doses of Gamma-rays on Mammals, *Radiat. Res.*, 5:404-432, 1956.

- 249. Latarjet, R., and J.F. Duplan, Experiment and Discussion on Leukaemogenesis by Cell-Free Extracts of Radiation-Induced Leukaemia in Mice, *Int. J. Rad. Biol.*, 5(4):339-344, 1962.
- 250. Lawrence, J.S., A.H. Dowdy, and W.N. Valentine, Effects of Radiation of Hemopoiesis, *Radiology*, 51:400-413, 1948.
- 251. Lawrence, J.S., W.N. Valentine, and A.H. Dowdy, The Effect of Radiation on Hemopoiesis. Is There an Indirect Effect?, *Blood*, 3:593-611, 1948.
- 252. Ledney, G.D., D.A. Stewart, E.D. Exum, and P.A. Sheehy, Skin Woundenhanced Survival and Myelocytopoiesis in Mice After Whole-body Irradiation, *Acta. Radiologica Oncology, AFRRI SR81-27*, 20:29-38, 1981.
- 253. Lee, S., and R.T. Woodland, Selective Effect of Irradiation on Responses to Thymus-Independent Antigen, *Immunol.*, 134(2):761-764, 1985.
- 254. LeRoy, G.V., Hematology of Atomic Bomb Casualties, *Arch. Int. Med.*, 86:691-710, 1950.
- 255. Lindop, P.J., and J. Rotblat, The Age Factor in the Susceptibility of Man and Animals to Radiation. I. The Age Factor in Radiation Sensitivity in Mice, *Brit. J. Radiol.*, 35(409):23-31, 1962.
- 256. Lindop, P.J., R.E. Ellis, C. Proukakis, J. Shewsll, and D.L.E. Smith, The Effect of Whole Body Irradiation on Thymic and Ovarian Cell Depletion in Mice: A Study of Non-reproductive Cell Death, *Brit. J. Radiol.*, 44(519):235-236, 1971.
- 257. Lindsay, I.R., G.V. Dalrymple, J.J. Ghidoni, J.C. Mitchell, and I.L. Morgan, Some Effects of 55-Mev Protons on Primates, *Radiat. Res.*, 28:446-464, 1966.
- 258. Liu, C.T., and R.R. Overman, Circulatory Response to a Supralethal Exposure of Whole-body X-irradiation in Dogs, *Radiat. Res.*, 35:335-340, 1968.
- 259. Logie, L.C., M.D. Harris, R.E. Tatsch, and E.N. Van Hooser, An Analysis of the LD 50(30) as Related to Radiation Intensity, *Radiat. Res.*, 12:349-356, 1960.
- 260. Lognonne, J.L., R. Ducousso, G. Rocquet, and J.F. Kergonous, Influence of Whole-body Gamma Irradiation Upon Arachidonic Acid Metabolism in Rat Platelets, *Biochimie*, 67:1015-1021, 1985.
- 261. Lord, B.I., Haemopoietic Changes in the Rat During Growth and During Continuous Gamma Irradiation of the Adult Animal, *Brit. J. Haemat.*, 11:525-536, 1965.
- 262. Lorenz, E., C.C. Congdon, and D. Uphoff, Prevention of Irradiation-Induced Lymphoid Tumors in C57BL Mice by Spleen Protection, *J. Nat. Cancer Inst.*, 14(2):291-301, 1953.

- 263. Lorenz, E., Recovery Pattern of the Blood Picture in Guinea Pigs Following a Limited Total Body Exposure to Chronic Gamma Radiation, *J. Chim. Phys.*, 48:264-274, 1951.
- 264. Ludwig, F.C., and H.I. Kohn, Quantitative Studies on the Radiation Pathology of the Bone Marrow of Small Laboratory Animals, *Radiat. Res.*, 21:233-242, 1964.
- Ludwig, F.C., J.S. Wellington, R.M. Elashoff, and M.E. Smoke, Quantitative Studies of Late Radiation Changes in Hematopoietic Organs of RFM/U and BALB/c Mice and Their Relation to Leukemia, Lab. Invest., 16(3):383-394, 1967.
- 266. Lukin, L., The Effects of Total-body X-irradiation on Blood Volume in Splenectomized Dogs, *Radiat. Res.*, 7:150-160, 1957.
- 267. Mack, P.B., G.P. Vose, and S.O. Brown, A Study of Bone Changes in Albino Rats Subjected to Low Intensity Cobalt-60 Gamma Radiation, *Ann. Report, Quarterly Report, Texas Women's Univ.*, 1962.
- 268. MacVittie, T.J., J.E. French, D.F. Gruber, M. Smith, M.L. Patchen, L.M.K. Wathen, L. Casey, G. Murano, R. Monroy, R.I. Walker, and J.J. Conklin, Hematopoietic Response to 150 Rads Cobalt-60 Gamma and Mixed Neutron-gamma Radiation in a Canine Model of Combined Injury, Proceedings, NATO Working Group, pp. 151-158, 1982.
- 269. Makinoda, T., N. Gengozian, and I.C. Shekarchi, Relative Effects of Splenic and Bone-Marrow Cells on Lethally Irradiated Mice, *J. Nat., Cancer Inst.*, 29,3):591-600, 1958.
- 270. Makinodan, T., M.A. Kastenbaum, and W.J. Peterson, Radiosensitivity of Spleen Cells From Normal and Preimmunized Mice and Its Significance to Intact Animals, *J. Immunol.*, 88:31-37, 1962.
- 271. Maloney, M.A., and H.M. Patt, Persistent Marrow Hypocellularity After Local X-irradiation of the Rabbit Femur with 1000 rad, *Radiat. Res.*, 50:284-292, 1972.
- 272. Maloney, M.A., R.A. Lamela, and H.M. Patt, Decrease in Hematopoietic Stem Cell Domains as a Delayed Effect of X-irradiation, *Int. J. Cell Cloning*, 1:206-215, 1983.
- 273. Martin, P.G., Postnatal Growth in Prenatally Irradiated Rats: I. Exposure Rate Effect on the Liver, Kidney, Spleen, and Thymus, *Growth*, 37:55-67, 1973.
- 274. Maruyana, Y., and J.G. Eichten, Radiation Sensitivity of Spleen Cells Irradiation In vitro and In vivo, *Radiat. Res.*, 16:822-832, 1962.
- 275. Mathe, G., Total Body Irradiation Injury: A Review of the Disorders of the Blood and Hematopoietic Tissues and Their Therapy, *Nuclear Hematol.*, 275-338, 1965.

- 276. Maurice, P.A., and J. Jeanrenaud, Erythropoietic Depression Due to Splenic Irradiation, Experimental Study of the Distant Radiological Effect, *Brit. J. Haemat.*, 10:327-338, 1964.
- 277. McCulloch, E.A., and J.E. Till, Proliferation of Hemopoietic Colony-forming Cells Transplanted into Irradiated Mice, *Radiat. Res.*, 22:383-397, 1964.
- 278. McCulloch, E.A., and J.E. Till, The Sensitivity of Cells from Normal Mouse Bone Marrow to Gamma Radiation In Vitro and In Vivo, *Radiat. Res.*, 16:822-832, 1962.
- 279. McCulloch, E.A., and J.E. Till, The Radiation Sensitivity of Normal Mouse Bone Marrow Cells, Determined by Quantitative Marrow Transplantation into Irradiated Mice, *Radiat. Res.*, 13:115-125, 1960.
- 280. McDonald, T.P., R.D. Lange, C.C. Congdon, and R.E. Toya, Effect of Hypoxia, Irradiation, and Bone Marrow Transplantation on Erythropoietin Levels in Mice, *Radiat. Res.*, 42:151-163, 1970.
- 281. McFee, A.F., M.W. Banner, and M.N. Sherrill, Chromosome Aberrations in Swine Leukocytes after In Vivo or In Vitro Exposure to 14 MeV Neutrons, *Radiat. Res.*, 44:512-522, 1970.
- 282. McFee, A.F., M.W. Banner, and M.N. Sherrill, Influence of Animal Age on Radiation-Induced Chromosome Aberrations in Swine Leukocytes, *Radiat. Res.*, 41:425-435, 1970.
- 283. Melamed, J.S., B.A. Michael, G. Chen, J. Brown, and C.A. Katagiri, Acute Hematological Tolerance to Multiple Fraction, Whole Body, Low Dose Irradiation in an Experimental Murine System, *Radiology*, 134:503-506, 1980.
- 284. Michlem, H.S., C.E. Ford, E.P. Evans, D.A. Ogden, and D.S. Papworth, Competitive In Vivo Proliferation of Foetal and Adult Haematopoietic Cells in Lethally Irradiated Mice, *J. Cell Physiol.*, 79:293-298.
- 285. Millar, J.L., N.M. Blackette, and B.N. Hudspith, Enhanced Post-Irradiation Recovery of the Haemopoietic System in Animals Pretreated with a Variety of Cytotoxic Agents, *Cell Tissue Kinet.*, 11:543-553, 1978.
- 286. Miller G.K., and S.A. Benjamin, Radiation-Induced Quantitative Alterations in Prenatal Thymic Development in the Beagle Dog, *Lab. Invest.*, 52(2):224-231, 1985.
- 287. Miller, C.P., C.W. Hammond, and M. Tompkins, Reduction of Mortality from X-radiation by Treatment with Antibiotics, *Science*, 111:719-720, 1950.
- 288. Miller, M., E.M. Cooke, and E.J. Ainsworth, Effects of Neutron or Gamma Dose Fractionation on the Hematological Response in Mice, *Radiat. Res.*, 59:50, 1974.

- 289. Miura, M., C.W., Jackson, and S.A. Lyles, Increases in Circulating Megakaryocyte Growth-Promoting Activity in the Plasma of Rats Following Whole Body Irradiation, *Blood*, 63(5):1060-1066, 1984.
- 290. Mobley, T.S., and T.C. DeFeo, Cobalt-60 Gamma Irradiation of Sheep: Correlations of Sixty-day Median Lethal Dose Studies with Selected Biochemical, Hematologic, and Pathologic Findings, *Technical Report No. AFWL-TR-68-3*, 1975.
- 291. Mobley, T.S., J. DeBoer, and R.L. Persing, Response of Wethers to Median Lethal Dose Levels of 60 Co Gamma Radiation, *AFWL-TR-69-145*, 1970.
- 292. Nelp, W.B., M.N. Gohil, S.M. Larson, and R.E. Bower, Long-term Effects of Local Irradiation of the Marrow on Erythron and Red Cell Function, *Blood*, 36(5):617-622, 1970.
- 293. Nelson, B., W. Calvo, T. Fliedner, E. Herbst, C. Bruch, H.P. Schnappauf, and H.D. Flad, The Repopulation of Lymph Nodes of Dogs after 1200 R Whole-body X-irradiation and Intravenous Administration of Mononuclear Blood Leukocytes, *Am. J. Pathol.*, 84:259-282, 1976.
- 294. Nelson, D.F., J.T. Chaffey, and S. Hellman, Late Effects of X-irradiation on the Ability of Mouse Bone Marrow to Support Hematopoiesis, *Int. J. Rad. Oncol. Biol. Phys.*, 2:39-45, 1977.
- 295. Newsome, F.E., and R.R. Overman, The Effect of Homologous Marrow Transplantation on the Survival of Monkeys Following Sublethal Wholebody Radiation, *Blood*, 37(6):1762-1769, 1971.
- 296. Nold, J.B., S.A. Benjamin, G.K. Miller, Radiation Injury to the Canine Thymus Lympho-hematopoietic Stem Cells Correlation with Functional Deficits, *Technical Report by Colorado State University for the Defense Nuclear Agency*, DNA001-84-C-0158, 1986.
- 297. Noordegraaf, E.M., E.A. Erkens-Versluis, and R.E. Ploemacher, Studies of the Hemopoietic Microenvironments: V. Changes in Murine Splenic and Bone Marrow Glycosaminoglycans During Post Irradiation Hematopoietic Regeneration, *Exp. Hematol.*, 9(4):326-331, 1981.
- 298. Norris, W.P., T.E. Fritz, C.E. Rehfeld, and C.M. Poole, The Response of the Beagle Dog to Cobalt-60 Gamma Radiation: Determination of the LD50(30) and Description of Associated Changes, *Radiat. Res.*, 35:681-708, 1968.
- 299. Nothdurft, W., and T.M. Fliedner, The Response of the Granulocytic Progenitor Cells (CFU-C) of Blood and Bone Marrow in Dogs Exposed to Low Doses of X Irradiation, *Radiat. Res.*, 89:38-52, 1982.
- 300. Nothdurft, W., C. Bruch, T.M. Fliedner, and E. Ruber, Studies on the Regeneration of the CFU-C Population in Blood and Bone Marrow of Lethally Irradiated Dogs After Autologous Transfusion of Cryopreserved Mononuclear Blood Cells, *Scand. J. Haematol.*, 19:470-481, 1977.

- 301. Nygaard, O.F., and R.L. Potter, Effect of X-irradiation on DNA Metabolism in Various Tissues of the Rat, *Radiat. Res.*, 10:462-476, 1959.
- 302. Odartchenko, N., H. Cotteir, L.E. Feinendegen, and V.P. Bond, Mitotic Delay in More Mature Erythroblasts of the Dog, Induced In Vivo by Sublethal Doses in X-Rays, *Radiat. Res.*, 21:413-422, 1964.
- 303. Odell, T.T., C.W. Jackson, and T.J. Friday, Effects of Radiation on the Thrombocytopoietic System of Mice, *Radiat. Res.*, 48:107-115, 1971.
- 304. Okumura, K., and T. Tada, Regulation of Homocytotrophic Antibody Formation in the Rat, *Immunol.*, 107(6):1682-1689, 1971.
- 305. Okunewick, J.P., and E.L. Phillips, Extended Recovery Lag in Rat Haematopoietic Colony Forming Units Following Sublethal X-irradiation, *J. Lab. Clin. Med.*, 79(4):550-558, 1972.
- 306. Okunewick, J.P., D. Fulton, A.M. Markoe, and E.L. Phillips, Interrelationship of Erythropoietic Recovery, Marrow Recovery, Colony-forming Units, and Erythropoiesis-Stimulating Factors After Sublethal X-irradiation, *Radiat. Res.*, 52:138-151, 1972.
- 307. Patchen, M., and T.J. MacVirth, Stimulated Hemopoiesis and Enhanced Survival Following Glucan Treatment in Sublethally and Lethally Irradiated Mice, Int. Soc. Immunopharmacol., AFRRI Scientific Report SR85-39, 3:923-932, 1985.
- 308. Penikas, V.T., FE-59 and CR-51 Studies of the Effect of Partial-body X-irradiation on Erythropoiesis in Beagles, *AFFRI Scientific Report SR66-05*, 1966.
- 309. Perman, V., D.K. Sorensen, E.A. Usenik, V.P. Bond, and E.P. Cronkite, Hemopoietic Regeneration in Control and Recovered Heavily Irradiated Dogs Following Severe Hemorrhage, *Blood*, 19(6):738-742, 1962.
- 310. Perman, V., E.P. Cronkite, V.P. Bond, and D.K. Sorensen, The Regenerative Ability of Hemopoietic Tissue Following Lethal X-Irradiation in Dogs, *Blood*, 19:724-737, 1962.
- 311. Pesic, N., M. Radotic, S. Hajdukovic, Erythropoietic Production Following Gamma Irradiation and Hemorrhage in Dogs, *Science*, 143:49-50, 1964.
- 312. Peterson, W.J., E.H. Perkins, and T. Makinodan, Recovery of Immune Competence Following Sublethal X Irradiation of Young and Old Mice: A Model for Studying Age-Related Loss of Immunologic Hemostasis, Radiat. Res., 89:53-64, 1982.
- 313. Pollard, M., and T. Matsuzawa, Radiation-induced Leukemia in Germfree Mice, *Proc. Soc. Exp. Biol.*, 116:967-971, 1964.
- 314. Porteous, D.D., and L.G. Lajtha, On Stem-cell Recovery after Irradiation, *Brit. J. Haemat.*, 12:177-187, 1966.

- 315. Pospisil, M., J. Netikova, and A. Kozubik, Enhancement of Hemopoietic Recovery by Indomethacin After Sublethal Whole-body Gamma Irradiation, *Acta Radiol. Oncol.*, 25:195-198, 1986.
- Prosser, C.L., E.E. Painter, H. Lisco, A.M. Brues, L.O. Jacobson, and M.N. Swift, The Clinical Sequence of Physiological Effects of Ionizing Radiation in Animals, Radiology, 49:299-313, 1947.
- 317. Proukakis, C., and P.J. Lindop, Age Dependence of Radiation Sensitivity of Haemopoietic Cells in the Mouse, *Nature*, 215:655-656, 1967.
- 318. Proukakis, C., and P.J. Lindop, Hematopoietic Changes Following Irradiation, In *Pathology of Irradiation*, Williams and Wilkins Co., Baltimore, MD, pp. 447-495, 1971.
- 319. Proukakis, C., J.E. Coggle, and P.J. Lindop, Some Late Effects of Radiation in the Bone Marrow Stem Cells of the Mouse, *Radiol. Clin. Biol.*, 42:24-29, 1973.
- 320. Proukakis, C., J.E. Coggle, and P.J. Lindop, Effect of Age at Exposure on the Bone Marrow Stem Cell Population in Relation to 30-day Mortality in Mice, In Sikov, M.R., and D.C. Mahlum (eds), Radiation Biology of the Fetal and Juvenile Mammal, U.S. Atomic Energy Commission, p. 603, 1969.
- Puck, T.T., Cellular Aspects of the Mammalian Radiation Syndrome, II. Cell Depletion in Bone Marrow, Spleen, and Thymus of Young Mice, *Radiat. Res.*, 27:272-283, 1966.
- 322. Puro, E.A., and G.M. Clark, The Effect of Exposure Rate on Animal Lethality and Spleen Colony Cell Survival, *Radiat. Res.*, 52:115-129, 1972.
- 323. Rahman, Y.E., Effect of X-irradiation on the Fragility of Rat Spleen Lysosomes, *Radiat. Res.*, 20:741-750, 1963.
- 324. Rappaport, D.A., Influence of Total-body X-rays on the Kinetics of Erythrocyte Enzymes as a Biological Dosimeter, *Annual Progress Report III By Department of Pediatrics*, Univ. of Texas Medical Branch, Galveston, TX, Contract No. DA-49-193-MD-2139, 1963.
- 325. Rappaport, D.A., and B.W. Sewell, Metabolic Changes Induced in Mammalian Erythrocytes by Whole-body X-irradiation, *Nature*, 184:846-849, 1959.
- 326. Reisner, E.H., and R.P. Keating, Survival of Labeled Platelets in X-irradiated Rabbits, *Proc. Soc. Exp. Biol. Med.*, 96:112-114, 1957.
- 327. Rene, A.A., J.H. Darden, and S.J. Baum, Bone Marrow Cellularity in Postirradiated Rats, *AFRRI Scientific Report SR68-8*, 1968.
- 328. Rice, F.A.H., C.G. Chen, and A.A. Rene, Concentration of Leucogenenol in the Serum of Dogs Following Their Exposure of Lethal Gamma-radiation from Cobalt-60, *Radiat. Res.*, 56:507-512, 1973.

- 329. Riopelle, A.J., H.W. Ades, and F.E. Morgan, Peripheral Blood of the X-irradiated Rhesus Monkey, *Radiat. Res.*, 7:581-590, 1957.
- 330. Robinson, C.V., Relationship Between Animal and Stem Cell Dose-survival Curves, *Radiat. Res.*, 35:318-333, 1968.
- 331. Roderick, U.R, and T.A. Strike, Effect of Mixed Gamma-Neutron Radiations on Plasma and Urine Amino Acid Levels in the Rat, *AFRRI SR69-11*, 1969.
- 332. Roscher, A.A., R.S. Boatwright, H.G. Kupfer, and R.H. Egdhal, Acute Myelogenous Leukemia with Histopathologic Studies, Following Total Body Irradiation of a Dog, *JAVMA*, 136(10):491-503, 1960.
- 333. Rozing, J., and R. Benner, The Recovery of the B Cell Compartment in Lethally Irradiated and Reconstituted Mice, In Fedman, M., and A. Gloversun (eds), *Immune Reactivity of Lymphocytes*, Plenum Press, NY, pp. 203-208, 1976.
- 334. Ruch, T.C., W. Isaac, and R.W. Leary, Behavioral and Correlated Hematologic Effects of Sublethal Whole Body Irradiation, *Response of the Nervous System to Ionizing Radiation*, pp. 691-703, 1960.
- 335. Ruchti, C., H. Cottier, E.P. Cronkite, C.R. Jansen, and K.R. Rai, Studies on Lymphocytes. XVII. Differential Lymphocyte Depletion in Lymphoreticular Organs of the Calf During Continuous Extracorporeal X-Irradiation of the Circulating Blood, Cell Tissue Kinet., 3:301-315, 1970.
- 336. Rugh, R., and J. Wolff, Hematologic Recovery of Adult and Weanling Rats Following Whole Body Roentgen Irradiation, *Am. J. Roentgenol.*, 78:887-908, 1957.
- 337. Rust, J.H., B.F. Trum, J.L. Wilding, and J.J. Lane, Hematological Response of the Burro (Equus Asinus Asinus) to Total Body Tantalum-182 Irradiation, *Acta Haemat.*, 12:327-335, 1954.
- 338. Sabine, J.C., Effects of Total Body X-irradiation and Plutonium Injection of the Cholinesterase of Erythrocytes and Brain, *Am. J. Physiol.*, 187:275-279, 1956.
- 339. Sado, T., T. Kurotsu, and H. Kamisaku, Further Studies on the Radioresistance of Antibody Producing Cells: Characterization of the Survival Curve, *Radiat. Res.*, 48:179-188, 1971.
- 340. Sato, C., and M. Sakka, Cell Population Analysis of Radiation Damage and Recovery of Thymus and Lymph Nodes in Mice, *Radiat. Res.*, 38:204-213, 1969.
- 341. Schlumberger, H.G., and U.K. Henschke, Effect of Total Body X-irradiation on the Parakeet, *Proc. Soc. Exp. Biol. Med.*, 92:261-266, 1956.
- 342. Schmidtke, J.R., and F.J. Dixon, The Effect of In Vivo Irradiation on Macrophage Function, J. Immunol., 110(3):848-854, 1973.

- 343. Schneider, D.O., and G.F. Whitmore, Comparative Effects of Neutrons and X-rays on Mammalian Cells, *Radiat. Res.*, 18:286, 1963.
- 344. Schoeters, G.E.R., Dose Delivered to Various Bone and Marrow Sites of Radium 226 Injected Mice Related to the Observed Heterogeneity in Damage to Haemopoietic Marrow Cells, *Brit. J. Radiol.*, 55:520-529, 1982.
- 345. Schofield, R., M.V. Haigh, and E. Paterson, Autologous Bone-marrow Treatment of Lethally-irradiated Rhesus Monkeys, *Int. J. Rad. Biol.*, 6(1):1-16, 1962.
- 346. Schofield, R., and L.J. Cole, An Erythrocyte Defect in Splenectomized X-Irradiated Mice Restored with Spleen Colony Cells, *Brit. J. Haemat.*, 14:131-140, 1968.
- 347. Schofield, R., and T.M. Dexter, CFU-S Repopulation After Low-dose Whole-body Radiation, *Radiat. Res.*, 89:607-617, 1982.
- 348. Schooley, J.C., J.M. Hayes, L.N. Cantor, and V.W. Havens, Studies on the Behavior of Erythropoietin-Sensitive Cells in the Mouse During Recovery from 200 Roentgens of Whole-body Irradiation, *Radiat. Res.*, 32:875-883, 1967.
- 349. Seed, T.M., L.V. Kaspar, T.E. Fritz, and D.V. Tolle, Cellular Responses in Chronic Radiation Leukemogenesis, *Carcinogenesis*, 10:363-379, 1985.
- 350. Seed, T.M., S.M. Cullen, L.V. Kaspar, D.V. Tolle, and T.E. Fritz, Hematopathologic Consequences of Protracted Gamma Irradiation: Alterations in Granulocyte Reserves and Granulocyte Mobilization, *Blood*, 56(1):42-52, 1980.
- 351. Seed, T.M., T.E., Fritz, D.V. Tolle, C.M. Poole, L.S. Lombard, D.E. Doyle, L.V. Kaspar, S.M. Cullen, and B.A. Carnes, Survival Patterns and Hemopathological Responses of Dogs Under Continuous Gamma Irradiation, In Broerse, J.J. and T.J. MacVittie (eds), Response of Different Species to Total Body Irradiation, Boston, MA, pp. 137-159, 1984.
- 352. Seed, T.M., Tolle, D.V., T.E. Fritz, R.L. Devine, C.M. Poole, and W.P. Norris, Irradiation-induced Erythroleukemia and Myelogenous Leukemia in the Beagle Dog: Hematology and Ultrastructure, *Blood*, 50(6):1061-1079, 1977.
- 353. Segreto, C., and F.C. Ludwig, Discrimination Between Various Dose Levels in Whole-body Irradiated Mice, by Counts of Bone Marrow Samples, *Inter. J. Appl. Rad. Isotopes*, 23:545-548, 1972.
- 354. Selye, H., *The Physiology and Pathology of Exposure to Stress, Acta Endocrinologica, Inc., Montreal, Canada, 1950.*
- 355. Seno, S., C.H. Fang, S. Himei, C.L. Hsueh, and Y. Nakashima, Hemopoietic Recovery in Bone Marrow of Lethally Irradiated Rats Following Parabiosis, *Acta Haemat.*, 55:321-331, 1976.

- 356. Sharp, J.G., and E.B. Watkins, Cellular and Immunological Consequences of Thymic Irradiation, In Dubois, J.B., B. Serrou, and C. Rosenfeld (eds), Immunopharmacologic Effects of Radiation Therapy, Ravin Press, NY, 8:137-179, 1981.
- 357. Shiraishi, N., K. Aono, and K. Utsumi, Increased Metallothionein Content in Rat Liver Induced by X Irradiation and Exposure to High Oxygen Tension, *Radiat. Res.*, 95:298-302, 1983.
- 358. Shively, J.N., S.M. Michaelson, and J.W. Howland, The Response of Dogs to Bilateral Whole-body 60-Co Irradiation, *Radiat. Res.*, 15:319-328, 1961.
- 359. Siminovitch, L., J.E. Till, and E.A. McCulloch, Decline in Colony-forming Ability of Marrow Cells Subjected to Serial Transplantation into Irradiated Mice, *J. Cell and Comp. Physiol.*, 64:23-32, 1964.
- 360. Siminovitch, L., J.E. Till, and E.A. McCulloch, Radiation Responses of Hemopoietic Colony-forming Cells Derived from Different Sources, *Radiat. Res.*, 24:482-493, 1965.
- 361. Slavin, S., and H.J. Seidel, Hemopoietic Activity in Bone Marrow Chimeras Prepared with Total Lymphoid Irradiation (TLI), *Exp. Hematol.*, 10(2):206-216, 1982.
- 362. Slavin, S., R. Or, Z. Weshler, Z. Fuks, S. Morecki, M. Weigensberg, S. Bar, and L. Weiss, The Use of Total Lymphoid Irradiation for Allogeneic Bone Marrow Transplantation in Animals and Man, *Surv. Immunol. Res.*, 4:238-252, 1985.
- 363. Slavin, S., S. Strober, Z. Fuks, and H.S. Kaplan, Induction of Specific Tissue Transplantation Tolerance Using Fractionated Total Lymphoid Irradiation in Adult Mice: Long-Term Survival of Allogeneic Bone Marrow and Skin Grafts, *Med.*, 146:34-48, 1977.
- 364. Slavin, S., Z. Fuks, H.S. Kaplan, and S. Strober, Transplantation of Allogeneic Bone Marrow Without Graft-Versus-Host Disease Using Total Lymphoid Irradiation, *J. Exp. Med.*, 963-972.
- 365. Smit, J.A., R.R.H. Hill, J.A. Myburgh, and S. Browde, Transplantation Tolerance in Primates After Total Lymphoid Irradiation and Allogeneic Bone Marrow Injection, *Transplantation*, 30(2):107-110, 1980.
- 366. Smith, L.H., and H.G. Willard, Alteration of Hemopoietic Tissue as a Factor Influencing Radiosensitivity of the Mouse, *Am. J. Physiol.*, 216(3):493-497, 1969.
- 367. Smith, L.H., T. Makindan, and C.C. Congdon, Circulating Rat Platelets in Lethally X-radiated Mice Given Rat Bone Marrow, *Cancer Res.*, 17:367-369, 1957.

- 368. Smith, W.W., G. Brecher, S. Fred, and R.A. Budd, Effect of Endotoxin on the Kinetics of Hemopoietic Colony-forming Cells in Irradiated Mice, *Radiat. Res.*, 27:710-717, 1966.
- 369. Smith, W.W., I.M. Alderman, and R.E. Gillespie, Increased Survival in Irradiated Animals Treated with Bacterial Endotoxins, Am. J. Physiol., 191:124-130, 1957.
- 370. Smith, W.W., R.Q. Marston, H.J. Ruth, and J. Cornfield, Granulocyte Count, Resistance to Experimental Infection and Spleen Homogenate Treatment in Irradiated Mice, *Am. J. Physiol.*, 176:288-292, 1954.
- 371. Smith, W.W., S.M. Wilson, and S.S. Fred, Kinetics of Stem Cell Depletion and Proliferation: Effects of Vinblastine and Vincristine in Normal and Irradiated Mice, *J. Nat. Cancer Inst.*, 40(4):847-854, 1968.
- 372. Stearner, S.P., and S.A. Tyler, Radiation Mortality in the Mouse: Model of the Kinetics of Injury Accumulation. I. Protracted Doses in the 30-Day Lethal Range, *Radiat. Res.*, 20:619-630, 1963.
- 373. Stevenson, A.F.G., Myelopoiesis in Whole-body-irradiated Beagles: Influence of Dose-rate on GM-CFU and CSA Kinetics, *J. Rad. Res.*, 26:169-176, 1985.
- 374. Stevenson, A.F.G., Haemopoietic Recovery During Radiation Disease: Comments on Combine-Injuries, *Radiat. Environ. Biophys.*, 20:29-36, 1981.
- 375. Stewart, D.A., G.D. Ledney, W.H. Baker, E.G. Daxon, and P.A. Sheehy, Bone Marrow Transplantation of Mice Exposed to a Modified Fission Neutron (N/G-30:1) Field, *Radiat. Res.*, 92:268-279, 1982.
- 376. Storb, R., H. Ragde, and E.D. Thomas, Extracorporeal Irradiation of the Blood in Baboons, *Radiat. Res.*, 38:43-54, 1969.
- 377. Storey, R.H., L. Wish, and J. Furth, Changes in Cell and Plasma Volumes Produced by Total Body X Radiation, *Proc. Soc. Exp. Biol. Med.*, 74:242-244, 1980.
- 378. Straube, R.L., Examination of Diurnal Variation in Lethally Irradiated Rats, *Science*, 142:1062, 1963.
- 379. Strike, T.A., Acute Mortality of Mice and Rats Exposed to 14 MeV Neutrons, *AFRRI SR69-19*, 1969.
- 380. Strohlman, F., E.P. Cronkite, and G. Brecher, Stimulation of Erythropoiesis in Irradiated Dogs and Rats, *Proc. Soc. Exp. Biol. Med.*, 88:402-406, 1955.
- 381. Supplee, H., J.D. Hauschildt, and C. Entenman, Plasma Proteins and Plasma Volume in Rats Following Total-body X-irradiation, *Am. J. Phys.*, 169:483-490, 1952.

- 382. Swift, M.N., and S.T. Taketa, Effect on Circulating Blood Volume of Partial Shielding of Rat Intestine During X-irradiation, *Radiat. Res.*, 8:516-525, 1958.
- 383. Takada, Y., and A. Takada, Proliferation of Donor Hematopoietic Cells in Irradiated and Unirradiated Host Mice, *Transplantation*, 12(4):334-338, 1971.
- 384. Takada, A., U. Takada, and J.L. Ambrus, Effects of Thymectomy and X-irradiation on the Immune Response of Mice to Sheep Erythrocytes, *Radiat. Res.*, 40:341-350, 1969.
- 385. Takada, A., Y. Takada, C.C. Huang, and J.L. Ambrus, Biphasic Pattern of Thymus Regeneration After Whole-body Irradiation, *J. Exp. Med.*, 129:445-457, 1969.
- 386. Takada, A., U. Takada, U. Kim, and J.L. Ambrus, Bone Marrow, Spleen, and Thymus Regeneration Patterns in Mice After Whole-body Irradiation, *Radiat. Res.*, 45:522-535, 1971.
- 387. Takamura, W., T. Kankura, and H. Eto, Occult Blood Appearance in Feces and Tissue Hemorrhages in Mice After Whole Body X-irradiation, *Radiat. Res.*, 48:169-178, 1971.
- 388. Taketa, S.T., The Effectiveness of Water-electrolyte Replacement Therapy and of Antibiotic Treatment Against Acute (3-5 day) Intestinal Radiation Deaths in the Rat, *Radiat. Res.*, 16:312-326, 1962.
- 389. Talas, M., I. Konstantinova, B.B. Fuks, I. Stoger, and E. Szolgay, Interferon, Nucleic Acid and Protein Synthesis in Mouse Spleen Cells After y-Irradiation, *J. Gen Virol.*, 18:393-397, 1972.
- 390. Taliaferro, W.H., and L.G. Taliaferro, Effects of Radiation on the Initial and Anamnestic IgM Hemolysin Responses in Rabbits; Antigen Injection After X-rays, *Immunol.*, 103(3):559-569, 1969.
- 391. Tao, T.W., and G.L. Floersheim, Reconstitution Capacity of Bone Marrow Cells from Nude Mice in Radiation Chimeras, *Acta Haemat.*, 55:332-337, 1976.
- 392. Taylor, J.F., J.L. Terry, M.E. Ekstrom, and J.E. West, Temporal Change in Radiosensitivity of Miniature Swine as Evaluated by the Split-dose Technique, *AFRRI Scientific Report for Defense Nuclear Agency*, SR74-14, 1974.
- 393. Testa, N.G., and R.P. Gale, Long-term Effects of Chemotherapy and Radiation, In *Hematopoiesis*, Marcel Dekker, Inc., NY, pp. 1-21, 1988.
- 394. Testa, N.G., and R.P. Gale, Bone Marrow Function: Recent Progress and Future Directions, In *Hematopoiesis*, Marcel Dekker, Inc., NY, pp. 403-407, 1988.
- 395. Testa, N.G., and J.H. Hendry, Radiation Induced Hemopoiesis in Adult Mouse Liver, Exp. Hemat., 5:136-140, 1977.

- 396. Testa, N.G., J.H. Hendry, and L.G. Lajtha, The Response of Mouse Haemopoietic Colony Formers to Acute or Continuous Gamma Irradiation, *Biomed.*, 19:183-186, 1973.
- 397. Testa, N.G., J.H. Hendry, and L.G. Lajtha, The Response of Mouse Haemopoietic Colony Forming Units to Repeated Whole Body X-irradiation, *Biomed.*, 21:431-434, 1974.
- 398. Testa, N.G., J.H. Hendry, and G. Molineux, Long-term Bone Marrow Damage After Cytotoxic Treatment: Stem Cells and Microenvironment, In Hematopoiesis, Marcel Dekker, Inc., NY, pp. 75-88, 1988.
- 399. Testa, N.G., J.H. Hendry, and G. Molineux, Long Term Bone Marrow Damage in Experimental Systems and in Patients after Radiation or Chemotherapy, *Anticancer Res.*, 5:101-110, 1985.
- 400. Thomson, J.F., and W.W. Tourtellotte, The Effect of Dose Rate on the LD 50 of Mice Exposed to Gamma Radiation From Cobalt 60 Sources, Am. J. Roentgenol., 69(5):826-829, 1953.
- 401. Till, J.E., and E.A. McCulloch, Repair Processes in Irradiated Mouse Hematopoietic Tissue, *Ann. NY Acad. Sci.*, 114:115-125, 1964.
- 402. Till, J.E., and E.A. McCulloch, Early Repair Processes in Marrow Cells Irradiated and Proliferating In Vivo, *Radiat. Res.*, 18:96, 1963.
- 403. Till, J.E., and E.A. McCulloch, A Direct Measurement of the Radiation Sensitivity of Normal Mouse Bone Marrow Cells, *Radiat. Res.*, 14:213, 1961.
- 404. Tolle, D.V., T.M. Seed, T.E. Fritz, L.S. Lombard, C.M. Poole, and W.P. Norris, Acute Monocytic Leukemia in an Irradiated Beagle, *Vet. Pathol.*, 16:243-254, 1979.
- 405. Tomooka, S., G. Matsuzaki, K. Kishihara, K. Tanaka, Y. Yoshikai, K. Taniguchi, K. Himeno, and K. Nomoto, Sequential Appearance of Thymocyte Subpopulations and T Cell Antigen Receptor Gene Messages in the Mouse Thymus after Sublethal Irradiation, *J. Immunol.*, 139(12):3986-3990, 1987.
- 406. Trowell, O.A., M.J. Corp, and W.R. Lush, Paradoxical Resistance of Thymus Lymphocytes to High Doses of X-radiation, *Radiat. Res.*, 7:120-128, 1957.
- 407. Trum, B.F., T.J. Haley, M. Bassin, J. Heglin, and J. H. Rust, Effect of 400 Fractional Whole Body y-Irradiation in the Burro (Equus Asinus Asinus), Am. J. Physiol., 174:57-62, 1953.
- 408. Tsuchiyz, T., J-I Hayakawa, S. Muramatsu, and H. Eto, Radiosensitivity and Thyroid Function in Mice, *Radiat. Res.*, 19:316-323, 1963.

- 409. Tullis, J.I., The Sequence of Pathologic Changes in Swine Exposed to the LD100/30 of Total Body Super-Voltage X-radiation, *Mil. Surgeon*, 109:271-280, 1951.
- 410. Turbyfill, C.L., Plasma Chemistry Values for the Monkey (Macaca Mulatta) After a Supralethal Dose of Pulsed Mixed Gamma-Neutron Radiations, AFRRI SR69-23, 1969.
- 411. Ueno, Y., Diurnal Rhythmicity in the Sensitivity of Haemopoietic Cells to Whole-Body Irradiation in Mice, *Int. J. Radiat. Biol.*, 14(4):307-312, 1968.
- 412. Uphoff, D.E., Preclusion of Secondary Phase of Irradiation Syndrome by Inoculation of Fetal Hematopoietic Tissue Following Lethal Total-body X-Irradiation, *J. Nat. Cancer Inst.*, 20(3):625-632, 1958.
- 413. Upton, A.C., F.F. Wolff, J. Furth, and A.W. Kimball, A Comparison of the Induction of Myeloid and Lymphoid Leukemias in X-radiated RF Mice, Cancer Res., 18:842-849, 1958.
- 414. Upton, A.C., J. Furth, and K.W. Christenberry, Late Effects of Thermal Neutron Irradiation in Mice, *Cancer Res.*, 14:682-690, 1954.
- 415. Urso, P. and C.C. Congdon, The Effect of the Amount of Isologous Bone Marrow Injected on the Recovery of Hematopoietic Organs, Survival and Body Weight after Lethal Irradiation Injury in Mice, *Blood*, 12:251-260, 1957.
- 416. Valentine, W.N., M.L. Pearce, and J.S. Lawrence, Studies on the Radiosensitivity of Bone Marrow. II. The Effect of Large, Repeated Whole Body Irradiation Exposure on Hematopoiesis, *Blood*, 7:14-19, 1952.
- 417. Valeriote, F.A., D.C. Collins, and W.R. Bruce, Hematological Recovery in the Mouse Following Single Doses of Gamma Radiation and Cyclophophamide, *Radiat. Res.*, 33:501-511, 1968.
- 418. Vogel, F.S., and J.C. Ballin, Morphological Changes in Thymus of Rats Following Whole-Body Exposure to Massive Doses of Radiation, *Proc. Soc. Exp. Biol.*, 90:419-423, 1955.
- 419. Vogel, H.H., R. Forde, and C. Gurney, Studies with Erythropoietin in Gamma- and Neutron-irradiated Mice, *Exp. Hemat.*, 12:66, 1967.
- 420. Vogel, H.H., J.W. Clar, C.W. Hammond, D.B. Cooper, and C.P. Miller, Endogenous Infection in Mice Irradiated with Fast Neutrons or Gamma Rays, *Proc. Soc. Expt. Biol. Med.*, 87:114-119, 1954.
- 421. von der Maase, H., Interactions of Drugs and Radiation in Hemopoietic Tissue Assessed by Lethality of Mice After Whole-body Irradiation, *Int. J. Radiat. Biol.*, 48:371-380, 1985.
- 422. von Hazmburg, R.S., Hematological Response in Sheep Following Pulsed Fission-spectrum Neutron Radiation, *AFWL-TR-67-48*, 1967.

- 423. von Melcher, H., Hemopoietic Precursor Cell Regeneration Following Irradiation and Syngeneic Marrow Transplantation, *Blut*, 46:1-10, 1983.
- 424. von Wangenheim, K.H., H.P. Peterson, and L.E. Feinendegen, Residual Radiation Effect in the Murine Hematopoietic Stem Cell Compartment, *Radiat. Environ. Biophys.*, 25:93-106, 1986.
- 425. von Wangenheim, K.H., M.P. Siegers, and L.E. Feinendegen, Repopulation Ability and Proliferation Stimulus in the Hematopoietic System of Mice Following Gamma-irradiation, *Exp. Hematol.*, 8(6):694-701, 1980.
- 426. Vos, O., Repopulation of the Stem-cell Compartment in Haemopoietic and Lymphatic Tissues of Mice After X-irradiation, In *Effects of Radiation on Cellular Proliferation and Differentiation*, pp. 149-162, 1968.
- 427. Vos, O., Short- and Long-term Effects of Whole-body Irradiation with Fission Neutrons or X-rays on the Thymus in CBA-mice, *Radiat. Biol.*, 42(1):78-79, 1982.
- 428. Vos, O., Stem Cell Renewal in Spleen and Bone Marrow of Mice After Repeated Total-body Irradiations, *Int. J. Radiat. Biol.*, 22(1):41-60, 1972.
- 429. Walburg, H.E., A.C. Upton, R.L. Tyndall, W.W. Harris, and G.E. Cosgrove, Preliminary Observations on Spontaneous and Radiation-induced Leukemia in Germfree Mice, *Proc. Soc. Exp. Biol.*, 118:11-14, 1965.
- 430. Wald, N., and M.K. Conner, Induced Chromosome Damage After Irradiation and Cytotoxic Drugs, In *Hematopoiesis*, Marcel Dekker, Inc., NY, pp. 159-191, 1988.
- 431. Walker, R.L., and M. Porvaznik, Association of Leukopenia and Intestinal Permeability with Radiation-induced Sensitivity to Endotoxin, *Life Sciences*, 23:2315-2322, 1978.
- 432. Wang, R.I.H., and D.E. Davidson, Experimental Conditions for Acute Whole-body Irradiation of Dogs with Cobalt 60, *U.S. Army Medical Research Laboratory Report No. 483*, 1961.
- 433. Warren, S., J.C. MacMillan, and F.J. Dixon, Effects of Internal Irradiation of Mice with P 12, *Radiology*, 55:375-389, 1950.
- 434. Warren, S., J.C. MacMillan, and F.J. Dixon, Effects of Irradiation of Mice with P 12, *Radiology*, 55:375-389, 1950.
- 435. Watababem, Y., An Election Microscopic Study on the Reticuloendothelial System in the Bone Marrow, *Tohoku J. Exp. Med.*, 89:167-176, 1966.
- 436. Weinberg, S.R, E.G. McCarthy, T.J. MacVittie, and S.J. Baum, Effect of Low-Dose Irradiation on Pregnant Mouse Haemopoiesis, *Brit. J. Haematol.*, 48:127-135, 1981.

- 437. Weinberg, S.R., E.G. McCarthy, and T.J. MacVittie, Fetal Murine Hemopoiesis Following In Utero Low-dose Irradiation, *J. Embryol. Exp. Morph.*, 62:37-46, 1981.
- 438. Weinberg, S.R., Effects of Prenatal Irradiation on Fetal, Neonate, and Young Adult Murine Hemopoiesis, *Int. J. Radiat. Oncol. Biol. Phy.*, 9:1825-1831, 1983.
- 439. Weinberg, S.R., Murine Neonate Hemopoiesis Following In Utero Total-body Irradiation, *Biol. Neonate*, 43:272-280, 1983.
- 440. Weinberg, S.R., T.J. MacVittie, A.C. Bakarich, and M.P. McGarry, Haemopoiesis in the Beagle Foetus After In Utero Irradiation, *Int. J. Radiat. Biol.*, 44(4):367-375, 1983.
- 441. Werder, A.A., C.A. Hardin, and P. Morgan, The Experimental Effect of X-radiation and Corticone on Serum Proteins, *Radiat. Res.*, 7:500-507, 1957.
- 442. Werts, E.D., M.J. Johnson, and R.L. DeGowin, Postirradiation Hemopoietic Repopulation and Stromal Cell Viability, *Radiat. Res.*, 71:214-224, 1977.
- 443. Whitefield, J.F., and R.H. Rixon, Reduction of Nuclear Damage in X-Irradiated Rat Thymocytes by Elevated Salt Concentration, *Exp. Cell Res.*, 31:140-148, 1963.
- 444. Whitefield, J.F., and T. Youdale, Roles of Phosphate and Respiration in Nuclear Damage in Irradiated Rat Thymocytes, *Nature*, 211:212-213, 1966.
- 445. Whitelaw, D.M., The Effect of Total Body Irradiation on the Labeling of Circulating Mouse Lymphocytes with Tritiated Thymidine, *Blood*, 25(5):749-757, 1965.
- 446. Wilson, F.D, K.A., Stitzel, A.K. Klein, M. Shifrine, R. Graham, M. Jones, E. Bradley, and L.S. Rosenblatt, Quantitative Response of Bone Marrow Colony-Forming Units (CFU-C and PFU-C) in Weanling Beagles Exposed to Acute Whole-Body Y Irradiation, *Radiat. Res.*, 74:289-297, 1978.
- 447. Wolf, N.S., and J.J. Trentin, Differential Proliferation of Erythroid and Granuloid Spleen Colonies Following Sublethal Irradiation on the Bone Marrow Donor, *J.Cell Physiol.*, 75:225-230, 1969.
- 448. Wu, H.M., J.E. Till, L. Siminovitch, and E.A. McCullough, A Cytological Study of the Capacity for Differentiation of Normal Hematopoietic Colonyforming Cells, *J. Cell. Comp. Physiol.*, 69:177, 1967.
- 449. Wu, H.M., J.P. Lewis, H.H. Sky-Peck, and F.E. Trobaugh, Biochemical, Studies of Spleen of Heavily Irradiated Mice Transfused with Bone Marrow, *Radiat. Res.*, 33:50-65, 1968.

- 450. Xu, C.X., J.H. Hendry and N.G. Testa, The Response of Stromal Progenitor Cells in Mouse Marrow to Graded Repeated Doses of X-rays or Neutrons, *Radiat. Res.*, 96:82-89, 1983.
- 451. Xu, C.X., J.H. Hendry, and N.G. Testa, Residual Deficiencies in Hemopoietic Precursor Cell Populations after Repeated Irradiation of Mice with X-rays or Neutrons: Dose-response Relationships, *Exp. Hematol.*, 14:230-233, 1986.
- 452. Xu, C.X., ¿.H. Hendry, and N.G. Testa, The Response of Stromal Progenitor Cells in Mouse Marrow to Graded Repeated Doses of X Rays or Neutrons, *Radiat. Res.*, 96:82-89, 1983.
- 453. Xu, C.X., J.H. Hendry, and N.G. Testa, The Response of Stromal Progenitor Cells in Mouse Marrow to Graded Repeated Doses of X Rays or Neutrons, *Radiat. Res.*, 96:82-89, 1983.
- 454. Young, N.S., Drugs and Chemicals as Agents of Bone Marrow Failure, In *Hematopoiesis*, Marcel Dekker, Inc., NY, pp. 131-149, 1988.
- 455. Zaldivar, R., Pathological Changes in Beagles After Single Doses of Whole-body Gamma Irradiation, *Strahlentherapie*, 135:724-730, 1968.
- 456. Zander, A.R., K.N. Gray, J.P. Hester, D.A. Johnston, G. Spitzer, G.L. Raulston, K.B. McCredie, J.H. Jardine, J. Wu, C. Gleiser, J. Cundiff, and K.A. Dicke, Rescue by Peripheral Blood Mononuclear Cells in Dogs from Bone Marrow Failure After Total-body Irradiation, *Transfusion*, 24(1):42-45, 1984.

A.8 READING LIST: IMMUNE SYSTEM.

- 1. Ahmed, S.A., and W.J. Penhale, Pathological Changes in Inbred Strains of Mice Following Early Thymectomy and Irradiation, *Experientia*, 37(12):1341-1343, 1981.
- 2. Akaiwa, H., and M. Takeshima, The Reaction of Lymphoid Tissue to Roentgen Radiation, *Am. J. Roentgenol.*, 24(1):42-46, 1930.
- 3. Anderson, R.E., and W.E. Doughty, Irradiation and The Immune Response with Particular Reference to Thymic-Dependent Mechanisms, *Front. Radiat. Ther. Onc.*, 6:445-458, 1972.
- 4. Anderson, R.E., and I. Lefkovits, In Vitro Evaluation of Radiation-induced Augmentation of the Immune Response, *Am. J. Path.*, 97(3):456-472, 1979.
- 5. Anderson, R.E., and N.L. Warner, lonizing Radiation and the Immune Response, *Adv. Immunol.*, 24:215-225, 1967.
- 6. Anderson, R.E., J.L. Howarth, and G.M. Troup, Effects of Whole-Body Irradiation on Neonatally Thymectomized Mice, *Am. J. Pathol.*, 91(2):217-228, 1978.
- 7. Anderson, R.E, J. Sprent, and J.F.A.P. Miller, Radiosensitivity of T and B Lymphocytes, I. Effect of Irradiation on Cell Migration, *Europ. J. Immunol.*, 4:199-203, 1974.
- 8. Anderson, R.E., J. Sprent, and J.F.A.P. Miller, Cell-to-cell Interaction in the Immune Response, VIII. Radiosensitivity of Thymus-Derived Lymphocytes, *J. Exp. Med.* 135:711-717, 1972.
- 9. Anderson, R.E., G.B. Olson, J.L. Howarth, G.L. Wied, and P.H. Bartels, Computer Analysis of Defined Populations of Lymphocytes Irradiated In Vitro. II. Analysis of Thymus-dependent versus Bone Marrow-dependent Cells, *Am. J. Pathol.*, 80:21, 1975.
- 10. Aoyama, T., Y. Kawamoto, I. Furuta, and T. Kondo, Early Morphological Changes in Cortical Medullary Thymocytes of the Rat after Whole-Body Irradiation, *Int. J. Radiat. Biol.*, 21(6):545-558, 1972.
- 11. Ariel, I.M., M.I. Resnick, and R. Oropeza, The Effects of Irradiation (External and Internal) on Lymphatic Dynamics, *Am. J. Roentgenol.*, 99(2):404-414, 1967.
- 12. Bari, W.A., and G.D. Sorenson, Ultrastructural Alteration in X-irradiated Spleen, *Path. Microbiol.*, 27:257-275, 1964.

- 13. Barnes, and J.F. Loutit, Effects of Irradiation and Antigenic Stimulation of Circulating Haemopoietic Stem Cells of the Mouse, *Nature*, 213:1142-1143, 1967.
- 14. Benninghoff, D.L., R. Girardet, and L. Stackhouse, Radiation Recovery of Long-lived Lymphocytes in the Rat, *Radiat. Res.*, 48:589-598, 1971.
- 15. Benninghoff, D.L., R.W. Tyler, and N.B. Everett, Repopulation of Irradiated Lymph Nodes by Recirculating Lymphocytes, *Radiat. Res.*, 37(2):381-400, 1969.
- 16. Berman, I., and H.S. Kaplan, The Differential Action of Irradiated and Chemically Treated Marrow on Survival and on Thymic Regeneration in Irradiated Mice, *Radiat. Res.*, 11:24-29, 1959.
- 17. Bernard, C.C.A., J. Leydon, and I.R. Mackay, T Cell Necessity in the Pathogenesis of Experimental Autoimmune Encepthalomyelitis in Mice, Eur. J. Immunol., 6:655-660, 1976.
- 18. Bieber, C.P., S. Jamieson, A. Raney, N. Burton, S. Bogarty, R. Hoppe, H.S. Kaplan, S. Strober, and E.B. Stinson, Cardiac Allograft Survival in Rhesus Primates Treated with Combined Total Lymphoid Irradiation and Rabbit Antithymocyte Globulin, *Transplantation*, 28(4):347-350, 1979.
- 19. Blomgren, H., The Role of Bone Marrow of X-irradiated Mice in Thymic Recovery, *Cell Tissue Kinet.*, 4:443-461, 1971.
- 20. Blomgren, H., Changes of the "Radioresistant" Thymic Lymphocyte Population Following X-irradiation of Mice, *Exp. Cell Res.*, 61:271-279, 1970.
- 21. Blomgren, H., The Influence of the Bone Marrow on the Repopulation of the Thymus in X-irradiated Mice, *Exp. Cell Res.*, 58:353-364, 1969.
- 22. Blomgren, H., and L. Revesz, Cellular Composition of Mouse Thymus After X-Ray Exposure, *Exp. Cell Res.*, 51:92-104, 1968.
- 23. Blomgren, H., and L. Revesz, The Effect of Bone Marrow Protection on the Cellular Composition of Irradiated Mouse Thymus, *Exp. Cell Res.*, 53:261-271, 1968.
- 24. Blomgren, H., and L. Revesz, Cellular Composition of Mouse Thymus after X-ray Exposure, *Exp. Cell Res.*, 51:92-104, 1968.
- 25. Bogman, M.J.J.T., I.M.H.A. Cornelissen, J.H.M. Berden, J. De Jong, and R.A.P. Koene, A Comparative Study of Total Body Irradiation as a Method of Inducing Granulocyte Depletion in Mice, *J. Immunol. Meth.*, 70:31-38, 1984.
- 26. Bowser, R.T., D.B. Spence, and E.D. Exum, The Effect of X Irradiation on Delayed Hypersensitivity and Circulating Antibody, *AFRRI SR69-7*, pp. 1-11, 1969.

- 27. Brambel, C.E., Chronic Effects of Ionizing Radiation on the Hematopoietic System, *Progress Report, USAMRDC*, 1961.
- 28. Brecher, G., K.M. Endicott, H. Gump, and H.P. Brawner, Effects of X-ray on Lymphoid and Hematopoietic Tissues of Albino Mice, *Blood*, 3:1259-1274, 1948.
- 29. Bridges, J.B., and J.F. Loutit, and H.S. Micklem, Transplantation, Immunity in the Isologous Mouse Radiation Chimaera, *Immunology*, 3:195-213, 1960.
- 30. Brooke, M.S., The Effect of Total Body X-irradiation of the Rabbit on the Rejection of Homologous Skin Grafts and on the Immune Response, *J. Immunol.*, 88:419-425, 1962.
- 31. Brooks, B.O., E.L. Newman, and N.D. Reed, Differential Recovery of Antibody Production Potential After Sublethal Whole-Body Irradiation of Mice, *J. Leukoc. Biol.*, 40:335-345, 1986.
- 32. Brown, M.B., H.S. Kaplan, P.P. Weymouth, and J. Paull, Effect of Intravenously Injected Bone Marrow Cell Suspensions on Thymic Regeneration in Irradiated C 57 Black Mice, *Science*, 117:693-695, 1953.
- 33. Bruyn, P.P.H., The Effect of X-rays on the Lymphatic Nodule, with Reference to the Dose and Relative Sensitivities of Different Species, *Anat. Rec.*, 101:373-405, 1948.
- 34. Carlson, D.E., and N. Gengozian, The Effect of Acute Radiation Exposure Rates on Formation of Hemagglutinating Antibody in Mice, *J. Immunol.*, 106(5):1353-1362, 1971.
- 35. Carsten, A.L., and V.P. Bond, Colony Forming Units in the Bone Marrow of Partial Body Irradiated Mice, *Recent Results Cam. Res.*, 17:21-27, 1969.
- 36. Carsten, A.L., and T.R. Noonan, Hematological Effects of Partial-body and Whole-body X-irradiation in the Rat, *Radiat. Res.*, 22:136-143, 1964.
- 37. Castellanos, R.C., R. Leizerovitz, N. Kaiser, N. Galili, A. Polliack, A. Korkesh, and U. Galili, Prothymocytes in Postirradiation Regenerating Rat Thymuses: A Model for Studying Early Stages in T Cell Differentiation, *Immunol.*, 130(1):121-129, 1983.
- 38. Celada, R., and F.F. Carter, The Radiosensitive Nature of Homograft-rejecting and Agglutinin-forming Capacities of Isolated Spleen Cells, *J. Immunol.*, 89:161-167, 1962.
- 39. Ceredig, R., and H. R. MacDonald, Phenotypic and Functional Properties of Murine Thymocytes. II. Quantitation of Host- and Donor-Derived Cytolytic T Lymphocyte Precursors in Regenerating Radiation Bone Marrow Chimeras, *Immunol.*, 128(2):614-620, 1982.

- 40. Chaffey, J.T., and S. Hellman, Studies on Dose Fractionation as Measured by Endogenous Spleen Colonies in the Mouse, *Radiology*, 90:363-365, 1968.
- 41. Chan, S.H., and D. Metcalf, Local and Systemic Control of Granulocytic and Macrophage Progenitor Cell Regeneration After Irradiation, *Cell Tissue Kinet.*, 6:85-97, 1973.
- 42. Chertkov, I.L., A.S. Maximenko, M.N. Novikova, and M.O. Raushenback, Bone Marrow Allografts in Thymectomized X-irradiated Dogs, *Nature*, 5008:399-400, 1965.
- 43. Claman, H.N., Decline of Antibody and Impaired Anamnesis Following X-ray, *J. Immunol.*, 91:29-38, 1963.
- 44. Conard, R.A., Quantitative Study of Radiation Effects on Phytoemagglutinin-stimulated Leukocyte Cultures, *Int. J. Radiat. Biol.*, 16:157-165, 1969.
- 45. Congdon, C.C., and I.S. Urso, Homologous Bone Marrow in the Treatment of Radiation Injury in Mice, *Am. J. Path.*, 33:749-763, 1957.
- 46. Congdon, C.C., T. Makinodan, N. Gengozian, I.C. Sherkarchi, and I.S. Urso, Lymphatic Tissue Changes in Lethally Irradiated Mice Given Spleen Cells Intravenously, *J. Nat. Cancer Inst.*, 21(1):193-203, 1958.
- 47. Cooper, D.K.C., P.A. Human, and B. Reichart, Prolongation of Cardiac Xenograft (Vervet Monkey to Baboon) Function by a Combination of Total Lymphoid Irradiation and Immunosuppressive Drug Therapy, *Transplant*. *Proceed.*, 19(6):4441-4442, 1987.
- 48. Cottier, H., E.P. Cronkite, C.R. Jansen, K.R. Rai, S. Singer, and C.R. Sipe, Studies on Lymphocytes. III. Effects of Extracorporeal Irradiation of the Circulating Blood Upon the Lymphoreticular Organs in the Calf, *Blood*, 24(3):241-253, 1964.
- 49. Cronkite, E.P., A.D. Chanana, D.D. Joel, and J. Laissure, Lymphocyte Repopulation and Restoration of Cell-mediated Immunity Following Radiation: Whole-body and Localized Irradiation, In Bond, V.P., et al. (eds), Conference on Interaction of Radiation and Host Immune Defense Mechanisms in Malignancy, Brookhaven Natl. Lab. Assoc. Univ., Inc., U.S. Atomic Energy Comm., Upton, NY, pp. 181-206, 1974.
- 50. Cronkite, E.P., C.R. Jansen, G.C. Mather, N.O. Nielsen, E.A. Usenik, E.R. Adamik, and C.R. Sipe, Studies on Lymphocytes, I. Lymphopenia Produced by Prolonged Extracorporeal Irradiation of Circulating Blood, *Blood*, 20(2):203-213, 1962.
- 51. Crouse, D.A., T.L. Feldbush, and T.C. Evans, Radiation-Induced Alterations in Murine Lymphocyte Homing Patterns, *Radiat. Res.*, 76:70-82, 1978.

- 52. Cudkowicz, G., and M. Bennett, Peculiar Immunobiology of Bone Marrow Allografts. I. Graft Rejection by Irradiated Responder Mice, *J. Exp. Med.*, 134:83-102, 1971.
- 53. Davis, W.E., and L.J. Cole, Retarded Immunological Recovery in Sublethally X-irradiated Mice by Additional Thymic Exposure. Reversal with Injected Marrow Cells (33787), *Proc. Soc. Exp. Biol. Med.*, 130:1336-1344, 1969.
- 54. De Bruyn, P.P.H., Lymph node and Intestinal Lymphatic Tissue, I. Lymph Node, In *Histopathology of Irradiation*, pp. 348-445, 1984.
- 55. De Bruyn, P.P.H., M.M. Tornava-Svehlik, and J.H. Venter, The Radiosensitivity of the Lymphocytes of the Rabbit Appendix, *Radiat. Res.*, 24:15-31, 1965.
- 56. De Bruyn, P.P.H., The Effect of X-rays on the Lymphatic Nodule, with Reference to the Dose and Relative Sensitivities of Different Species, *Anat. Record*, 101:373-394, 1968.
- 57. De Vries, M.J., and O. Vos, Treatment of Mouse Lymphosarcomas by Total-body X Irradiation and by Injection of Bone Marrow and Lymph-node Cells, *J. Nat. Canc. Inst.*, 21:1117-1129, 1958.
- 58. DeBruyn, P.P.H., Effect of X-rays on the Lymphatic Nodule with References to the Dose and Relative Sensitivities of Different Species, *Anat. Record*, 101:373-394, 1968.
- 59. Decleve, A., G.B. Gerber, A. Leonard, M. Lambiet-Collier, A. Sassen, and J.R. Maisin, Regeneration of Thymus, Spleen and Bone Marrow in X-Irradiated AKR Mice, *Radiat. Res.*, 51:318-332, 1972.
- 60. Deeg, H.J., R. Storb, H.M. Shulman, P.L. Weiden, T.C. Graham, and E.D. Thomas, Engraftment of DLA-Nonidentical Unrelated Canine Marrow After High Dose Fractionated Total Body Irradiation, *Transplantation*, 33(4):443-446, 1982.
- 61. Dempster, W.J., B. Lennox, and J.W. Boag, Prolongation of Survival of Skin Homotransplants in the Rabbit by Irradiation of the Host, *Br. J. Exp. Pathol.*, 31:670-679, 1950.
- 62. Denham, S., C.K. Grant, J.G. Hall, and P. Alexander, The Occurrence of Two Types of Cytotoxic Lymphoid Cells in Mice Immunized with Allogeneic Tumour Cells, *Transplantation*, 9(4):366-382, 1970.
- 63. Dettman, P.M., A.J. Demis, and J.P. Storaasli, The Radiation Tolerance of Lymphoid Tissue, *Front. Radiat. Ther. Onc.*, 6:428-444, 1972.
- 64. Dettman, P.M., R. King and Y.H. Zimberg, Evaluation of Lymph Node Function Following Irradiation or Surgery, *Am. J. Roentgenol.*, 96(3):711-718, 1966.

- 65. Diener, E., and M. Feldmann, Relationship Between Antigen and Antibody-induced Suppression of Immunity, *Transplant. Rev.*, 8:76-103, 1972.
- 66. Dixon, F.J., and P.J. McConahey, Enhancement of Antibody Formation by Whole Body X-Irradiation, *J. Exp. Med.*, 117:833-847, 1963.
- 67. Doria G., G. Gorini, and A. Di Michele, Enhanced Antibody Affinity in Sublethally Irradiated Mice and Bone Marrow Chimeras, *Proc. Natl. Acad. Sci., USA*, 74(2):707-710.
- 68. Doria, G., G. Agarossi, and L. Adorini, Selective Effects of Ionizing Radiations on Immunoregulatory Cells, *Immunolog. Rev.*, 65:23-53, 1982.
- 69. Dormont, D., B. Coupez, F. Herodin, N. Delasneirie-Laupretre, A. Bohu, and C. Pasquier, Approach to the Radiosensitivity of Antibody Dependent Cellular Cytotoxicity, *Br. J. Cancer*, 53:161-164, 1986.
- 70. Dougherty, T.F., and A. White, Pituitary-adrenal Cortical Control of Lymphocyte Structure and Function as Revealed by Experimental X-radiation, *Endocrinology*, 39:370-385, 1946.
- 71. Du Toit, D.F., J.J. Heydenrych, B. Smit, T. Zuurmond, G. Louw, L. Laker, D. Els, S. Wolfe-Coote, J.A. van der Merwe, and A.W. Grownewald, Segmental Pancreatic Allograft Survival in Primates Treated with Total-body or Lymphoid Irradiation and Preoperative Blood Transfusions, *Nature*, 37(3):325-326, 1984.
- 72. Duplan, J.F., and R. Latarjet, Studies on the Mechanism of Radiation-induced Leukemogenesis in C57BL Mice, *Cancer Res.*, 26(1):395-399, 1966.
- 73. Eldred, E., The Response of Eosinophils to Total Body X-radiation of the Monkey, *Blood*, 14:187-193, 1959.
- 74. Ellinger, F., Protection of Guinea Pigs Against Radiation Death by Cell-free Mouse Spleen Extract, *Science*, 126:1179-1180, 1957.
- 75. Ellinger, R., and T. Strike, Pharmacological Studies on Irradiated Animals. X. Effects of Cell Free Spleen Extract Treatment on Hematopoietic Tissues of Irradiated Guinea Pigs, Research Report, Naval Medical Research Institute, 18:473-512, 1960.
- 76. Engeset, A., and J.C. Schooley, Morphological Changes Following Irradiation of a Segment of the Rat Thymus, *Proc. Soc. Exp. Biol. Med.*, 128:26-31, 1968.
- 77. Engeset, A., and J.C. Schooley, Thoracic Duct Lymphocyte Output in Rats After Local Thymus Irradiation, *Scand. J. Clin. Lab*, *Invest. Suppl.*, 106:119-123, 1968.
- 78. Engeset, A., Irradiation of Lymph Nodes and Vessels, Experiments in Rats, With Reference to Cancer Therapy, *Acta. Radiol. Suppl.* (Stockh), 229:1-125, 1964.

- 79. Ernstrom, U., Effect of Irradiation on the Release of Lymphocytes from the Thymus, *Acta Radiat. Ther. Phy. Biol.*, 11:257-276, 1972.
- 80. Everett, N.B., R.W. Caffrey, and W.O. Rieke, Radioautographic Studies of the Effect of Irradiation on the Long-lived Lymphocyte of the Rat, *Radiat. Res.*, 21:383-393, 1964.
- 81. Field, E.H., E.G. Engleman, C.P. Terrell, and S. Strober, Reduced in vitro Immune Responses of Purified Human LEU-3 (Helper/Inducer Phenotype) Cells After Total Lymphoid Irradiation, J. Immunol., 132(2):1031-1033, 1984.
- 82. Fleck, D.G., Impairment of Erythropoiesis by Irradiation, *Nature*, 190:1017-1018, 1961.
- 83. Fliedner, T.M., G.A. Andrews, E.P. Cronkite, and V.P. Bond, Early and Late Cytologic Effects of Whole Body Irradiation on Human Marrow, *Blood*, 23(4):471-487, 1964.
- 84. Ford, C.E., H.S. Micklem, E.P. Evans, J.G. Gray, and D.A. Ogden, The Inflow of Bone Marrow Cells to the Thymus: Studies with Part-Body Irradiated Mice Injected with Chromosome-Marked Bone Marrow and Subjected to Antigenic Stimulation, *Ann. NY Acad. Sci.*, 283-296, 1978.
- 85. Fred, S.S., and W.W Smith, Radiation Sensitivity and Proliferative Recovery of Hemopoietic Stem Cells in Weanling as Compared to Adult Mice, Radiat. Res., 32:314-326, 1967.
- 86. Furth, J., A.C. Upton, K.W. Christenberry, W.H. Benedict, and J. Moshman, The Late Effects in Mice of Ionizing Radiation From an Experimental Nuclear Detonation, *Radiology*, 63:562-569, 1954.
- 87. Furth, J., and O.B. Furth, Neoplastic Diseases Produced in Mice by General Irradiation with X-rays. I. Incidence and Types of Neoplasms, *Dept. of Path, Cornell Univ. Med. Coll.*, NY, 54-65, 1955.
- 88. Gassmann, W., H-U Wottage, M. von Kolzynski, and W. Muller-Ruchholtz, Immune Reactivity After High-dose Irradiation, *Transplantation*, 41(3):380-384, 1986.
- 89. Gauci, C.L., M. Gerber, J.B. Dubois, and B. Serrou, The Effect of Local Irradiation on the Immune Response in Mice, *Ann. Immunol. (Inst. Pasteur)*, 130C:431-444, 1979.
- 90. Gengozian, N., Transplantation of Rat Bone Marrow in Irradiated Mice: Effect of Exposure Rate, *Science*, 146:663-664, 1964.
- 91. Gengozian, N., D.E. Carlson, and E.M. Allen, Transplantation of Allogenic and Xenogenic (Rat) Marrow in Irradiated Mice as Affected by Radiation Exposure Rates, *Transplantation*, 7(4):259-273, 1969.

- 92. Gerber, M., J.B. Dubois, L. Gauci, and B. Serrou, The Effect of Local Irradiation on the Immune Response in Mice, *Ann. Immunol.*, 130C:735-742, 1979.
- 93. Gerhartz, H.H., W. Nothdurft, and T.M. Fliedner, Effect of Low-dose Whole-body Irradiation on Granulopoietic Progenitor Cell Subpopulation: Implications of CFUc Release, *Cell Tissue Kinet.*, 15:371-379, 1982.
- 94. Gershon, R.K., and R.S. Hencin, The DNA Synthetic Response of Adoptively Transferred Thymocytes in the Spleens of Lethally Irradiated Mice. I. Effect of Varying Antigen and Thymocyte Doses, *J. Immunol.*, 107(6):1723-1728, 1971.
- 95. Gershon-Cohen, J., and M.B. Hermel, The Diagnostic Value of the Immediate Peripheral Leukocyte Response of the Rat to Whole Body Roentgen Irradiation, *Am. J. Roentgenol.*, 71(5):846-852,1954.
- 96. Gesner, B.M., and J.L. Gowans, The Fate of Lethally Irradiated Mice Given Isologous and Heterologous Thoracic Duct Lymphocytes, *Br. J. Exp. Path.*, 43:431-440, 1962.
- 97. Gleiser, C.A., The Sequence of Pathological Events in Dogs Exposed to a Lethal Dose 100/30 of Total Body X-radiation, *Am. J. Vet. Res.*, 14:287-297, 1953.
- 98. Globerson, A., L. Fiore-Donati, and M. Feldman, *Exp. Cell Res.*, 28:455, 1962.
- 99. Grant, G.A., G.A. Currie, and P. Alexander, J. Exp. Med., 135:150, 1972.
- 100. Gregory, C.J., and M. Ebert, Comparative Studies of the Effect of 14 MeV Neutrons and 300 kVp X-rays on the Mouse Immune Response to Sheep Red-cell Antigens, *Int. J. Radiat. Biol.*, 20(3):291-296, 1971.
- Haas, G.S., E. Halperin, D. Doseretz, R. Linggood, P.S. Russell, R. Colvin, L. Barrett, and A.B. Cosimi, Differential Recovery of Circulating T Cell Subsets After Nodal Irradiation for Hodgkin's Disease, *J. Immunol.*, 132(2):1026-1030, 1984.
- 102. Halberstaedter, L., and M. Ickowicz, The Effects of X-rays on the Lymphatic Organs of Normal and Adrenalectomized Rats, *Radiol. Clin.*, 16:240-257, 1947.
- 103. Hale, M.L., and K.F. McCarthy, Effect of Sublethal Ionizing Radiation on Rat Peyer's Patch Lymphocytes, *Radiat. Res.*, 99:151-164, 1984.
- 104. Hamaoka, T., D.H. Katz and B. Benacerraf, Radioresistance of Carrier-Specific Helper Thymus-Derived Lymphocytes in Mice, *Proc. Nat. Acad.*, USA, 69(11):3453-3458, 1972.
- 105. Haot, J., and N.F. Barakina, Quantitative Study of the Hemopoietic Recovery After A Sublethal X-Irradiation in the Mouse, *Acta. Haemat.*, 42:347-356, 1969.

- 106. Haot, J., G. Haughton, and L. Revesz, Changes in the Cellular Composition of Bone Marrow in Mice Irradiated with Different X-ray Doses, *Europ. J. Cancer*, 3:67-74, 1967.
- 107. Haran-Ghera, N., The Effects of Ionizing Radiation on Growth and Regeneration of Intrarenal Thymus Grafts in Mice, *Radiat. Res.*, 26:442-449, 1965.
- 108. Harris, G., W.A. Cramp, and I. Olsen, The Acute Effects of Ionizing Radiation on DNA Synthesis and the Development of Antibody-producing Cells, *Differentiation*, 20:92-96, 1981.
- 109. Harris, P.F., Quantitative Studies on Bone-Marrow Cells in the Early Stages of Final Haemopoietic Recovery in Irradiated Guinea-pigs, *Brit. Haemat.*, 6:107-121, 1960.
- 110. Harris, P.F., Changes in Thymus and Lymph Node Activity, and Alterations in Bone Marrow Lymphocyte Levels During Recovery of the Guinea-Pig from Whole Body Gamma Irradiation, *Brit. J. Exp. Pathol.*, 39(5):39+558-573, 1958.
- 111. Harris, P.F., Quantitative Examination of Bone Marrow in Guinea-Pigs After Gamma Irradiation, *Brit. Med. J.*, 2:1032-1035, 1956.
- 112. Hellman, S., A Paradoxical Effect of Dose Rate in Partial-body Irradiation, *Radiat. Res.*, 24:601-611, 1965.
- 113. Hellman, S., and H.E. Grate, Production of Granulocytic Progeny by Transplanted Bone Marrow in Irradiated Mice, *Blood*, 30(1):103-111, 1967.
- 114. Hendry, J.H., The Response of Haemopoietic Colony-Forming Units and Lymphoma Cells Irradiated in Soft Tissue (Spleen) or a Bone Cavity (Femur) with Single Doses of X Rays, Y Rays or D-T Neutrons, *Brit. J. Radiol.*, 45:923-932, 1972.
- 115. Herman, P.G., D.L. Benninghoff, and H.Z. Mellins, Radiation Effect on the Barrier Function of the Lymph Node, *Radiology*, 91:698-702, 1968.
- 116. Hiesche, K.D., and L. Revesz, Effect of Cortisone and X-irradiation on Cellular Depletion and Regeneration in the Thymus of Mice: Experimental Discrimination Between Thymus Lymphocyte Precursors in the Bone Marrow and in the Thymus, *Path. Res. Pract.*, 164:157-166, 1979.
- 117. Hirsch, B.B., M.B. Brown, C.C. Nagareda, and H.S. Kaplan, Comparative Activity of Isologous vs Homologous or Heterologous Mouse Bone Marrow in Promoting Regeneration of the Irradiated Mouse Thymus, *Radiat. Res.*, 5:52-57, 1956.
- 118. Hochman, A., Y. Feige, and J.A. Stein, The Effect of X-irradiation on Peripheral Blood Leukocytes in Normal and Adrenalectomized Rats, *Radiat. Res.*, 15:39-44, 1961.

- 119. Hodes, P.J., and J.Q. Griffith, Effect of Roentgen Irradiation Upon Lymphatic Flow in Rats, *Radiology*, 37:203-204, 1941.
- 120. Howard, R.J., D.E.R. Suterland, C.T. Lum, W.I. Lewis, T.H. Kim, S. Slavin, and J.S. Najarian, Kidney Allograft Survival in Dogs Treated with Total Lymphoid Irradiation, *Am. Surg.*, 193(2):196-200, 1981.
- 121. Huiskamp, R., and W. van Ewijk, Repopulation of the Mouse Thymus after Sublethal Fission Neutron Irradiation, *J. Immunol.*, 134(4):2161-2169, 1985.
- 122. Huiskamp, R., J.A.G. Davids, and O. Vos, Short- and Long-Term Effects of Whole-Body Irradiation with Fission Neutrons or X Rays on the Thymus in CBA Mice, *Radiat. Res.*, 95:370-381, 1983.
- 123. Huiskamp, R., J.A.G. Davids, and W. van Ewijk, The Effect of Graded Doses of Fission Neutrons or X Rays on the Lymphoid Compartment of the Thymus in Mice, *Radiat. Res.*, 105:247-258, 1986.
- 124. Huiskamp, H., E. van Vliet, and W. van Ewijk, Repopulation of the Mouse Thymus after Sublethal Fission Neutron Irradiation. II. Sequential Changes in the Thymus Microenvironment, *J. Immunol.*, 134(4):2170-2178, 1985.
- 125. Hulse, E.V., Lymphocyte Depletion of the Blood and Bone Marrow of Irradiated Rat: A Quantitative Study, *Brit.J. Haemat.*, 5:278-283, 1959.
- 126. Hume, D.M., and J.S. Wolf, Abrogation of the Immune Response: Irradiation Therapy and Lymphocytic Depletion, Modification of Renal Homograft Rejection by Irradiation, *Transplantation*, 5(4):1174-1191, 1967.
- 127. Jacobson, L.O., E.K. Marks, J.H. Robson, E. Gaston, and R.E. Zirkle, The Effect of Spleen Protection on Mortality Following X-irradiation, *J. Lab. Clin.* Med., 34:1538-1543, 1949.
- 128. Jaroslow, B.N., and G.J.V. Nossal, Effect of X-irradiation on Antigen Localization in Lymphoid Follicles, *Aust. J. Exp. Biol. Med. Sci.*, 44(6):609-627, 1966.
- 129. Jordan, S.W., Ultrastructure Studies of Spleen After Whole-body Irradiation of Mice, Exp. Mol. Pathol., 6:156-171, 1967.
- 130. Kalisnik, M., O. Vraspir-Porenta, J. Skrk, T. Lejko, M. Logonder-Mlinsek, A. Rus, M. Zorc, and A. Jutersek, Histological and Stereological Analysis of Some Endocrine and Lymphatic Organs of Mice After Whole-body Irradiation, In *Late Biological Effects of Ionizing Radiation*, Intl. Atomic Energy Agency, 2:137-146, 1978.
- Kaplan, H.S., Influence of Thymectomy, Splenectomy, and Gonadectomy on Incidence of Radiation-Induced Lymphoid Tumors in Strain C57 Black Mice, J. Nat. Cancer Inst., 11:89-90, 1950.
- 132. Kaplan, H.S., Preliminary Studies of the Effectiveness of Local Irradiation in the Induction of Lymphoid Tumors in Mice, *J. Nat. Cancer Inst.*, 10:267-270, 1949.

- 133. Kaplan, H.S., Influence of Age on Susceptibility of Mice to the Development of Lymphoid Tumors After Irradiation, *J. Nat. Cancer Inst.*, 9:55-56, 1948.
- 134. Kaplan, H.S., M.B. Brown, and J. Paull, Influence of Bone-Marrow Injections on Involution and Neoplasia of Mouse Thymus After Systematic Irradiation, *J. Nat. Cancer Inst.*, 14(2):303-315, 1953.
- 135. Kaplan, J., Effect of X-Irradiation on Induction of Delayed Hypersensitivity as Measured by In Vitro Macrophage Migration Inhibition, *J. Reticuloendothe. Soc.*, 12:90-95, 1972.
- 136. Keraiskee, J.G., W.H. Parr, and A.T. Krebs, The Role of Certain Organs in Fractionated Total Body X-Irradiation Studies, *USAMRL TR-273*, 1956.
- 137. Kett, K., T. Scsere, L. Lukacs, K. Szilagyi, and L. Illenyi, Histological and Autoradiographic Changes in Locally Irradiated Lymph Nodes (An Experiment Study on Rabbits), Lymphology, 12:95-100, 1979.
- 138. Klein, A.K., J.A. Dyck, J.A. Shimizu, K.A. Stitzel, F.D. Wilson, and G.R. Cain, Effect of Continuous, Whole-body Gamma Irradiation Upon Canine Lymphohematopoietic (CFU-GM, CFU-L) Progenitors and a Possible Hematopoietic Regulatory Population, *Radiat. Res.*, 101:332-350, 1985.
- 139. Klopfenstein, K.A., The Influence of Splenectomy on the Peripheral Blood Response and Survival of Animals Subjected to Whole Body X-Irradiation, *UAMRL Report No. 587*, 1963.
- 140. Knowlton, N.P., and L.H. Hempelmann, The Effect of X-rays on the Mitotic Activity of the Adrenal Gland, Jejunum, Lymph Node, and Epidermis of the Mouse, J. Cell Comp. Physiol., 33:73-91, 1949.
- 141. Kornfeld, L., and V. Greenman, Effects of Total Body X Irradiation of Peritoneal and Circulating Leucocytes of Mice, *USNRDL-TR-966*, 1966.
- 142. Kotzin, B.L., S. Strober, G.S. Kansas, C.P. Terrell, and E.G. Engleman, Suppression of Pokeweed Mitogen-stimulated Immunoglobulin Production in Patients with Rheumatoid Arthritis after Treatment with Total Lymphoid Irradiation, J. Immunol., 132(2):1049-1055, 1984.
- 143. Krebs, J.S., Radiobiology of Large Animals, NTIS, 1975.
- 144. Kurnick, N.B., and N. Nokay, Repopulation of Bone Marrow in Mice: Number and Type of Cells Required for Post-X-Irradiation Protection, *Radiat. Res.*, 25:53-67, 1965.
- 145. Kwan, D.K., and A. Norman, Radiosensitivity of Human Lymphocytes and Thymocytes, *Radiat. Res.*, 69:143-151, 1977.
- 146. Lamberg, J.D., and M.R. Schwartz, In McIntyre, R.O. (ed), *Proceedings of the Fourth Annual Leukocyte Conference*, Appleton, NY, p. 173, 1971.

- 147. Latourette, H.B., and F.J. Hodges, Incidence of Neoplasia After Irradiation of Thymic Region, *Am. J. Roentgenol.*, 82(4):667-677, 1959.
- 148. Law, L.W., and M. Potter, Further Evidence of Indirect Induction by X-radiation of Lymphocytic Neoplasms in Mice, *J. Nat. Cancer Inst.*, 20(3):489-493, 1958.
- 149. Lee, S., and R.T. Woodland, Selective Effect of Irradiation on Responses to Thymus-Independent Antigen, *Immunol.*, 134(2):761-764, 1985.
- 150. Lenzi, M., and G. Bassani, The Effect of Radiation on the Lymph and on the Lymph Vessels, *Radiology*, 80:814-817, 1963.
- 151. Leuchars, E., A.M. Cross, and P. Dukor, The Restoration of Immunological Function by Thymus Grafting in Thymectomized Irradiated Mice, *Transplantation*, 3(1):28-38, 1965.
- 152. Lindop, P.J., R.E. Ellis, C. Proukakis, J. Shewell, and D.L.E. Smith, The Effect of Whole Body Irradiation on Thymic and Ovarian Cell Depletion in Mice: A Study of Non-reproductive Cell Death, *Brit. J. Radiol.*, 44(519):235-236, 1971.
- 153. Lorenz, E., C.C. Congdon, and D. Uphoff, Prevention of Irradiation-induced Lymphoid Tumors in C57BL Mice by Spleen Protection, *J. Nat. Cancer Inst.*, 14(2):291-301, 1953.
- 154. Lowenthal, J.W., and A.W. Harris, Activation of Mouse Lymphocytes Inhibits Induction of Rapid Cell Death by X-irradiation, *J. Immunol*, 135(2):1119-1125, 1985.
- 155. Ludwig, F.C., J.S. Wellington, R.M. Elashoff, and M.E. Smoke, Quantitative Studies of Late Radiation Changes in Hematopoietic Organs of RFM/U and BALB/c Mice and Their Relation to Leukemia, *Lab. Invest.*, 16(3):383-394, 1967.
- MacVittie, T.J., J.E. French, D.F. Gruber, M. Smith, J.L. Patchen, L.M.K. Wathen, L. Casey, R. Monroy, R.I. Walker, and J.J. Conklin, Hematopoietic Response to 150 Rads Cobalt-60 Gamma and Mixed Neutron-Gamma Radiation in a Canine Model of Combined Injury, Proceedings, NATO Working Group, pp. 151-158, 1982.
- 157. Maisin, J., A. Dunjic, and J.R. Maisin, Lymphatic System and Thymus, In *Pathology of Irradiation.*, Williams and Wilkins Co., Baltimore, MD, pp. 496-541, 1971.
- 158. Maisin, J., A. Dunjic, and J.R. Maisin, Lymphoid Tumors and Radiation, Pathology of Irradiation, Williams and Wilkins Co., Baltimore, MD, pp. 542-568, 1971.
- 159. Makinodan, T., and G.B. Price, In J.S. Najarian, and R.L. Simmons (eds), *Transplantation*, Lea and Febiger, Philadelphia, PA, pp. 251-266, 1965.

- 160. Makinodan, T., and N. Gengozian, Effect of Radiation on Antibody Formation, In Hollander, A. (ed), *Radiation Protection and Recovery*, pp. 315-316, 1960.
- 161. Makinokan, T., P. Nettesheim, T. Morita, and C.J. Chadwick, Synthesis of Antibody by Spleen Cells After Exposure to Kiloroentgen Doses of Ionizing Radiation, *J. Cell Physiol.*, 69:355-366, 1967.
- 162. Martin, P.G., Postnatal Growth in Prenatally Irradiated Rats: I. Exposure Rate Effect on the Liver, Kidney, Spleen, and Thymus, *Growth*, 37:55-67, 1973.
- 163. Mathe, G., J.L. Amiel, and L. Schwarzenberg, Treatment of Acute Total-body Irradiation in Man, Am. NY Acad. Sci., 114:368-392, 1964.
- 164. Mauro, F., and H. Madoc-Jones, Age Response to X-irradiation of Murine Lymphoma Cells Synchronized *in vivo*, *Proc. Nat. Acad. Sci.*, 63:686-691, 1969.
- 165. May, R.D., S. Slavin, and E.S. Vitetta, A Partial Characterization of Suppressor Cells in the Spleens of Mice Conditioned with Fractionated Total Lymphoid Irradiation (TLI), *J. Immunol.*, 131(3):1108-1114, 1983.
- 166. Miller, C.P., C.W. Hammond, and M. Tompkins, The Role of Infection in Radiation Injury, J. Lab. Clin. Med., 38:331-344, 1951.
- 167. Miller, G.K., and S.A. Benjamin, Radiation-induced Quantitative Alterations in Prenatal Thymic Development in the Beagle Dog, *Lab. Invest.*, 52(2):224-231, 1985.
- 168. Miller, J.F.A.P., Immunological Significance of the Thymus and the Adult Mouse, *Ann. NY Acad. Sci.*, 99:340-349, 1962.
- 169. Miller, J.F.A.P., S.M.A. Doak, and A.M. Cross, Role of the Thymus in Recovery of the Immune Mechanism in the Irradiated Adult Mouse, *Proc. Soc. Exp. Biol.*, 112:785-793, 1963.
- 170. Miller, J.J., H. Cole, and L.J. Cole, The Radiation Resistance of Long-lived Lymphocytes and Plasma Cells in Mouse and Rat Lymph Nodes, *J. Immunol.*, 98(5):982-990, 1967.
- 171. Mobley, T.S., and T.C. DeFeo, Cobalt-60 Gamma Irradiation of Sheep: Correlations of Sixty-day Median Lethal Dose Studies with Selected Biochemical, Hematologic, and Pathologic Findings. *Technical Report No. AFWL-TR-68-3*, 1970.
- 172. Mole, R.H., Direct and Indirect Effects of Radiation on the Thymus, *Brit. J. Radiol.*, 33:67, 1960.
- 173. Moroson, H., J. Nowakowski, and M. Schechter, Enhanced Lymphocyte-mediated Killing of Tumour Cells After Tumour Irradiation *in vivo*, *Int. J. Radiat. Biol.*, 33(5):473-482, 1978.

- 174. Mukherjee, A.K., and A.J. Sbarra, The Role of the Phagocyte in Host-parasite Interactions. XIV. Effects of Concurrent X-irradiation on Phagocytosis, *Res. J. Reticulo. Soc.*, 5(2):134-146, 1968.
- 175. Mukherjee, A.K., B. Paul, R. Strauss, and A.J. Sbarra, The Role of the Phagocyte in Host-parasite Interactions. XV. Effects of HeO₂ and X-irradiation on the Bactericidal Activities of Phagocyte Fractions, *Res. J. Reticulo. Soc.*, 5(6):529-537, 1968.
- 176. Mukherjee, A.K., B. Paul, R.J. McRipley, and A.J. Sbarra, Effect of Concurrent X-irradiation on Phagocytosis, *Bacteriol. Proc.*, p. 92-98, 1967.
- 177. Murray, R.C., The Spleen, The Thymus, In Bloom, W. (ed), Histopathology of Irradiation from External Sources, McGraw-Hill, NY, pp. 446-501, 1948.
- 178. Myburgh, J.A., J.A. Smit, and S. Browde, Transplantation Tolerance in the Primate Following Total Lymphoid Irradiation (TLI) and Bone Marrow (BM) Injection, *Transplant Proceed.*, 13(1):434-438, 1981.
- 179. Myburgh, J.A., J.A. Smit, S. Browde, and R.R. Hill, Transplantation Tolerance in Primates Following Total Lymphoid Irradiation and Allogenic Bone Marrow Injection, *Transplantation*, 29(5):401-404, 1980.
- 180. Naparstek, E., and S. Slavin, Long-Term Damage to the Immune System After Irradiation, *Hematopoiesis*, Marcel Dekker, Inc., NY, pp. 217-236, 1988.
- 181. Neta, R., T.J. MacVittie, G.N. Schwartz, and S.D. Douches, Thymic Hormones in Radiation-Induced Immunodeficiency. I. Induction of Mature Interleukin 1 Responsive Cell in the Thymus by Thymosin Fraction 5, Cellular Immunol., 94:480-490, 1985.
- 182. Nettesheim, P., M.L. Williams, and A.S. Hammons, Regenerative Potential of Immunocompetent Cells, III. Recovery of Primary Antibody-forming Potential from X-irradiation, The Role of the Thymus, *J. Immunol*, 103(3):505-518, 1969.
- 183. Nold, J.B., S.A. Benjamin, and G.K. Miller, Radiation Injury to the Canine Thymus Lympho-hematopoietic Stem Cells Correlation with Functional Deficits, Technical Report by Colorado State University for the Defense Nuclear Agency DNA001-84-C-0158, 1986.
- 184. Nothdurft, W., and T.M. Fliedner, The Response of the Granulocytic Progenitor Cells (CFU-C) of Blood and Bone Marrow in Dogs Exposed to Low Doses of X Irradiation, *Radiat. Res.*, 89:38-52, 1982.
- 185. Nothdurft, W., K.H. Steinbach, and T.M. Fliedner, Dose- and Time-related Quantitative and Qualitative Alterations in the Granulocyte/Macrophage Progenitor Cell (GM-CFC) Compartment of Dogs After Total-body Irradiation, Radiat. Res., 98:332-344, 1984.

- 186. Okada, S., E.R. Gordon, R. King, and L.H. Hempelmann, The Effects of X-ray Exposure on Deoxyribonuclease II Activity in Lymphoid Tissue, *Arch. Biochem. Biophysics*, 70:469-476, 1957.
- 187. Okurma, K., and T. Tada, Regulation of Homocytotrophic Antibody Formation in the Rat, *Immunol.*, 107(6):1682-1689, 1971.
- 188. Oseroff, A., S. Okada, and S. Strober, Natural Suppressor (NS) Cells Found in the Spleen of Neonatal Mice and Adult Mice Given Total Lymphoid Irradiation (TLI) Express the Null Surface Phenotype, *Immunol.*, 132(1):101-110, 1984.
- 189. Paul, B., R. Strauss, and A.J. Sbarra, The Role of the Phagocyte in Host-parasite Interactions. XVI. Effect of X-irradiation on H₂O₂ Production in Guinea Pig Exudate Cells, *Res. J. Reticulo. Soc.*, 5(6):538-549, 1968.
- 190. Peterson, W.J., E.H. Perkins, and T. Makinodan, Recovery of Immune Competence Following Sublethal X Irradiation of Young and Old Mice: A Model for Studying Age-Related Loss of Immunologic Hemostasis, Radiat. Res., 89:53-64, 1982.
- 191. Prosser, C.L., E.E. Painter, H. Lisco, A.M. Brues, L.O. Jacobson, and M.N. Swift, The Clinical Sequence of Physiological Effects of Ionizing Radiation in Animals, *Radiology*, 49:299-313, 1947.
- 192. Puck, T.T., Cellular Aspects of the Mammalian Radiation Syndrome, II. Cell Depletion in Bone Marrow, Spleen, and Thymus of Young Mice, *Radiat. Res.*, 27:272-283, 1966.
- 193. Raaf, J., C. Bryan, M. Moden, A. Bray, J.H. Kim, F. Chu, R.S.K. Chaganti, B. Shank, A. Cahan, and J.G. Fortner, Bone Marrow And Renal Transplantation in Canine Recipients Prepared by Total Lymphoid Irradiation, *Transplant. Proceed.*, 13(1):429-433, 1981.
- 194. Rahman, Y.E., Acid Phosphatase and B-Glucuronidase Activities of Thymus and Spleen of Rats after Whole-body X-irradiation, *Proc. Soc. Exp. Biol.*, 109:378-381, 1962.
- 195. Roderick, T.H., The Response of Twenty-seven Inbred Strains of Mice to Daily Doses of Whole-body X-irradiation, *Radiat. Res.*, 20:631-639, 1963.
- 196. Rosse, W.F., H.J. Rapp, and T. Borsos, Structural Characteristics of Hemolytic Antibodies as Determined by the Effects of Ionizing Radiation, *J. Immunol.*, 98(6):1190-1195, 1967.
- 197. Rozing, J., and R. Benner, The Recovery of the B Cell Compartment in Lethally Irradiated and Reconstituted Mice, In Immuno Reactivity of Lymphocytes, Fedman, M., and N. Gloversun (eds), Plenum Press, NY, pp. 203-208, 1973.
- 198. Ruch, T.C., W. Isaac, and R.W. Leary, Behavioral and Correlated Effects of Sublethal Whole Body Irradiation, In Haley, Thomas, J. (ed), *Response of*

- the Nervous System to Ionizing Radiation, Academic Press, NY, pp. 691-703, 1962.
- 199. Ruchti, C., H. Cottier, E.P. Cronkite, C.R. Jansen, and K.R. Rai, Studies on Lymphocytes. XVII. Differential Lymphocyte Depletion in Lymphoreticular Organs of the Calf During Continuous Extracorporeal X-irradiation of the Circulating Blood, *Cell Tissue Kinet.*, 3:301-315, 1970.
- 200. Rugh, R., and J. Wolff, Hematologic Recovery of Adult and Weanling Rats Following Whole Body Roentgen Irradiation, Am. J. Roentgenol., 78:887-908, 1957.
- Sado, T., T. Kurotsu, and H. Kamisaku, Further Studies on the Radioresistance of Antibody Producing Cells: Characterization of the Survival Curve, Radiat. Res., 48:179-188, 1971.
- 202. Sata, C., and M. Sakka, Cell Population Analysis of Radiation Damage and Recovery of Thymus and Lymph Nodes in Mice, *Radiat. Res.*, 38:204-213, 1969.
- 203. Schipior, P., and H.C. Maguire, Resistance of the Allergic Contact Dermatitis Sensitization Reaction to Whole Body X-ray in the Guinea Pig, Int. Arch. Allergy Appl. Immunol., 29:447, 1966.
- 204. Schmidtke, J.R., and F.J. Dixon, The Effect of In Vivo Irradiation on Macrophage Function, *J. Immunol.*, 110(3):848-854, 1973.
- 205. Schrek, R., Qualitative and Quantitative Reactions of Lymphocytes to X-rays, *Ann. NY Acad. Sci.*, 95:839-848, 1961.
- 206. Scollay, R., J. Smith, and V. Stauffer, Dynamics of Early T Cells: Prothymocyte Migration and Proliferation in the Adult Mouse Thymus, *Immunolog. Rev.*, 91:129-156, 1986.
- 207. Seed, T.M., S.M. Cullen, L.V. Kaspar, D.V. Tolle, and T.E. Fritz, Hematopathologic Consequences of Protracted Gamma Irradiation: Alterations in Granulocyte Reserves and Granulocyte Mobilization, *Blood*, 56(1):42-52, 1980.
- 208. Sharp, J.G., and D.B. Thomas, Origin of the Radioresistant Precursor Cells Responsible for the Initial Phase of the Thymic Regeneration after X-irradiation, *J. Reticulo. Soc.*, 22(3):169-179, 1977.
- 209. Sharp, J.G., and D.B. Thomas, Thymic Regeneration in Lethally X-irradiated Mice, *Radiat. Res.* 64:293-305, 1975.
- 210. Sharp, J. G., and D.B. Thomas, A Radioresistant Thymic Stem Cell Population in the Adult Mouse, *Radiat. Res.*, 63:51, 1974.
- Sharp, J.G., and E.B. Watkins, Cellular and Immunological Consequences of Thymic Irradiation, In J.B. Dubois, B. Serrou, and C. Rosenfeld (eds), Immunopharmacologic Effects of Radiation Therapy, Raven Press, NY, pp. 137-179, 1981.

- 212. Silverman, M.S., V. Greenman, P.H. Chin and V.P. Bond, Bacteriological Studies on Mice Exposed to Supralethal Doses of Ionizing Radiations. II. Fast Neutron and X-irradiation from Laboratory Sources, *Radiat. Res.*, 8:123-130, 1958.
- 213. Slavin, S., and Z. Fuks, Transplantation Tolerance Across Major Histocompatability Barriers after Total Lymphoid Irradiation, *Transplantation*, 25(5):359-361, 1979.
- 214. Slavin, S., and H.J. Seidel, Hemopoietic Activity in Bone Marrow Chimeras Prepared with Total Lymphoid Irradiation (TLI), *Exp. Hematol.*, 10(2):206-216, 1982.
- 215. Slavin, S.B., and R.F. Smith, Delayed Hypersensitivity in the Development of Circulating Antibody; The Effect of X-irradiation, *J. Exp. Med.*, 109:325-338, 1959.
- 216. Slavin, S., and S. Yatziv, Correction of Enzyme Deficiency in Mice by Allogenic Bone Marrow Transplantation with Total Lymphoid Irradiation, *Science*, 210(5):1150-1151, 1980.
- 217. Slavin, S., I. Zan-Bar, and S. Strober, Generation of Protein-specific and Alloantigen-specific Suppressor Cells Following Total Lymphoid Irradiation in Mice, *Transplant. Proceed.*, 11(1):891-894, 1979.
- 218. Slavin, S., Z. Fuks, H.S. Kaplan, and S. Strober, Transplantation of Allogeneic Bone Marrow Without Graft-versus-host Disease Using Total Lymphoid Irradiation, *J. Exp. Med.*, 963-972.
- 219. Slavin, S., S. Strober, Z. Fuks, and H.S. Kaplan, Induction of Specific Tissue Transplantation Tolerance Using Fractionated Total Lymphoid Irradiation in Adult Mice: Long-term Survival of Allogeneic Bone Marrow and Skin Grafts, *Med.*, 146:34-48, 1977.
- 220. Slavin, S., B. Reitz, C.P. Bieber, H.S. Kaplan, and S. Strober, Transplantation Tolerance in Adult Rats Using Total Lymphoid Irradiation: Permanent Survival of Skin, Heart, and Marrow Allografts, *Med.*, 147:700-707, 1978.
- 221. Slavin, S., S. Yatziv, I. Zan Bar, Z. Fuks, H.S. Kaplan, and S. Strober, Nonspecific and Specific Immunosuppression by Total Lymphoid Irradiation (TLI), *Transplant. Proceed.*, 11(1)1161-1170, 1979.
- 222. Slavin, S., M. Gottlieb, S. Strober, C. Bieber, R. Hoppe, H.S. Kaplan, and F.C. Grumet, Transplantation of Bone Marrow in Outbred Dogs Without Graft-versus-host Disease Using Total Lymphoid Irradiation, *Transplantation*, 27(2):139-143, 1979.
- 223. Slavin, S., R. Or, Z. Welsher, Z. Fuks, S. Morecki, M. Weigensberg, S. Bar, and L. Weiss, The Use of Total Lymphoid Irradiation for Allogenic Bone Marrow Transplantation in Animals and Man, *Surv. Immunol. Res.*, 4:238-252, 1985.

- 224. Sljivic, V.S., Radiation and the Phagocytic Function of the Reticuloendothelial System. I. Enhancement of RES Function in X-irradiated Mice, *Br. J. Exp. Pathol.*, 51(2):130-139, 1970.
- 225. Sljivic, V.S., Radiation and the Phagocytic Function of the Reticuloendothelial System. II. Mechanism of RES Stimulation After Irradiation, *Br. J. Exp. Pathol.*, 51(2):140-148, 1970.
- 226. Smit, J.A., R.R.H. Hill, J.A. Myburgh, and S. Browde, Transplantation Tolerance in Primates After Total Lymphoid Irradiation and Allogeneic Bone Marrow Injection, *Transplantation*, 30(2):107-110, 1980.
- 227. Smith, E.B., and D.C. White, R.J. Hartsock, and A.C. Dixon, Acute Ultrastructural Effects of 500 Roentgens on the Lymph Node of the Mouse, *Am. J. Path.*, 50:159-165, 1967.
- 228. Smith, W.W., R.Q. Marston, H.J. Ruth, and J. Cornfield, Granulocyte Count, Resistance to Experimental Infection and Spleen Homogenate Treatment in Irradiated Mice, *Am. J. Physiol.*, 176:288-292, 1954.
- 229. Song, C.W., and S.H. Levitt, In Bond, V.P., et al. (eds), Interaction of Radiation and Host Immune Defense Mechanisms in Malignancy, Brookhaven Natl. Lab. Assoc. Univ. Inc., U.S. Atomic Energy Comm., Upton, NY, p. 222, 1974.
- 230. Sprent, J., R.E. Anderson, and J.F.A.P. Miller, Radiosensitivity of T and B Lymphocytes. II. Effect of Irradiation on Response of T Cells to Alloantigens, *Eur. J. Immunol.*, 4(3):204-210, 1974.
- 231. Srinivasan, V., and J.F. Weiss, Suppression of Delayed-type Hypersensitivity to Oxazolone in Whole-body-irradiated Mice and Protection by WR-2721, *Radiat. Res.*, 98:438-444, 1984.
- 232. Stewart, C.C., and C.A. Perez, Effect of Irradiation on Immune Responses, *Radiology*, 118:201-210, 1976.
- 233. Storb, R., H. Ragde, and E.D. Thomas, Extracorporeal Irradiation of the Blood in Baboons, *Radiat. Res.*, 38:43-54, 1969.
- 234. Strober, S., D.L. Mondry, R.T. Hoppe, J.L. Pennock, C.P. Bieber, B.I. Holm, S.W. Jamieson, E.B. Stinson, J. Schroder, H. Suomalainen, and H.S. Kaplan, Induction of Specific Unresponsiveness to Heart Allografts in Mongrel Dogs Treated with Total Lymphoid Irradiation and Antithymocyte Globulin, *J. Immunology*, 132(2):1013-1018, 1984.
- 235. Strober, S., M. Gottlieb, S. Slavin, D.P. King, R.T. Hoppe, Z. Fuks, C.P. Bieber, and H.S. Kaplan, Immunosuppression and Tolerance After Total Lymphoid Irradiation (TLI), *Transplant. Proceed.*, 12(3):477-482, 1980.
- 236. Strober, S., M. Gottlieb, S. Slavin, R. Hoppe, F.C. Grumet, and H.S. Kaplan, Use of Total Lymphoid Irradiation (TLI) in Bone Marrow and Organ Transplantation, *Transplant. Proceed.*, 11(4):1930-1933, 1979.

- 237. Strober, S., Overview: Effect of Total Lymphoid Irradiation on Autoimmune Disease and Transplantation Immunity, *J. Immunol.*, 132(2):968-970, 1984.
- 238. Strober, S., S. Slavin, M. Gottlieb, I. Zan-Bar, D.P. King, R.T. Hoppe, Z. Fuks, F.C. Grumet, and H.S. Kaplan, Allograft Tolerance After Total Lymphoid Irradiation (TLI), *Immunolog. Rev.*, 46:87-112, 1979.
- 239. Strober, S., S. Slavin, Z. Fuks, H.S. Kaplan, M. Gottlieb, C. Bieber, R.T. Hoppe, and F.C. Grumet, Transplantation Tolerance After Total Lymphoid Irradiation, *Transplant. Proceed.*, 11(1):1032-1038, 1979.
- 240. Strober, S., Total Lymphoid Irradiation in Alloimmunity and Autoimmunity, *J. Pediatr.*, 111:1051-1055, 1987.
- 241. Strober, S., Total Lymphoid Irradiation: Basic and Clinical Studies in Transplantation Immunity, *Transplantation: Approaches to Graft Rejection*, pp. 251-262, 1986.
- 242. Sungurov, A.Y., and I.Y. Ostashevsky, Fluorescence Study of Thymus Lymphocytes of X-irradiated Mice and Their Progeny, *Int. J. Radiat.* Biol., 35(1):73-82, 1979.
- 243. Sussdorf, D.H., Repopulation of the Spleen of X-irradiated Rabbits by Tritium-labeled Lymphoid Cells of the Shielded Appendix, *J. Infect. Dis.*, 107:108-114, 1960.
- 244. Suter, G.M., Responses of Hematopoietic System to X-rays, *USAEC Doc. MDDC-824*, U.S. Atomic Energy Comm., Oak Ridge, TN, 1982.
- 245. Swasdikul, D., and M. Block, Effect of Radiation Upon the "Embryonic" Thymus, Radiat. Res., 73-84, 1972.
- 246. Tada, T., M. Taniguchi, and K. Okumura, Regulation of Homocytotropic Antibody Formation in the Rat. II. Effect of X-irradiation, *J. Immunol.*, 106(4):1012-1018, 1971.
- 247. Takada, A., and Y. Takada, Proliferation of Donor Marrow and Thymus Cells in the Myeloid and Lymphoid Organs of Irradiated Syngeneic Host Mice, *J. Exp. Med.*, 137:543-546, 1973.
- 248. Takada, A., U. Takada, and J.L. Ambrus, Effects of Thymectomy and X-irradiation on the Immune Response of Mice to Sheep Erythrocytes, *Radiat. Res.*, 40:341-350, 1969.
- 249. Takada, A., U. Takada, U. Kim, and J.L. Ambrus, Bone Marrow, Spleen, and Thymus Regeneration Patterns in Mice After Whole-body Irradiation, *Radiat. Res.*, 45:522-535, 1971.
- 250. Takada, A., Y. Takada, C.C. Huang, and J.L. Ambrus, Biphasic Pattern of Thymus Regeneration After Whole-body Irradiation, J. Exp. Med., 129:445-457, 1969.

- 251. Taliaferro, W.H., Radiation and Immune Mechanisms, Am. Inst. of Biological Sci. for the Division of Technical Information, New York, Academic Press, pp. 1-152, 1964.
- 252. Taliaferro, W.H., Radiation-induced Changes in the Secondary Antibody Response, In *Radiation and Immune Mechanism*, pp. 47-53, 1964.
- 253. Taliaferro, W.H., and L.G. Taliaferro, Effects of Irradiation on Initial and Anamnestic Hemolysin Responses in Rabbits: Antigen Injection Before X-rays, *J. Immunol.*, 104(6):1364-1376, 1970.
- 254. Taliaferro, W.H., and L.G. Taliaferro, Effects of Radiation on the Initial and Anamnestic IgM Hemolysin Responses in Rabbits; Antigen Injection After X-rays, *Immunol.*, 103(3):559-569, 1969.
- 255. Taliaferro, W.H., L.G. Taliaferro, and B.N. Jaroslow (eds), *Radiation and Immune Mechanisms*, Academic Press, NY, 1964.
- 256. Tanay, A., and S. Strober, Opposite Effects of Total Lymphoid Irradiation on T Cell-dependent and T Cell-independent Antibody Responses, J. Immunol., 132(2):979-984, 1984.
- 257. Tanay, A., S. Strober, G.L. Logue, and G. Schiffman, Use of Total Lymphoid Irradiation (TLI) in Studies of the T Cell-dependence of Autoantibody Production in Rheumatoid Arthritic J. Immunol., 132(2):1036-1040, 1984.
- 258. Thorbecke, G., and S.P. Lerman, Germinal Centers and Their Role in Immune Responses, pp. 83-100, 1978.
- 259. Tomooka, S., G. Matsuzaki, K. Kishihara, K. Tanaka, Y. Yoshikai, K. Taniguchi, K. Himeno, and K. Nomoto, Sequential Appearance of Thymocyte Subpopulations and T Cell Antigen Receptor Gene Messages in the Mouse Thymus after Sublethal Irradiation, J. Immunol., 139(12):3986-3990, 1987.
- 260. Trowell, O.A., Radiosensitivity of the Cortical and Medullary Lymphocytes in the Thymus, *Int. J. Rad. Biol.*, 4(2):163-173, 1961.
- 261. Trowell, O.A., M.J. Corp, and W.R. Lush, Paradoxical Resistance of Thymus Lymphocytes to High Doses of X-radiation, *Radiat Res.*, 7:120-128, 1957.
- 262. Trowell, O.A., The Sensitivity of Lymphocytes to Ionizing Radiation, *J. Pathol. Bact.*, 64:687-704, 1952.
- 263. Tullis, J.I., The Sequence of Pathologic Changes in Swine Exposed to the LD 100/30 of Total Body Super-Voltage X-Radiation, *Mil. Surgeon*, 109:271-280, 1951.
- 264. Tullis, J.L., Radioresistant Cells in Certain Radiosensitive Tissues of Swine Exposed to Atomic Bomb Radiation, *Arch. Pathol.*, 48:171-177, 1949.

- 265. Uhr, J.W., and M. Scharff, Delayed Hypersensitivity: V. The Effect of X-Irradiation on the Development of Delayed Hypersensitivity and Antibody Formation, *J. Exp. Med.*, 112:65-76, 1960.
- 266. Uhr, J.W., and M. Scharff, The Effect of X-Irradiation Upon Delayed Hypersensitivity and Antibody Formation in Guinea Pigs, *J. Clin. Inv.*, 38:1049, 1959.
- 267. Upton, A.C., F.P. Conte, G.S. Hurst, and W.A. Mills, The Relative Biological Effectiveness of Fast Neutrons, X-rays, and y-rays for Acute Lethality in Mice, *Radiat. Res.*, 4:117-131, 1956.
- 268. Upton, A.C., F.F. Wolff, J. Furth, and A.W. Kimball, A Comparison of the Induction of Myeloid and Lymphoid Leukemias in X-radiated RF Mice, 18:842-849, 1958.
- 269. Vogel, F.S., and J.C. Ballin, Morphological Changes in Thymus of Rats Following Whole-Body Exposure to Massive Doses of Radiation, *Proc. Soc. Exp. Biol.*, 90:419-423, 1955.
- 270. Volkman, A., and F.M. Collins, Recovery of Delayed-type Hypersensitivity in Mice Following Suppressive Doses of X-radiation, *J. Immunol.*, 101(5):846-859, 1968.
- 271. von Hazmburg, R.S., Hematological Responses in Sheep Following Pulsed Fission-Spectrum Neutron Radiation, *AFWL-TR-67-48*, 1967.
- 272. Vos, O., Repopulation of the Stem-cell Compartment in Hematopoietic and Lymphatic Tissues of Mice after X-irradiation, *Effects of Radiation on Cellular Proliferation and Differentiation*, pp. 149-162, 1968.
- 273. Vos, O., Short and Long-Term Effects of Whole-body Irradiation with Fission Neutrons or X-rays on the Thymus in CBA-mice, *Radiat. Biol.*, 42(1):78-79, 1968.
- 274. Vos, O., Radiation Sensitivity and Post-irradiation Repair of Mouse Lymphatic Cells *in vivo* and *in vitro*. A Study with the Parent to F1 Hybrid Graft-versus-host Reaction, *Int. J. Radiat. Biol.*, 13(4):317-333, 1967.
- 275. Wagner, H.P., H. Cottier, E.P. Cronkite, L. Cunningham, C.R. Jansen, and K.R. Rai, In vivo DNA Synthesis and Generation Time of Lymphoid Cells in the Calf Thoracic Duct After Simulated or Effective Extracorporeal Irradiation of Circulating Blood, *Exp. Cell Res.*, 46:441-451, 1967.
- 276. Warren, S., J.C. MacMillan, and F.J. Dixon, Effects of Internal Irradiation of Mice with P12, *Radiology*, 55:375-389, 1950.
- 277. Watabebem, Y., An Electron Microscopic Study on the Reticuloendothelial system in the Bone Marrow, *Tohoku J. Exp. Med.*, 89:167-176, 1966.
- 278. Weigensberg, M., S. Morecki, L. Weiss, Z. Fuks, and S. Slavin, Suppression of Cell-Mediated Immune Responses After Total Lymphoid Irradiation (TLI), *J. Immunol.*, 132(2):971-984, 1984.

- 279. Weinberg, S.R., Effects of Prenatal Irradiation on Fetal, Neonate, and Young Adult Murine Hemopoiesis, *Int. J. Radiat. Oncol. Biol. Phy.*, 9:1825-1831, 1983.
- 280. Weinberg, S.R., E.G. McCarthy, and T.J. MacVittie, Fetal Murine Hemopoiesis Following In Utero Low-dose Irradiation, *J. Embryol. Exp. Morph.*, 62:37-46, 1981.
- 281. Welsh, L.W., and F. Campellone, Effects of Irradiation on Cervical Lymph Nodes, *Ann. Otol.*, 88:502-508, 1979.
- 282. Whitefield, J.F., and R.H. Rixon, Reduction of Nuclear Damage in X-Irradiated Rat Thymocytes by Elevated Salt Concentrations, *Exp. Cell Res.*, 31:140-148, 1963.
- 283. Whitefield J.F., and T. Youdale, Roles of Phosphate and Respiration in Nuclear Damage in Irradiated Rat Thymocytes, *Nature*, 211:212-213, 1966.
- 284. Whitelaw, D.M., The Effect of Total Body Irradiation on the Labeling of Circulating Mouse Lymphocytes with Tritiated Thymidine, *Blood*, 25(5):749-757, 1965.
- 285. Williams, G.M., Antigen Localization in Lymphopenic States. II. Further Studies on Whole Body X-irradiation, *Immunology*, 11:475, 1966.
- 286. Wolf, N.S., and J.J. Trentin, Differential Proliferation of Erythroid and Ranuloid Spleen Colonies Following Sublethal Irradiation on the Bone Marrow Donor, *J. Cell Physiol.*, 75:225-230, 1969.
- 287. Wu, H.M., J.P. Lewis, H.H. Sky-Peck, and F.E. Trobaugh, Biochemical, Studies of Spleen of Heavily Irradiated Mice Transfused with Bone Marrow, *Radiat. Res.*, 33:50-65, 1968.

APPENDIX B

TABLES

Table B-1. Brain references: burro*.

MANIFESTATION	X - RAV	X - RAY RADIATION (1)	(s) NO	GAMMA	RAY RADU	GAMMA RAY RADIATION (1)		N RADIA	TION (r)	MIXED GAM	NEUTRON RADIATION (1) MIXED GAMMA-NEUTRON RADIATION (1)	RADIATION (1)
	100-1K	1K-10K	×10K	100-1X	1K-10K	×10K	100-1K	1K-10K	×10K	100-1K	1K-10K	>10K
MORPHOLOGY							214			215		
BLOOD-BRAIN BARRIER												
ELECTROPHYSIOLOGY		88 2										
					•							
							-					

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-2. Brain references: cat*.

MANIFESTATION	X - RAY	X - RAY RADIATION (1)	3	GAMMA	RAY RADIA	(J) NOIL	ALPHA PAR	GAMMA RAY RADIATION (1) ALPHA PARTICLE RADIATION (1)	TION (r)	PROTOR	PROTON RADIATION (1)	(£)
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	≯10K
MORPHOLOGY	666 57	19										
N S S S S S S S S S S S S S S S S S S S		£			· · · · · · · · · · · · · · · · · · ·						7	
BARRIER		!								-	167	
ELECTROPHYSIOLOGY	17.24	203			14.38				92			
	16, 48											
	78, 89 53											
	4										-	

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-3. Brain references: dog*.

MOTATORISMAN	X - RA	X - RAY RADIATION (r)		GAMMA	RAY RADV	(1) NOIL	NEUTRO	GAMMA RAY RADIATION (1) NEUTRON RADIATION (1) ELECTRON RADIATION (1)	£	ELECTR	ON RADIAT	(ı) NO
	100-1K	1K-10K	×10K	100-1K	1K-10K	×10K	100-1 X	100-1K 1K-10K >10K 100-1K 1K-10K	¥	100-1K	1K-10K	×10K
MORPHOLOGY	33, 49	74, 75, 196	161	151	227	8	ន	227			113	
	23, 57 84, 130 185											
BLOOD-BRAIN BARRIER												
ELECTROPHYSIOLOGY					88							
					?					-		

*Cited references are underlined. Ohters may be found in the Reading List in Appendix A.

Table B-4. Brain references: guinea pig*.

MANIFESTATION	X - RAY	RADIATIC	(2) NK	GAMMA F	NY RADIATION (1) GAMMA RAY RADIATION (1)	TION (r)	NEUTRC	NEUTRON RADIATION (1)	(J) NC	PROTO	PROTON RADIATION (1)	3
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K	100-1K	1K-10K	≯10K
MORPHOLOGY	127	19										
BLOOD-BRAIN BARRIER												
ELECTROPHYSIOLOGY		2, 7										

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-5. Brain references: hamster*.

MANIFESTATION	X - RA	X - RAY RADIATION (1)	(J) NC	GAMMA	RAY RADIA'	TION (r)	ALPHA PAR	GAMMA RAY RADIATION (1) ALPHA PARTICLE RADIATION (1)	TION (r)	PROTO	PROTON RADIATION (1)	E
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K
MORPHOLOGY		23, 50	23, 50									
		88, 186	88, 186									
BLOOD-BRAIN												
BARRIER												
					_							
ELECTROPHYSIOLOGY												

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-6. Brain references: mouse*.

MANIFESTATION	X - RAY RA	Y RADIATION (1)		DEUTERC	DEUTERON RADIATION (1)		ELECTR	ELECTRON RADIATION (1)	(J) NO	PROTO	PROTON RADIATION (1)	N (c)
	100-1K	1K-10K	×19 K	100-1K	1K-10K	, 10K	100-1K	1K-10K	<u>,</u> ¥0¥	100-1K	1K-10K	>10K
MORPHOLOGY	117, 118	120, 221, 222	222	25	88	\$			85			
	178, 222		223	156	- -58	156						
				823		2 8						
						ጀ						
												-
BLOOD-BRAIN	22	22										
BARRIER	98	98										
ELECTROPHYSIOLOGY		9		351	156	85						
		24										

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-7. Brain references: non-human primate*.

MANIFESTATION	X-RA	X - RAY RADIATION (1)		GAMMA	GAMMA RAY RADIATION (1)	TION (r)	NEUTRO	NEUTRON RADIATION (1)	(2) N	PROTO	PROTON RADIATION (1)	(c) NC
	100-1K	1K-10K	, ¥	100-1K	1K-10K	, ¥	100-1K	1K-10K	√1¢	100-1K	1K-10K	√10K
MORPHOLOGY		3,11,14,25	150		52	22	55			8	83	\$
	16, 35	9, 10, 11, 19, 38			52, 90, 92	95, 208	210					
		39, 40, 42, 44			95, 150,**							
		50,51, 64, 90			202	·						
		92, 95, 152										
BLOOD-BRAIN		=										
BARRIER		51				• • •						
	ţ	3		•	•	•						
ELECTROPHISIOCOGY	2	9, 10, 23, 40		-	-	_						
	ς	27, 37, 41, 110										
		9/-										

*Cited references are underlined. Others may be found in the reading List in Appendix A. **Gamma-neutron radiation.

Table B-8. Brain references: rabbit*.

MANIFESTATION	x - R	X - RAY RADIATION (r)		GAMMA RAY RADIATION (1)	ADIATION (r)		ALPHA PAR	ALPHA PARTICLE RADIATION (1)	TION (r)	PROT	PROTON RADIATION (r)	(E)
	100-1K	1K-10K	>10K	100-1K	1K-10K	√10K	100-1K	1K-10K	>10K	100- X	1K-10K	>10K
MORPHOLOGY	142	19, 47	123	142	17, 86, 89	8		135			124	124
		17, 19, 57, 81									135	135
		89, 123, 130, 176, 178						112 1 2				
BLOOD-BRAIN BARRIER		20, 21										
ELECTROPHYSIOLOGY		2, 20, 21	58	5, 30,34								
	105	8, 82, 83		35,36								
	223			15, 112, 142								
				145, 146, 154								

*Cited references are underlined. Others may be found in the Reading List in Appendix A. **Gamma-neutron radiation.

ומטום ס-ס. סומווו ופופופווכפס: ומו .

NOT TO STATE	×	- RAY R	X - RAY RADIATION (r)	3		NEUTRON RADIATION (1)	ADIATION		XED GAMMA	MIXED GAMMA-NEUTRON RADIATION (1)	DIATION (6
MANIFESTATION	100-1K	H	1K-10K	×10K	Ħ	100-1K	1K-10K	×10K	100-1K	1K-10K	×10K	
MORPHOLOGY	4, 30, 31, 4		2, 3, 32	65, 66		47, 216					33, 34, 62, 70	2.70
	47, 48, 70, 102		47, 60, 61	143								
	115, 116, 1		20.96.97									
	145, 159, 1		115, 131									
	165, 185, 1		133, 143					· ·				
	210, 211		145, 169									
			170, 189									
			190, 203 210, 211									
			225							•		
		<u>.</u>	_				0					·
BLOOD-BRAIN											43	
BARRIER					====		· .				169	
ELECTROPHYSIOLOGY	13, 13, 18, 27		52, 37, 51									
	44, 45						-					
	29,55,56,104,	9.						: <u>-</u>				
	162 172 174	. Z			-			•				***************************************
	175, 187, 197	97		-								
MANIFESTATION	PROTON RADIATION (1)	RADIATI	(c) NO	ELECTR	ON RAD	ELECTRON RADIATION (1)	ALPHA	PARTICLE RA	DIATION (r)	ALPHA PARTICLE RADIATION (1) GAMMA RAY RADIATION (1)	RADIATIC	S
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	× Yex
ADD ICHIBON		8				201 63 73		761 011	767	001 001 011		52
MOHPHOLOGY		8	5	 =		34, 67, 107 108, 112		18, 134	<u>*</u>	200, 201, 210	210	2 E

*Clted references are underlined. Others may be found in the Reading List in Appendix A.

187

187

187

ELECTROPHYSIOLOGY

42, 32 129, 168

% 28 28

BLOOD-BRAIN BARRIER

Table B-10. Brain referenes: swine*.

MANIFESTATION	X-RA	- RAY RADIATION (r)	(ı) NO	ELECTR	ELECTRON RADIATION (r)	rion (r)	NEUTRO	NEUTRON RADIATION (1)	ON (r)	ı	PROTON RADIATION (r)	(¿) NC
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K	100-1K	1K-10K	>10K
MORPHOLOGY					45							
BLOOD-BRAIN BARRIER												
ELECTROPHYSIOLOGY												
					_							
							,					
								_				

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-11. Spinal cord references⁴.

MANIFESTATION	×	X - RAY RADIATION (1)	c c	GAMMA	GAMMA RAY RADIATION (r)	TION (r)	NEUTR	NEUTRON RADIATION (1)	E) N	PROTO	PROTON RADIATION (1)	E)
	100-1K	1K-10K	>10K	100-1K	1 5 -10 K	, 10K	100-1K	1K-10K	√19¥	100-1K	1K-10K	, \$
CLINICAL	22, 31	2, 3, 4, 9	ŧ		12		13, 22	13, 22, 41				0
		13, 19, 21			22, 32			84				19
		2, 3, 4, 10										
		23, 25, 31, 33									_	
		36, 44, 45, 48			- 3.							
		g.										
EI ECTBOBAVGIOLOGY		a Ā										
מרכי שלי שלי שלי שלי שלי שלי שלי שלי שלי של		9, 10, 27			_							
SPINAL REFLEXES		1, 16										
		1, 28									_	
MORPHOLOGY	11. 20	2.3.5.7.8	'n		8.32	<u> </u>	13, 22	55				6
	21, 22		5		1		•	13, 22, 37				19
	35, 42	19, 22, 23, 24						4				
		25, 26, 29										
		2, 3, 5, 10, 12										
		14, 15, 17, 19										
		20, 21, 22, 24										
		32, 33, 36, 37										
		39, 40, 41, 42										

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-12. Behavior references: burro*.

	X-RA	X - RAY RADIATION (")		GAMMA R	GAMMA RAY RADIATION (1)	(S) NO	NEUTRO	NEUTRON RADIATION (r)	(2) N	PROTO	PROTON RADIATION (r)	S Z
MANIFESTATION	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	√1 ¥	100-1K	1K-10K	× Ş
CLINICAL				74, 167	166, 167	167						_
!				183	259, 260	560						
	_			118, 260								
GENERAL ACTIVITY				588								
BEHAVIORAL				219								

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-13. Behavior references: dog*.

MANIFESTATION	X.	X - RAY RADIATION (1)	ON (r)	CAMMA	GAMMA RAY RADIATION (1)	(L) NON (NEUTRO	NEUTRON RADIATION (r)	(a) NOI.		MIXED GAMMA-NEUTRON RADIATION (1)	(r) NOILE
	100-1K	1K-10K	>10K	100-1X	1K-10K	×10K	100-1K	1K-10K >10K	√10 K	100-1K	1K-10K	×10K
CLINICAL		8	10, 151		33							
		57	12, 243		57							
GENERAL ACTIVITY		178, 149									156	
											248	
DISCRIMINATION											36	36
		-									51	51
PSYCHOLOGICAL	6											
	92											
BEHAVIORAL	42											
ACTIVATION	8			·								
										·		

"Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-14. Behavior references: guinea pig*.

MANIFESTATION	X - RA	X - RAY RADIATION (r)	(c) +	CANNA	GAMMA RAY RADIATION (1)	(a) NOI	L	NEUTRON RADIATION (1)	3	PROTO	PROTON RADIATION (1)	(2) N
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	≯10K
CLINICAL		2, 4, 6										
-		14, 80	5, 7, 19, 128									
		3, 5, 7, 19, 125										
GENERAL ACTIVITY	30, 31							155				
	136, 155							247				
	45, 46, 225, 247											
DISCRIMINATION								135, 139				

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-15. Behavior references: hamster*.

30, 31, 136 45, 46, 225	MANFESTATION	X - RAY R	X - RAY RADIATION (1)	(c)	CAMMA	GAMMA RAY RADIATION (1)	(J) NOI	NEUTRO	NEUTRON RADIATION (1)	<u>e</u>	PROTON	PROTON RADIATION (1)	Ξ
ACTIVITY 30, 31, 136 45, 46, 225 PAL ON		100-1K	1K-10K	×10 X	100-1K	±.±	×10K	100-1K	1K-10K	×10K	100-1K	1K-10K	×10K
ACTIVITY 30, 31, 136 45, 46, 225 RAI.	CLINICAL		117	6, 117									
			171	7,177									
								·			•		
BEHAVIORAL	GENERAL ACTIVITY	30, 31, 136 45, 46, 225	,										
BEHAVIORAL ACTIVATION													
	BEHAVIORAL ACTIVATION												
								_					

"Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-16. Behavior references: mouse*.

MANIFESTATION	X - RAY RJ	X - RAY RADIATION (1)		GAMMA R	GAMMA RAY RADIATION (1)	(C)	NEUTRO	NEUTRON RADIATION (1)	(C) N	DEUTER	DEUTERON RADIATION (1)	ON (r)
	100-1K	1K-10K	×10K	100-1X	1K-10K	×10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K
CLINICAL					115, 132	_						
					174, 216							
GENERAL ACTIVITY	13				129, 128		171				141, 142	141, 142
	91				210, 213		566				231, 233	231, 233
DISCRIMINATION	84, 106, 7	200		508								
	130, 162, 226											
	270, 276											
BSVCHO! OGICA!				8	126 127		·					
				}	202, 204							
BEHAVIORAL	3, 5, 111, 154					•						
ACTIVATION	4, 6, 167, 246			5								
				<u> </u>								

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-17. Behavior references: non-human primate*.

100-1K 1K-10K 1C-1K	MANNESTATION	х.	X - RAY RADIATION (1)		GAMMA	GAMMA RAY RADIATION (r)	(TON (r)	NEUTRO	NEUTRON RADIATION (r)	(r) N	MIXED Q	MIXED GAMMA-NEUTRON RADIATION (1)	MATION (r)
165 177 24,258 198 24,258 199 297 17,18 29, 199, 189, 189, 189, 189, 189, 189, 18		100-1K	1K-10K	,√ ¥	100-1K	1K-10K	×10K	100-1K	1K-10K	×10K	100-1K	1K-10K	>10K
165 159 2.33.42 2.42, 286 159 195, 204 2.94 2.94 2.94 2.94 2.94 2.94 2.94 2.9	CLINICAL		19		-	1, 28, 23	1, 28					130 81, 85	529
146, 296 158 158 173, 188 24, 239 177 26, 277 1718 181, 194 182, 183 184 185 185 185, 185 185			121		2, 179	2, 33, 42	2, 42, 258 294					250, 286	
122 146, 296	GENERAL ACTIVITY	281			95	158						98	
66, 66 73, 188 24, 23 297 17, 18 67, 68 46, 47, 48, 78 203 162 77 26, 27 173 121, 123, 163 150 154, 185 120 154, 184 185 120, 184 185 189, 184 185 189, 189, 189, 189, 189, 189, 189, 189,		2			146, 286								
70 33,34 26,27	DISCRIMINATION	8	73, 188		24, 23			297	17, 18			44, 45, 103	64, 111, 300
67 68 46, 47, 48, 78 203 162 77 35, 122 124, 157 191, 194 15, 194 15, 194 15, 194 15, 194 15, 194 15, 194 15, 194 15, 194 15, 194, 157 160, 192, 255 256, 294 275, 278		2	•		33, 34				26, 27			25, 62, 63, 64,	
67,68 46,47,46,78 203 182 77 69,70 79,118,120 173 121,122,163 164,185 66,71,72,63 164,185 163,184,187 163,184,187 163,184,187 163,184,187 183,184,187 183,184,187 183,184,187 183,184,187 183,184,187 183,184,187 183,184,187 184,185 266,284												79 109 110 181	
67.68 46, 47, 48, 78 203 162 77 69, 70 79, 118, 120 35, 122 173 121, 123, 163 35, 122 66, 71, 72, 83 66, 71, 72, 83 122, 184, 157 189, 189 180, 192, 255 256, 294 275, 278												182, 190, 194, 195	
67,68 46,47,48,78 203 162 77 69,70 79,118,120 35,122 35,122 173 121,123,163 66,77,72,83 123,124,157 123,124,157 162,189 199 190,192,256 256,294 275,278 275,278												196, 280, 281	
69, 70 173 121, 123, 163 173 124, 185 66, 71, 72, 83 182, 77 184, 185 66, 71, 72, 83 182, 186, 186 190, 192, 255 190, 192, 255 256, 294												286, 298, 299	
67,68 46,47,48,78 203 182 77 69,70 79,118,120 35,122 35,122 173 121,123,163 164,185 66,71,72,83 66,71,72,83 66,71,72,83 123,124,157 182,189,189 190,192,255 256,294 275,278 275,278													
69, 70 79, 118, 120 35, 122 173 121, 123, 163 164, 185 66, 71, 72, 83 124, 157 182, 189, 189 190, 192, 256 294 275, 278	PSYCHOLOGICAL	67,68	46, 47, 48, 78	203	182	22			-		191, 194	108, 19, 20	25
173 121, 123, 163 164, 185 66, 71, 72, 83 123, 124, 157 182, 189, 189 190, 192, 255 256, 294		69, 70	79, 118, 120			35, 122						25, 28, 29, 64	
164, 185 66, 71, 72, 83 123, 124, 157 182, 189, 189 190, 192, 255 256, 294 275, 278		52	121, 123, 163									74, 75, 195	
180 275, 278			164, 185									280, 281	
180			66, 71, 72, 83										
180			123, 124, 157										
180 275, 278			182, 188, 189										
180			190, 192, 255										
			467 '067										
	SCIENCE OF THE PROPERTY OF THE	3											
	ACTIVATION	2/5, 2/8											

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-18. Behavior references: rabbit*.

MANIECTATION	X - RA	X - RAY RADIATION (r)		GAMMA	GAMMA RAY RADIATION (r)	(c) NOI	NEUTR	NEUTRON RADIATION (1) PROTON RADIATION (1)	S	PROTON	RADIATIO	(£) N
	100-1K	1K-10K	×10K	100-1K	1K-10K	×10K	100-1K	1K-10K	Ž	100-1K	1K-10K	×10X
CLINICAL		72	73	131		37						
		114, 115, 140	115	215		52						
						•			,			
GENERAL ACTIVITY	239	115, 140										
BEHAVIORAL	42											
ACTIVATION	59, 140											

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-19. Behavior references: rat*.

MANNESTATION	X - RAY RADIATION (r	MATION (r)		GAMMA RAY RADIATION (1)	RADIATION (_	NEUTRO	N RADIATI	C) NO	ELECTR	NEUTRON RADIATION (1) ELECTRON RADIATION (1)	(c) NO.
	100-1K	1K-10K	×10K	100-1K	1K-10K	×19	100-1K	1K-10K	γ Ş	100-1K	1K-10K	>10K
CLINICAL					81, 115	15,83						808
					128, 174	20, 129						
GENERAL ACTIVITY	30, 31, 54							£3				206, 208
	100, 101, 102					_						
	45, 46, 85					•						
	172, 183							_				
DISCRIMINATION	21, 75, 99	31, 292		40, 288	27, 134	2		135, 139	8		292	205, 206
	106, 107, 109				39, 40, 144	85, 144		138				
	110, 137, 181				220, 293			292, 43				
	184											
	30, 36, 199											
	153, 162, 163							•				
	165, 166, 226											
	167'0/7											
PSYCHOLOGICAL	8, 11, 12, 38	7, 108		22, 97, 119	119							
	53, 54, 56	9, 164		32, 41, 141	8, 183							
	78, 96, 104			149, 183, 288								
	3											
	10, 14, 15, 36											
	53, 84, 85											
	90, 92, 120	-										
	149, 216, 261											

Table B-19. Behavior references: rat* (continued).

MANIFESTATION	X - RAY RADIATION (1)	MATION (r)		GAMMA RAY RADIATION (r)	RADIATION (2	NEUTRO	N RADIATI	E) NO	ELECTR	NEUTRON RADIATION (1) ELECTRON RADIATION (1)	(2) NO
	100-1K	1K-10K	>10K	100-1K	1K-10K	×10 K	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K
BEHAVIORAL	25, 26, 40, 43	133		59, 60, 64, 65		·	63, 108		-			
ACTIVATION	50, 59, 61, 62	•		66, 67, 68, 108			102, 164			•		
	69, 70, 71, 79	•		112, 116, 124								
	86, 87, 88, 89			144, 153, 158							-	
	90, 91, 92, 93			159, 160, 161								
	108, 111, 124			162, 170, 180								
	125, 133, 145			182								
	146, 147, 150			96, 97, 101								
	153, 176, 177			102, 103, 104								
	178, 179, 180			105, 164, 168								
	36, 38, 55, 60			176, 200, 235								
	77, 96, 98, 99			245, 250, 251								
	107, 108, 124			252, 253, 254								
	132, 133, 134			264, 273, 275								
	135, 137, 138			278								
	139, 140, 141											
	164, 167, 200											
	201, 217, 236											
	237, 238, 241											
	244, 271, 272										•	
	273, 274, 275								_			
											•	

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-20. Behavior references: swine*.

MANIFESTATION	×	X - RAY RADIATION (*)	C), NO	GAMMA	RAY RADIA	(1) NOLLY	NEUTRO	N RADIAT	S) NO	MIXED GAMS	GAMMA RAY RADIATION (1) NEUTRON RADIATION (1) MIXED GAMMA-NEUTRON RADIATION (1)	MATION (r)
	100-1X	1K-10K	×10K	100- XI-00	1K-10K	>10K	100 J	100-1K 1K-10K >10K	√10Ķ	100-1K	1K-10K	×10K
CLINICAL		172	172	107	107	107	2 2					
		267	267									
GENERAL ACTIVITY							*					
				Ş	ţ	,		9	9		20 00	000
Discrimina				 ≧	 }	<u>=</u>		<u>8</u>	8		47, 48, 49	3
											50, 283	

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-21. Cardiovascular references: burro*.

MANIFESTATION	X - R	X - RAY RADIATION (r)	ION (r)	GAMMA	GAMMA RAY RADIATION (1)	TION (r)	PROTC	PROTON RADIATION (1)	E)	DEUT	DEUTERON RADIATION (1)	NTION (r)
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1X	1K-10K	^10K	100-1K	1K-10K	√10 K
HEART MORPHOLOGY												
ECG												
CARDIAC OUTPUT												
VASCULAR MORPHOLOGY												
BLOOD PRESSURE/ BLOOD FLOW				3	11		83		<u>-</u>			
CAPILLARY PERMEATION												

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-22. Cardiovascular references: cat*.

	X-R	X - RAY RADIATION (r)	(£)	GAMMA	GAMMA RAY RADIATION (r)	TION (r)	NEUTR	NEUTRON RADIATION (1)	ON (C)	ALPF	ALPHA RADIATION (1)	(c) NO
MANITESIAION	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	, Š	100-1K	1K-10K	, \$
HEART MORPHOLOGY												
ECG												
CARDIAC OUTPUT												
VASCULAR MORPHOLOGY		18, 68, 70										
BLOOD PRESSURE/ BLOOD FLOW		55										
CAPILLARY PERMEATION		29									202	

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-23. Cardlovascular references: dog.

MANIFESTATION	×	X - RAY RADIATION (1)		GAMMA R	GAMMA RAY RADIATION (1)	ON (r)	NEUTRO	NEUTRON RADIATION (r)	E) NG	GAMMA-NE	GAMMA-NEUTRON RADIATION (1)	ATION (1)
	100-1X	1K-10K	√10 K	100-1K	1K-10K	√10K	100-1K	1K-10K	×10K	100- X	1K-10K	×10K
HEART	217	8	53, 171	8	26, 60	11						
MORPHOLOGY		53, 79, 186, 217	53, 171	181	17,63							
Ç		Ş		•	•							
3		10, 186, 216		233	63, 233				, m.			
CARDIAC OUTPUT		4			17,63	228, 17, 229					124	
VASCULAR MORPHOLOGY	6, 14, 82	14, 23, 44, 75, 166				8 2					\$2	
BLOOD PRESSURE/	55	13, 38		\$	+	+					8	242
BLOOD FLOW	86, 209	53, 86, 166	<u></u>		17,40	17, 40 46, 225					123, 124, 180	
CAPILLARY PERMEATION	2	7			16							

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-24. Cardiovascular references: guinea pig*.

MANIFESTATION	×	X - RAY RADIATION (1)	(a) NC	GAMMA	GAMMA RAY RADIATION (1)	(a) NOLL	NEUTR	NEUTRON RADIATION (1)	C) NO	BET/	BETA RADIATION (1)	(<u>S</u>
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1 X	1K-10K	×10K
HEART MORPHOLOGY												
ECG											_	
CARDIAC OUTPUT												
VASCULAR MORPHOLOGY	7	14, 120, 258										
BLOOD PRESSURE/ BLOOD FLOW										· · · · · · · · · · · · · · · · · · ·		
CAPILLARY PERMEATION		258								8	220, 221	

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-25. Cardiovascular references: hamster*.

MANIFESTATION	X-R.	X - RAY RADIATION (r)	(£)	GAMMA	GAMMA RAY RADIATION (1)	(a) NOI	NEUTR	NEUTRON RADIATION (r)	(r) NOI		PROTON RADIATION (1)	(2) NK
	100-1K	1K-10K	×10K	100-1K	1K-10K	×10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K
HEART												
ECG	78											
CARDIAC OUTPUT												
VASCULAR MORPHOLOGY	87	106, 150										
BLOOD PRESSURE/ BLOOD FLOW	\$	2 0										
CAPILLARY												

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-26. Cardiovascular references: mouse*.

MANNESTATION	×	X - RAY RADIATION (1)		GAMMA	GAMMA RAY RADIATION (1)	TION (1)	NEUTR	NEUTRON RADIATION (1)	NON (S)		PROTON RADIATION (1)	ION (r)
	100-1K	1K-10K	×19 ,	100-1K	1K-10K	>10K	100-1K	1K-10K	¥.	100-1K	1K-10K	×10K
HEART	31	7		25			88					
MORPHOLOGY	136	8										
8 2												
CARDIAC OUTPUT												
VASCULAR	1, 25, 54, 87,	1, 54, 57, 152, 158, 159, 213, 232, 235		67. 126	^							211
BLOOD PRESSURE/ BLOOD FLOW	77.81	29, 77, 81, 89, 110 212			242	242			· · · · · · · · · · · · · · · · · · ·			
CAPILLARY	82	57, 89, 114, 158	56, 126									

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-27. Cardiovascular references: non-human primate*.

MANIFESTATION	×	X - RAY RADIATION (1)	(3)	GAMMA R	GAMMA RAY RADIATION (1)	(3) N	ELEC	ELECTRON RADIATION (1)	(ATION (r)	L	GAMMA-NEUTRON RADIATION (1)	(ATION (r)
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K	100-1X	1K-10K	×19K
HEART		8	981	\$								
MORPHOLOGY		981		172								
ECG			<u> </u>									
CARDIAC OUTPUT				æ	139, 140							
VASCULAR MORPHOLOGY	2,	14, 95			27, 95, 96			291				
BLOOD PRESSURE/	2, 153	180, 234		43 30, 31, 32 33, 34, 35 36, 177	3, 8, 9, 12 31, 35, 39 41, 42, 93 139, 140,	39, 49,		162			33 60, 164, 169 180	
CAPILLARY	64, 65, 91	20, 64, 65, 91, 174, 205			142, 165					<u> </u>		

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-28. Cardiovascular references: pig*.

MANIEESTATOM	×	X - RAY RADIATION (1)	(C)	GAMMA	GAMMA RAY RADIATION (1)	(a) NOLL	NEUT	NEUTRON RADIATION (r)	(J) NO		ALPHA RADIATION (1)	(s) NO
	100-1K	1K-10K	×10¥	100-1K	1K-10K	>10K	100-1X	1K-10K	Ϋ́Ó	100-1 X1-001	1K-10K	×19K
HEART MORPHOLOGY												
ECG												
CARDIAC OUTPUT												
VASCULAR	86 50	24, 26										
BLOOD PRESSURE		24		6	င	3						
BLOOD FLOW		175, 183		=	‡	11						
CAPILLARY PERMEATION		175										

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-29. Cardiovascular references: rabbit*.

MANIFESTATION	X-R	X - RAY RADIATION (r)		CAMM	GAMMA RAY RADIATION (1)	ATION (r)	BETA	BETA RADIATION (1)	S	PRO	PROTON RADIATION (1)	(1) NOIL
	100-1K	1K-10K	¥1	100-1 X	1K-10K	×10K	100-1K	1K-10K	√10K	100-1K	1K-10K	√10K
HEART	53, 187	15, 16, 17, 30	22									
		72, 73, 74, 131 132, 133, 141 224, 225, 239										
5 2												
CARDIAC OUTPUT												
VASCULAR MORPHOLOGY	58, 59, 134	16, 36, 42, 57 92, 120, 134, 141, 154, 214, 224, 242			8	58, 59		179			छ	ङ
BLOOD PRESSURE/ BLOOD FLOW	26, 119, 214, 243	19, 20, 155, 172, 214, 242						179			<u> </u>	Ē
CAPILLARY PERMEATION	64, 65, 91	20, 64, 65, 91, 174, 206										

*Cited references are underlined. Other may be found in the Reading List in Appendix A.

Table B-30. Cardiovascular references: rat*.

MANIFESTATION	X - RA	X - RAY RADIATION (1)		GAMMA RAY RADIATION (1)	Y RADIAT		РВОТО	PROTON RADIATION (1)	(a) NOI	ELEC	ELECTRON RADIATION (1)	TION (r)
	100-1K	1K-10K	, 10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K
HEART	\$	34, 48										
MORPHOLOGY	99, 149	144, 178										
Ç	Ş											
3	41, 49							-		_		
CARDIAC OUTPUT		116, 130									4	*
VASCULAR	48, 53	48, 52, 53, 54		115, 126, 182					143		52	
MORPHOLOGY	14, 87, 188 195, 247	1, 12, 13, 14, 38, 37, 66 90, 83, 97, 111, 106 101, 118, 145, 198 189, 195, 201, 241										
	:			ļ	,							(
BLOOD FLOW	11, 19, 45, 61, 65 41, 88, 113, 136 176, 164, 165 230, 247, 252 257, 263, 264	49, 52, 53, 54 8, 9, 13, 66, 101, 116 127, 129, 145, 155 170, 176, 186, 218 237, 238, 247, 250 251		Š	<u> </u>	ğ	3 3				*; 187, 188	4, 93, 125
CAPILLARY	55, 90, 31, 244, 256, 255	90, 114, 145, 241, 255 254		5 2	۲	8			143	88		

*Cited references are underlined. Other may be found in the Reading List in Appendix A.

Table B-31. Cardiovascular references: sheep⁴.

MANIFESTATION	×	X - RAY RADIATION (1)	TION (r)	GAMMA RAY RADIATION (1)	AY RADIAT	JON (r)	PROTO	PROTON RADIATION (r)	(c) N	DEUTE	DEUTERON RADIATION (1)	LION (r)
	100-1K	1K-10K	>10K	100-1K	1K-10K	, XO,	100-1K	1K-10K	>10K	100-1K	1K-10K	√10K
HEART MORPHOLOGY												
ECG												
CARDIAC OUTPUT												
VASCULAR MORPHOLOGY		1=11										
BLOOD PRESSURE/ BLOOD FLOW				11	3, 11							
CAPILLARY												

*Cited references are underlined. Other may be found in the Reading List in Appendix A.

Table B-32. Gastrointestinal references: cell survivial*.

SPECIES	X - RAY RADIAT	ADIATION (r)		GAMMA RAY RADIATION (r)	Y RADIATIK	E R	NEUTR	NEUTRON RADIATION (r)	E NO	PROT	PROTON RADIATION (r)	(c) NOL
	100-1K	1K-10K	>10K	100-1K	1K-10K	× X	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K
Mouse	30, 31	49, 87, 92, 152,		41, 42, 43	62, 154,		125, 154,	49, 163,				
	87, 128, 129,	154, 163, 164,		62, 97, 176,	283, 343,		163, 348,	283, 349				
	131, 132, 133,	266, 271, 278,		177, 204, 207,	348, 352		349, 352					
	134, 199, 349	283, 314, 315,		257, 261, 352								
		341, 349				-						
Rat				3, 4, 43	16, 18							
				13, 14, 16,								
				17, 18, 207								
Rabbit												
Dog												
Hamster						•						
Pig						<u>. </u>						
Non-Human Primate												
Cat												
Guinea Pig												
Gerbil			. .			<u> </u>						
						1						

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-33. Gastrointestinal references: intestinal repair*.

SPECIES	X - RAY B	X - RAY RADIATION (1)		GAMMA RAY RADIATION (r)	RADIATIO	E	NEUTRO	NEUTRON RADIATION (r)	(a) NC	PROTO	PROTON RADIATION (r)	8
	100-1K	1K-10K	×10K	100-1K	1K-10K	×10K	100-1K	1K-10K	≯10K	100-1K	1K-10K	×10K
Mouse	128, 129, 131	130, 136, 314,	130	41, 42	259, 342		185			186		
	238	315, 340		175, 185, 186.								
				204, 205, 206,								
				258, 259, 260, 316,					-			
				5								
Rat	332, 334	146, 147, 148,		8	18, 273							
		æ						-				
Rabbit												
000												
ĵ												
Hamster												
Pig										-	···	
Non-Human Primate		-		8								
Cat									-			
Guinea Pig												
Gerbil	238							-				

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-34. Gastrointestinal references: Infection*.

SPECIES	X - RAY	X - RAY RADIATION (1)		GAMMA RAY RADIATION (r)	Y RADIATIC	(S) N(NEUTR	NEUTRON RADIATION (r)	(a) NOL	PROTO	PROTON RADIATION (r)	ON (r)
	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K
Mouse	69	48, 50, 51, 69	22	177	47			787				
	338	221, 223, 224,			220, 245							
Rat	8	-		8	8		8					
	303, 304			117	117, 255		117					
Rabbit									-			
Dog		12			12							
1		72, 287			72							
Hamster												
Pig												
Non-Human Primate												
Cat												
Guinea Pig												
Gerbil			<u></u>									

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-35. Gastrointestinal references: intestinal blood flow*.

SPECIES	X - RAY	X - RAY RADIATION (r)		GAMMA RAY RADIATION (r)	Y RADIATI	ON (C)	NEUTRC	NEUTRON RADIATION (r)	ON (c)	PRO	PROTON RADIATION (r)	ε
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K	100-1K	1K-10K	×10K
Mouse	42, 109, 321	109, 321			101		321					
Rat	80, 197, 335,	8										
	336	98, 145, 182, 183, 312, 335										
Rabbit												
Dog		04			9, 10	6					30	
					/o ['] co	8					180, 181, 182	
Hamster												
Pig .		37	-									
Non-Human Primate												
Cat		105, 106, 107										
Guinea Pig												

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-36. Gastrointestinal references: morphology*.

100-1K 1K-10K 190-1K 1100-1K 1100-1K	SPECIES	X - RAY	X - RAY RADIATION (1)		GAMMA RA	GAMMA RAY RADIATION (r)	ε	NEUTRON	NEUTRON RADIATION (1)	ε	PROT	PROTON RADIATION (r)	(a) NOL
13, 15, 25, 56, 74, 80, 9, 44, 52, 53, 55, 146, 52, 55, 56, 149, 140, 140, 140, 140, 140, 140, 140, 140		100-1K	1K-10K	×10K	100-1X	1K-10K	×10K	100-1K	1K-10K >10K	-	100-1K	100-1K 1K-10K	×10K
48, 22, 56, 74, 80, 6, 48, 52, 54, 56. 174, 327, 330 56, 139, 327. 119, 119, 140. 227, 226, 233, 137, 139, 141, 142, 267 345 156, 161, 174, 246. 267 143, 150, 166, 167. 5 4, 203 30, 45, 50, 73, 85, 144, 165, 208, 296, 300, 334, 347. 15, 19, 22, 24, 347. 17, 19, 22, 24, 367. 30, 45, 50, 73, 85, 144, 165, 208, 296, 300, 334, 347. 66 45, 135 43, 121 66 45, 135 43, 121 66 44, 45, 135, 296 45, 135 104 45 139 168, 277 139 339 148, 162, 277 339	Mouse	21, 52, 53, 55	32, 33, 34, 35, 36		52, 56, 139,	48, 52, 53, 55,		48, 52, 56,	48, 52, 56,				
19, 127, 228, 233, 137, 138, 141, 142, 267 227, 228, 233, 137, 138, 141, 142, 267 13, 15 13, 15 13, 15 13, 15 13, 15 13, 15 13, 15 13, 15 13, 15 13, 15 143, 150, 166, 167, 168, 167, 168, 169, 170, 248 104 43, 15, 208 104 45 45 108, 277 108, 277 108, 277 108, 277 207 207 208 208 208 208 208		48, 52, 56, 74, 89,	9, 48, 52, 54, 56,		174, 327, 330	56, 139, 327,		118, 119, 140,					
227, 228, 233, 137, 139, 141, 142. 267		102, 140, 166,	88, 89, 118, 119,			345		156, 161, 174,	327				
267 143, 150, 166, 167. 13, 15 3, 32, 46, 83, 114, 30, 45, 50, 73, 85, 149, 165, 208, 296, 300, 334, 347 104 43, 121 66 43, 121 66 43, 121 67 43, 45, 155, 298 108 339 339		227, 228, 233,	137, 138, 141, 142,					242, 327					
13, 15		267	143, 150, 166, 167.										
13, 15 30, 45, 50, 73, 85, 149, 165, 208, 296, 17, 19, 22, 24, 17, 19, 22, 24, 195, 256 320, 334, 347 320, 334, 347 320, 334, 347 320, 334, 345, 155, 298 339 339 339 339 330 330 330 330 330 330			168, 169, 170, 248										
30, 45, 50, 73, 85, 149, 165, 208, 296, 17, 19, 22, 24, 195, 256 196, 256 196, 256 196, 256 196, 256 196, 277 196, 277 196, 277 203 188	Rat	13, 15	3, 32, 46, 83, 114,		9	4, 203							
320, 334, 347 319 195, 256 63 63 45, 135 43, 45, 155, 298 188 339 339 333 203 188 203 188 203 188 203 188 203 188 203 188 203 203 203 203 203 203 203 203 203 203		30, 45, 50, 73, 85,	149, 165, 208, 296,		17, 19, 22, 24,								
43, 121 66 45, 135 43, 45, 155, 298 Nan 108, 277 203 108 203 203 203 203 203 203 203		320, 334, 347	319		195, 256					•			
Han 121 66 45, 135 45, 135 45, 135 135 45, 135 209 188 277 203 188 339 333 209	Rabbit	104		<u> </u>	8								
43, 45, 155, 296 45 203 188 108, 277 203 209	D00	43, 121	99			45, 135							
nan 200 166 108, 277 200	,		43, 45, 155, 298										
nan ass 166 277 200 166 339 339 200 200 200 200 200 200 200 200 200 20	Hamster		45										
nan 339 108, 277 108, 277 203	P.g				802	88		51, 188					
a Pig 333 200	Non-Human Primate			·····		330					8		
a Pig 333	Cat		108, 277										
	Guinea Pig	333	-			82		88					
Gerbil	Gerbil									 			

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-37. Gastrointestinal references: motility*.

100-1K 1K-10K 100-1K 1100-1K 1100-1K	SPECIES	X - RAY R	X - RAY RADIATION (1)		GAMMA RAY RADIATION (1)	RADIATIO	N (3)	NEUTR	NEUTRON RADIATION (1)	(r) NOt	PROTO	PROTON RADIATION (1)	S) NO
96, 61, 70. 11, 21, 27, 67 1, 8, 11, 27, 67 24, 40, 65 8, 41, 61, 68, 167, 163, 194, 66, 280, 324, 95, 201 11, 8, 11, 27, 67 11, 8, 11, 27, 67 12, 11, 17, 17, 207, 346 222 222 223 224, 346 66 66 66 66 66 19, 19 91, 19 92, 44, 95, 201		100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K
39, 61, 70. 111, 285 1, 8, 11, 27, 67 40, 65 8, 41, 61, 68, 167, 193, 194, 69, 222 264, 270, 285, 300 323, 324, 346 66 66 66 66 18, 19 19, 19 11, 285 18, 19 11, 285 18, 19 19, 19 10, 11, 27, 67 207, 346 66 66 66 66 66 66 66 69 70, 113 11, 18, 19 83, 94, 95, 201	Mouse	6, 8, 22	0,		54	24							
111, 285 1, 8, 11, 27, 67 8, 41, 61, 68, 187, 193, 194, 69, 123, 171, 172, 297, 346 264, 270, 285, 300 323, 324, 346 66 296 Pig 285 Pig 285 Pig 285		39, 61, 70,			70, 113	113							
8, 41, 61, 68, 167, 193, 194, 69, 162, 171, 172, 297, 346, 264, 270, 285, 300, 323, 324, 346, 66, 123, 171, 172, 297, 346, 222 222 223 323, 324, 346 66 66 66 Pig 286 Pig 286 Pig 286		111, 285											
8, 41, 61, 68, 187, 183, 194, 69, 123, 171, 172, 297, 346 264, 270, 285, 300 323, 324, 346 49 222 56 66 66 79 79 79 79 79 79 70 70 70 70 70 70 70 70 70 70 70 70 70	Rat	1, 8, 11, 27, 67	40,65										
66, 123, 171, 172, 297, 346 284, 270, 285, 300 323, 324, 346 49 222 22 66 66 67 Pig 286 60 Pig 286		8, 41, 61, 68,	187, 193, 194,										
264, 270, 285, 300 323, 324, 346 49 222 296 197 1 1 288		69, 123, 171, 172,	297, 346										
37 222 266 66 66 66 60 60 60 60 60 60 60 60 60 6		323, 324, 346											
Fig 285 60	Rabbit		9				**						
er uman 1 296 60 285 60 288			æ										
er uman 1 e 60 288	Dog		æ										
er uman 1 6 8 Pig 285 60	B		882										
uman 1 60 885 888	Hamster					,							
uman 1 6 8 Pig 2865 60	Pig												
285	Non-Human Primate	-			18, 19								
285	Cat					***							
	Guinea Pig	582		8				72					
Gerbii				288			_						
	Gerbil												

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-38. Gastrointestinal references: transport capacity*.

SPECIES	X - RAY RADIATION (1)	ATION (1)		GAMMA RAY	GAIMIA RAY RADIATION (1)		NEUTRON RADIATION (r)	RADIATION	3	GAMMA	GAMMANEUTRON RAD. (1)	RAD. (r)
	100-1K	1K-10K	×10K	100-1K	1K-10K	>10K	100-1K	1K-10K >10K	1	100-1K	1K-10K	≯10K
Mouse	11	216, 321				- 10	321					
	29, 33, 90, 229,											
	321											
Rat	16, 23, 27, 54,	2, 14, 23, 37, 36,		7,56	10, 15, 23,		96				91, 196	
	56, 57	61, 62, 63, 64		11, 20, 21, 23,	180, 307							
	26, 33, 86, 99,	12, 33, 78, 91, 110.		25, 26, 27, 58,			•					
	112, 123, 124, 232,	112, 120, 124, 179,		251, 308, 311,								
	25, 21, 22	291, 292, 293, 294,		Ş								
		295, 351			· -							
Rabbit				58	58							
				128	126							
Dog	8											
Hamster												
Pig												
Non-Human Primate	-		<u> </u>	2.6.7,280	N	~						
Cat												
Guinea Pig	8											
Gerbil			 					-				

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-39. Endocrine references: adrenal gland*.

SPECIES	X - RAY RADIATION (1)	MATION (1)		GAMMA	GAMMA RAY RADIATION (1)	(r) NOIL	NEUTR	NEUTRON RADIATION (r)	(2) NO	PRO	PROTON RADIATION (r)	TON (5)
	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K	100-1K	1K-10K >10K	×19K	100-1K	1K-10K	×10K
Mouse	13				125							
	32, 76											
Rat	4, 7, 24, 31	1, 5, 6, 14	-									
	5, 6, 7, 18, 38, 46	(6)										
	54, 62, 66, 71, 99. 103, 106, 119, 140	136, 143										
Rabbit		o										
		43,54										
Dog	78, 97, 117, 146,	97, 144										
Hamster							_				······	
Pig	8						 -					
Non-Human Primate	8 3											
Cat							-					
Guinea Pig												
Gerbil										·-		

"Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-40. Endocrine references: pancreas*.

SPECIES	X - RAY	X - RAY RADIATION (r)	(2)	GAMMA F	GAMMA RAY RADIATION (r)	(r) NOIT	NEUTRO	NEUTRON RADIATION (r)	ON (r)	PROT	PROTON RADIATION (r)	ON (r)
	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K	100-1K	1K-10K	>10K	100-1K	1K-10K	≯10 K
Mouse												
Rat	₹	11		137			60					
Rabbit		21 22										
Dog	107	28, 29, 30 2, 132, 133, 138, 139										
Hamster												
Pig.												
Non-Human Primate										36, 37		
Cat						· · · · · ·						
Guinea Pig												*
Gerbil												

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-41. Endocrine references: parathyroid*.

SPECIES	X - RAY	X - RAY RADIATION (r)	ε	GAMMA F	GAMMA RAY RADIATION (r)	(r) NOLL	NEUTRO	NEUTRON RADIATION (r)	S 8	PROT	PROTON RADIATION (1)	(a) NOL
	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K	100-1K	1K-10K	χοχ	100-1K	1K-10K	¥1.
Mouse	13	£						· -				
Rat	5	£										
Rabbit												
Dog	13	13										
Hamster					-							
Pig												
Non-Human Primate	£	£								·		
Cat												
Guinea Pig	£	13										
Gerbil												

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-42. Endocrine references: pituitary gland*.

SPECIES	X-RA	X - RAY RADIATION (r)		GAMMA R	GAMMA RAY RADIATION (r)	TION (r)	NEUTRO	NEUTRON RADIATION (1)	(c) NO	ELECT	ELECTRON RADIATION (r)	(r) NOILY
	100-1K	1K-10K	>10K	100-1X	1K-10K	×10K	100-1K	1K-10K >10K	1	100-1X	1K-10K	*10K
Mouse	35, 49, 50, 55	49, 50, 94					49, 50					
Rat	*	17, 18			17							
	17, 18, 60, 89	84, 86, 89, 128			8					8	e 8	
			<u> </u>									
Rabbit												
Dog	113, 145											
Hamster										_		
Pig						-				_		
Non-Human Primate		5										
Cat												_
Guinea Pig												
Gerbil												
	T		7		1	1						

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-43. Endocrine references: testis/ovary*.

SPECIES	X - RAY R	X - RAY RADIATION (r)		GAMMA F	GAMMA RAY RADIATION (r)	(r) NOIL	NEUTRO	NEUTRON RADIATION (r)	ON (r)	PROT	PROTON RADIATION (r)	(J) NOL
	100-1K	1K-10K	×19K	100-1K	1K-10K	×10X	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K
Mouse	æ	5			141							
Pat	8, 27, 31, 40	1, 15, 45, 83		<u>8</u>	2							
Rabbit		ផ										
Dog	78											
Hamster												
Pig												
Non-Human Primate	20	02							· · · · · · · · · · · · · · · · · · ·			
Cat												
Guinea Pig												
Gerbii												

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-44. Endocrine references: thyroid gland*.

SPECIES	X-RAY R	X - RAY RADIATION (r)		GAMMA	GAMMA RAY RADIATION (r)	(r) NOIL	NEUTRO	NEUTRON RADIATION (r)	(c) NO	PROT	PROTON RADIATION (r)	(J) NOL
	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K	100-1K	1K-10K	>10K	100-1X	1K-10K	×10K
Mouse	8	135				-						
	120, 124, 134, 135											
Rat	3, 10	3									_	
	10, 16, 28, 34,	10, 28, 32, 47,		67, 86	8		8					
	52, 53, 56, 65, 87, 104, 105	52, 57, 73, 80, 98, 105										
Rabbit	131											
Dog	82, 114	61										
		48, 82, 92, 93										
Hamster												
Pig				<u>-</u>								
Non-Human Primate								_				
Cat												
Guinea Pig												
Gerbil												
	<u> </u>		-]			

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-45. Hematopoletic references: stem cell*.

SPECIES	X - RAY RADI	RADIATION (r)		GAMMA RAY RADIATION (1)	RADIATION	S	NEUTRO	NEUTRON RADIATION (1)	(S) NO	BET/	BETA RADIATION (r)	ON (r)
	100-1K	1K-10K	^10¥	100-1K	1K-10K	>10K	100-1K	1K-10K	×10K	100-1K	1K-10K	>10K
CAT	416								•			
DOG	11 1, 21, 25, 27, 56, 299, 302, 306, 309, 310	74, 86, 87,		25," 27," 122,		G	28. 58 20. 58					
GOAT				108	8							
GUINEA PIG	46, 71			46, 184, 185, 186, 187	•		9					
MOUSE	13, 16, 16, 22, 24, 29, 30 7, 17, 34, 36, 37, 42, 43, 4, 45, 49, 52, 53, 54, 44, 45, 49, 52, 53, 54, 64, 68, 77, 81, 84, 85, 95, 99, 104, 106, 107, 121, 130, 131, 141, 146, 152, 157, 158, 171, 173, 174, 178, 181, 182, 183, 197, 198, 199, 200, 202, 209, 219, 222, 227, 233, 240, 241, 242, 243, 244, 272, 277, 279, 280, 283, 284, 314, 317, 322, 347, 353, 359, 366, 377, 402, 403											
NON-HUMAN PRIMATE	112			56, 89, 186**	8							
PIG				8 01	8							
RABBIT	17 45, 46, 71, 218, 271, 377	8		17			45, 46		S. S			
RAT	26 13, 19, 20, 21, 22, 23, 24, 32, 33, 45, 71, 103, 167, 204, 212, 211, 213, 232, 305, 306			26.** 29,30,**32,**40, 73,91,143,144, 289,380	6 30, 60, 97, 103		£		· · · · · · · · · · · · · · · · · · ·			

*Cited references are underlined. Others may be found in the Reading List in Appendix A. **Gamma-neutron radiation.

Table B-46. Hematopoletic references: peripheral blood*.

SPECTES.	X - RAY RADIATION (r)	ON(r)		GAMMA RAY RADIATION (r)	ADIATION (F		NEUTRO	NEUTRON RADIATION (1)	(J) NO	BETA	BETA RADIATION (1)	ON (r)
	100-1K	1K-10K	×10K	100-1K	1K-10K	√10 ¥	100-1K	1K-10K >10K	¥ ¥	100-1K 1K-10K	1K-10K	×10K
САТ	416											
500	11, 21, 25, 27, 58, 299, 302, 308, 309, 310	74, 86, 87,		25, 27, 122, 311, 380		\$	% %					
GOAT				8	801							
GUINEA PIG	46,71			46, 184, 185, 186, 187			46					
MOUSE	13, 16, 18, 22, 24, 29, 30 7, 17, 34, 36, 37, 42, 43, 44, 45, 49, 52, 53, 54, 64, 68, 77, 81, 84, 85, 95, 99, 104, 106, 107, 121, 130, 131, 141, 146, 152, 157, 158, 171, 173, 174, 178, 181, 182, 183, 197, 198, 199, 200, 202, 209, 241, 242, 243, 244, 272, 277, 279, 280, 283, 294, 314, 317, 322, 347, 353, 359, 366, 377, 402, 403											
NON-HUMAN PRIMATE	112			88, 69, 188*	88							
PIG				8	801							
RABBIT	17 45, 46, 71, 218, 271, 377	8		17			45, 46					
RAT	26 13, 19, 20, 21, 22, 23, 24, 32, 33, 45, 71, 103, 167, 204, 212, 211, 213, 232, 305, 306			26, 30, 32, 40, 73, 91, 144, 289, 380	6 30, 60, 97, 103		45					

*Cited references are underlined. Other may be found in the Reading List in Appendix A. **Gamma-neutron radiation.

Table B-47. Immune references: lymphocytes*.

SPECIES	X-RA	X - RAY RADIATION (1)	r.	GAMMA F	GAMMA RAY RADIATION (r)	TION (r)	NEUTRON	NEUTRON RADIATION (1)	<u>S</u>	BETA	BETA RADIATION (r)	8
	100-1X	1K-10K	×10K	100-1X	1K-10K	×10K	100-1X	1K-10K	√10Ķ	100-1X	1K-10K	×19 K
MO2	48, 199	8										
50				138, 156, 167, 183			156					
GUINEA PIG	33, 79			109, 110								
MOUSE	5, 23, 36,	32, 40, 41,		39, 85, 90,	130, 192		122, 123,					
	14, 16, 20,	202, 278		259			273, 273	- 	-			
	21, 22, 23,											
	28, 40, 41. 45, 46, 52											
	59,59											
	104, 105, 106											
	107, 116, 117.											
	122, 123, 136,											
	140, 141, 169,	- · · -										
	200, 200, 200											
	210 227 230											
	247, 249, 250,											
	273, 274, 285											
NON-HUMAN PRIMATE												
PIG	263											
RABBIT	12 33, 66, 244					<u> </u>						
RAT	4, 23, 12, 33, 36, 51,	10, 36, 37, 95, 102, 260,	262, 270	14, 80, 162	23	·						
	76, 95, 125, 170, 186, 261, 262, 270	8										

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-48. Immune references: cell-mediated immunity*.

SPECIES	X - RAY RADIATION (r)	DIATION (5	GAMMA	GAMMA RAY RADIATION (r)	ION (r)	NEUTRO	NEUTRON RADIATION (r)	(J) NO	L	BETA RADIATION (r)	ε
	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	>10K	100-1K	1K-10K	¥
woo										**		· - · · · ·
900				183								,
GUINEA PIG	33 135, 215, 266											
MOUSE	17, 24, 34,	278		204	89, 92							
	6, 7, 25, 52, 104, 128, 169, 190, 224, 225, 231, 248, 245, 231, 248, 245, 245, 245, 245, 245, 245, 245, 245											
NON-HUMAN PRIMATE		179										
PIG										-		
RABBIT	30, 61	99										
RAT						88						

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

Table B-49. Immune references: humoral immunity*.

SPECIES	X - RAY RADIATION (r)	ADIATION	(c)	GAMMA RAY	GAMMA RAY RADIATION (r)	ε	NEUTR	NEUTRON RADIATION (r)	ION (r)		BETA RADIATION (r)	ε
	100-1K	1K-10K	×10K	100-1K	1K-10K	>10K	100-1K	1K-10K >10K	++	100-1K	1K-10K	× Ş
woo											· · · · · · · · · · · · · · · · · · ·	
900		8		183				= =				
GUINEA PIG	33, 43 135, 215, 265											
MOUSE	17, 24, 34,			31, 34, 69,	34, 89, 92							
	13, 25, 41,			149, 204					· -			
	104, 128, 160 169, 190, 224,					<u> </u>						
	225, 231, 248, 270, 275, 285											
NON-HUMAN PRIMATE	47,73											*
PIG												
Р.АВВІТ	12 30, 61, 67, 253, 254	e										
RAT	8					88					_	

*Cited references are underlined. Others may be found in the Reading List in Appendix A.

DISTRIBUTION LIST

DNA-TR-91-111

DEPARTMENT OF DEFENSE

ARMED FORCES RADIOBIOLOGY RSCH INST

10 CYS ATTN: MAJ COLLINS

ATTN: TECHNICAL LIBRARY

ASSISTANT TO THE SECRETARY OF DEFENSE

ATTN: ROOM 3E 1074

DEFENSE INTELLIGENCE AGENCY

ATTN: DB-6

DEFENSE NUCLEAR AGENCY

2 CYS ATTN: TITL

DEFENSE TECHNICAL INFORMATION CENTER

2 CYS ATTN: DTIC/FDAB

DEPUTY UNDER SECRETARY OF DEFENSE

ATTN: ENVIRONMENTAL & LIFE SCIENCES

FIELD COMMAND DEFENSE NUCLEAR AGENCY

ATTN: FCF

INTERSERVICE NUCLEAR WEAPONS SCHOOL

ATTN: RH

DEPARTMENT OF THE ARMY

ACADEMY OF HEALTH SCIENCES, U.S. ARMY

ATTN: HSHA-CDD

ARMED FORCES INSTITUTE OF PATHOLOGY

ATTN: RADIOLOGIC PATHOLOGY DEPT

DIRECTORATE OF COMBAT DEVELOPMENT

ATTN: ATSA-COM-L(NBC)

LETTERMAN ARMY INSTITUTE OF RESEARCH

ATTN: SGRD-ULX-QA-R

SURGEON GENERAL

ATTN: AAFJML

ATTN: MEDDH-N

U S ARMY NUCLEAR & CHEMICAL AGENCY

ATTN: MONA-NU

U S ARMY RESEARCH DEV & ENGRG CTR

ATTN: STRNC-ZSR

WALTER REED ARMY INSTITUTE OF RESEARCH

ATTN: DIV OF EXPERIMENTAL THERAPEUTICS

10TH MEDICAL LABORATORY

ATTN: AEMML-PM-ORD

DEPARTMENT OF THE NAVY

BUREAU OF MEDICINE & SURGERY

ATTN: MED-3B13

DEPARTMENT OF THE NAVY

ATTN: CODE 21

NAVAL AEROSPACE MEDICAL INSTITUTE

ATTN: ANIMAL BEHAVIORAL SCIENCES BR

NAVAL AEROSPACE MEDICAL RESEARCH LAB

ATTN: COMMANDING OFFICER

NAVAL MEDICAL RESEARCH & DEV. COMMAND

2 CYS ATTN: CODE 40C NMCNCR

OFFICE OF NAVAL RESEARCH

ATTN: CODE 441

RADIATION HEALTH OFFICER

ATTN: USS SIMON LAKE (AS 33)

DEPARTMENT OF THE AIR FORCE

AFOEHL/RZ

ATTN: OEHL/RZI

BOLLING AFB

ATTN: AF/SGPT

ATTN: HQ USAF/SGES

U S AIR FORCE ACADEMY

ATTN: HQ USAFA/DFBL

USAF SCHOOL OF AEROSPACE MEDICINE

ATTN: AEROSPACE MEDICAL DIV

ATTN: USAFSAM/RZB

DEPARTMENT OF ENERGY

ARGONNE NATIONAL LABORATORY

ATTN: REPORT SECTION

ASSOCIATED UNIVERSITIES, INC

ATTN: NUCLEAR SAFEGUARDS LIBRARY

ATTN: REPORTS SECTIONS

DEPARTMENT OF ENERGY

ATTN: DIR OHER-ER 70

LAWRENCE BERKELEY NATIONAL LAB

ATTN: LIBRARY

LAWRENCE LIVERMORE NATIONAL LAB

ATTN: TECHNICAL INFO DIV

LOS ALAMOS NATIONAL LABORATORY

ATTN: REPORT LIBRARY

LOVELACE BIOMEDICAL

ATTN: DOCUMENT LIBRARY

OTHER GOVERNMENT

CENTRAL INTELLIGENCE AGENCY

ATTN: OFFICE OF MEDICAL SERVICES

DNA-TR-91-111 (DL CONTINUED)

GPO-CONSIGNED BRANCH
17 CYS ATTN: CONSIGNED STOCK

LIBRARY OF CONGRESS
ATTN: EXCHANGE AND GIFT DIV

NATIONAL LIBRARY OF MEDICINE, NIH
ATTN: PUBLICATIONS AND INQUIRIES

NUCLEAR REGULATORY COMMISSION ATTN: LIBRARY P160

PROJ OFFICER FOR RADIOLOGICAL MODIFIERS
ATTN: NIH-NCI-DCT-CTEP-RDB-BTSG

U S GOVERNMENT PRINTING OFFICE ATTN: RM A-150

U S PUBLIC HEALTH SERVICE
ATTN: WINCHESTER ENG & ANAL CTR

DEPARTMENT OF DEFENSE CONTRACTORS

KAMAN SCIENCES CORP ATTN: DASIAC

KAMAN SCIENCES CORPORATION ATTN: DASIAC

PACIFIC-SIERRA RESEARCH CORP ATTN: H BRODE

PATHOLOGY ASSOCIATES INC 2 CYS ATTN: LYNDIA L PIPPIN DMV

STANFORD UNIVERSITY
2 CYS ATTN: D CARPENTER

FOREIGN

NBC DEFENSE RESEARCH AND DEVELOPMENT ATTN: WWDBW AB (SCHUTZ)

SERIAL ACQUISITIONS (EXCHANGE)
ATTN: BRITISH LIBRARY

DIRECTORY OF OTHER

INSTITUTE OF TOXICOLOGY ATTN: RADIOBIOLOGY LAB

RADIOISOTOPE LABORATORY
ATTN: RADIOISOTOPE LABORATORY

ROCHESTER UNIV MEDICAL CTR ATTN: RBB LIBRARY